


EXISTING	PROPOSED
---	---
---	---
W	---
S	---
---	---
E	---
C	---
---	---
F.P.A.U.D.E.	F.P.A.U.D.E.

- BENCHMARK:**
MONUMENT 179.7' WEST OF WEST EDGE OF SH 205 PAVEMENT AND 6.8' NORTH OF BACK OF CURB DALTON ROAD. ELEVATION = 541.57'
- NOTES:**
- EXISTING TOPOGRAPHY BASED ON SURVEY PREPARED BY PEISER & MANKIN SURVEYING, LLC DATED 1/14/2016.
 - SEE SHEET C3 FOR DRAINAGE DESIGN.
- UTILITY NOTES:**
- 8" & 6" WATER PIPE WILL BE C900 DR14 PVC WATER PIPE.
 - ALL WORK SHALL BE IN ACCORDANCE WITH THE CITY'S STANDARDS AND SPECIFICATIONS AND NCTCOG 4TH EDITION.
 - CONTRACTOR SHALL COORDINATE ALL CONNECTIONS TO PUBLIC MAINS WITH THE CITY.
 - ALL TRENCHING SHALL BE IN ACCORDANCE WITH LATEST OSHA STANDARDS AND SPECIFICATIONS.
 - BUILDING FIRE MAIN, FIRE RISER, AND FIRE DEPARTMENT CONNECTION SHALL BE INSTALLED BY A LICENSED FIRE SPRINKLER CONTRACTOR IN THE STATE OF TEXAS.
 - CONTRACTOR SHALL CALL FOR UTILITY LOCATES AT LEAST 48 HRS PRIOR TO BEGINNING CONSTRUCTION.
 - CONTRACTOR SHALL ADJUST ALL UTILITY APPURTENANCES TO FINAL GRADE.
 - WATER AND SEWER CROSSINGS SHALL BE PER THE LATEST TCEQ REQUIREMENTS.
 - REFERENCE MEP PLANS FOR EXACT BUILDING ENTRY POINTS FOR UTILITY SERVICES.
 - CONTRACTOR SHALL NOTIFY ENGINEER OF ANY UTILITY CONFLICTS AS SOON AS POSSIBLE.
 - CONTRACTOR SHALL COORDINATE ALL INSPECTIONS AND TESTING WITH THE CITY.
 - INSTALL BLUE EMS DISK ON WATER LINE AT EVERY CHANGE IN DIRECTION, VALVE, SERVICE CONNECTION, AND 250'.
 - INSTALL GREEN EMS DISK ON SEWER LINE AT DOUBLE CLEANOUT.
- ① CONCRETE ENCASE PROP 6" FIRE LINE AT UTILITY CROSSINGS.

VASQUEZ ENGINEERING, L.L.C.
1919 S. Shiloh Road
Suite 440, LB 44
Garland, Texas 75042
Ph: 972-278-2948
TX Registration # F-12266



DEVELOPER:
MCCLURE PARTNERS
P.O. BOX 802047
DALLAS, TX 75380

UTILITY PLAN
LOT 4, BLOCK A
DALTON GOLIAD ADDITION
CITY OF ROCKWALL, TEXAS

Scale: 1" = 30'
Designed by: JUV
Drawn by: JUV
Checked by: JUV
800-000000-UTILITY PLAN.dwg

SHEET
C6