

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	ACC:
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	
49	50	51	52	53	54	55	56	57	58	59	60	61	62	63		

DISCLAIMER

The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

# SUMMARY OF SMALL SIGNS

SM RD SGN ASSM TY XXXXX(X)XX(X-XXXX)

PLAN SHEET NO.	SIGN NO.	SIGN NOMENCLATURE	SIGN TEXT	SIGN DIMENSIONS	LEGEND SHEETING	BACKGROUND SHEETING	PLYWOOD TYPE A	ALUMINUM TYPE A	ALUMINUM TYPE G	Post Type FRP = Fiberglass TWT = Thin-Wall 10BWG = 10 BWG S80 = Sch 80	Posts (or Z)	Anchor Type UA = Univer-Conc UB = Univer-Bolt WA = Wedge-Conc SA = Slip-Conc SB = Slip-Bolt	Mounting Designation P = Prefab. "Plain" T = Prefab. "T" U = Prefab. "U"	IEXT or 2EXT = # of Ext. BM = Extruded Wind Beam WC = LI2 #/ft. Wing Chan. EXAL = Extruded Alum. signs
1	1	W2-1	+	30X30						10 BWG	I	SA	P	
	2	M1-6F	F. M. 552	36X36						10 BWG	I	SA	P	
	3	W3-1a		36X36						10 BWG	I	SA	P	
	4	R2-1	SPEED LIMIT 45	24X30						10 BWG	I	SA	P	
	5	W1-2L		30X30						10 BWG	I	SA	P	
	6	R1-1	STOP	30X30						10 BWG	I	SA	P	
	7	R1-4	ALL WAY	18X6										
2	1	R2-1	SPEED LIMIT 45	24X30						10 BWG	I	SA	P	
	2	R2-1	SPEED LIMIT 45	24X30						10 BWG	I	SA	P	
	3	W1-2R		30X30						10 BWG	I	SA	P	
	4	W1-2R		30X30						10 BWG	I	SA	P	
3	1	R2-1	SPEED LIMIT 45	24X30						10 BWG	I	SA	P	
	2	R2-1	SPEED LIMIT 45	24X30						10 BWG	I	SA	P	
	3	W1-2L		30X30						10 BWG	I	SA	P	
	4	W1-2L		30X30						10 BWG	I	SA	P	
4	1	W1-2R		30X30						10 BWG	I	SA	P	
	2	R2-1	SPEED LIMIT 45	24X30						10 BWG	I	SA	P	
	3	W2-2L		30X30						10 BWG	I	SA	P	
	4	W16-8	JOHN KING BLVD	24X8						S 80	I	SA	U	
	5	M3-1	NORTH	24X12										
	6	M1-6T		24X24										
	7	M6-2R		21X15										
	8	M3-3	SOUTH	24X12										
	9	M1-6T		24X24										
	10	M5-1L		21X15										
5	1	W2-2R		30X30						10 BWG	I	SA	P	
	2	W16-8	JOHN KING BLVD	24X8						10 BWG	I	SA	P	
	3	R2-1	SPEED LIMIT 60	24X30						10 BWG	I	SA	P	
	4	R4-1	DO NOT PASS	24X30						10 BWG	I	SA	P	
	5	I-2E	← JOHN KING BLVD	30X18						10 BWG	I	SA	P	
	6	R1-1	STOP	30X30						10 BWG	I	SA	P	
	7	W2-4		24X24						10 BWG	I	SA	P	
	8	I-2E	← JOHN KING BLVD	30X18						10 BWG	I	SA	P	
	9	R4-1	DO NOT PASS	24X30						10 BWG	I	SA	P	
	10	W9-2L	LANE ENDS-MERGE LEFT	30X30						10 BWG	I	SA	P	
	11	R2-1	SPEED LIMIT 60	24X30						10 BWG	I	SA	P	

**RECORD DRAWING**  
 This drawing is a compilation of the original sealed engineering drawing and modifications by addenda, change orders and information furnished by the contractor. Information shown that was provided by the contractor and others not associated with the design engineer cannot be verified for accuracy or completeness. Original sealed drawing is on file at the office of AECOM USA Group, Inc., TBPE REG. NO. F-3082

ALUMINUM SIGN BLANKS (TYPE A)  
 Square Ft. Min. Thickness  
 Less than 7.5 0.080"  
 7.5 to 15 0.100"  
 Greater than 15 0.125"

Sign supports shall be located as shown on the plans, except that the Engineer may shift the sign supports, within design guidelines, where necessary to secure a more desirable location or to avoid conflict with utilities. Unless otherwise shown on the plans, the Contractor shall stake and the Engineer will verify all sign support locations.

Reflective sheeting will be designated as:  
 Type C - High Specific Intensity  
 Type D - Non-fluorescent Prismatic

**SUMMARY OF SMALL SIGNS**

© TxDOT May 1987		REVISIONS	
CHKD- MT	11-93	7-02	
CHKD- BAS	8-95		
CHKD- FDN	1-02		
CHKD- CAL			
STATE DISTRICT	FEDERAL REGION	FEDERAL AID PROJECT	SHEET
6			9A
COUNTY	CONTROL	SECTION	JOB
			HIGHWAY