



**NOTE**  
 1. BLOCK SOD ALL GRADED SLOPES STEEPER THAN 4:1 AND ALL AREAS IN BOTTOM OF STREAM CHANNEL. INSTALL CELLULOSE FIBER MULCH SEEDING IN ALL OTHER DISTURBED AREAS PER TXDOT SPEC ITEM 164.

18-INCH STONE RIPRAP, COMMON, GROUTED W/ 3/8-INCH TOEWALL (ALL SIDES) APPROX 85 CY INSTALLED AT GRADES SHOWN.  
 STA 234+91.46  
 89.25' RT

18-INCH STONE RIPRAP COMMON, GROUTED W/ 3/8-INCH TOEWALL (ALL SIDES) APPROX 37 CY

**RECORD DRAWING**  
 This drawing is a compilation of the original sealed engineering drawing and modifications by addenda, change orders and information furnished by the contractor. Information shown that was provided by the contractor and others not associated with the design engineer cannot be verified for accuracy or completeness. Original sealed drawing is on file at the office of AECOM USA Group, Inc., TBPE REG. NO. F-3082

ORIGINAL DRAWING SEALED & SIGNED BY  
 T.H. Gaertner, P.E.  
 TX NO. 37124

I		MISC. REVISIONS		THG	10/22/07
NO.		REVISION		BY	DATE
<b>City of Rockwall, Texas</b> <b>205 BYPASS PHASE 6</b> <b>GRADING PLAN AT STA 235+48.05</b>					
2 OF 2					
<b>TCB AECOM</b>		<small>TCB INC. WWW.TCB.AECOM.COM          17300 DALLAS PARKWAY, SUITE 1010          DALLAS, TEXAS 75248</small>			
Unit	PW-DAL-FW	Scale	Horz: AS SHOWN Vert: AS SHOWN	Date	11/24/2009
Designed	US	Checked	TCB	Project No.	60004153
Drawn	FG	Approved	TCB	Sheet	83 of 216

P:\328\60004153-205bypass\cadd\sheet6\phase 6 - fm52 to 205\record drawing 10\_7\_09\0830rding-Sta 235-50.dgn  
 11/24/2009