



LEGEND
 - - - - - PVC SLEEVES (AS NOTED)

NOTES:
 - SLEEVES AT EACH CROSSING ARE DESIGNATED BY 1-DASHED LINE FOR EACH TYPE OF UTILITY. QUANTITY AND TYPE OF UTILITY IS CALLED OUT IN EACH CROSSING TEXT BOX.
 - SLEEVES FOR GAS LINE SHALL BE INSTALLED AT MIN. 36" DEEP PER ATMOS ENERGY. A MIN. OF 1' OF VERTICAL SEPARATION BETWEEN UTILITIES SHALL BE ACHIEVED AT UTILITY CROSSING LOCATIONS.
 - SLEEVES FOR IRRIGATION LINES SHALL BE INSTALLED AT MIN. OF 18" BELOW GRADE OR 6" BELOW ALL SUB-SOIL TREATMENT OR COMPACTION PER IRRIGATION PLAN. A MIN. OF 6" OF VERTICAL SEPARATION BETWEEN UTILITIES SHALL BE ACHIEVED AT UTILITY CROSSING LOCATIONS.
 - SLEEVES FOR ONCOR ELECTRICAL LINES SHALL BE INSTALLED AT MIN. 36" DEEP PER ONCOR ELECTRIC. A MIN. OF 1' OF VERTICAL SEPARATION BETWEEN UTILITIES SHALL BE ACHIEVED AT UTILITY CROSSING LOCATIONS.
 - SLEEVES FOR SITE LIGHTING SHALL BE INSTALLED AT MIN. 30" DEEP. A MIN. OF 6" OF VERTICAL SEPARATION BETWEEN UTILITIES SHALL BE ACHIEVED AT UTILITY CROSSING LOCATIONS. SITE LIGHTING SLEEVES SHALL BE INSTALLED WITH MIN. 1' HORIZONTAL CLEARANCE FROM ATMOS ENERGY AND ONCOR ELECTRIC SLEEVES.

This drawing is proprietary and may not be copied or used in any way without the written permission of FC Cuny Corporation - ©Copyright - FC Cuny Corporation

Revision	Date	Description

Owner: **CITY OF ROCKWALL**
 Developer: **Sterling One Construction L.L.C.**
 #2 Horizon Court • Heath, Texas 75032 • 469-772-9400

Harbor District Infrastructure
 Rockwall, Texas

~ Civil Engineer ~
F.C. CUNY CORPORATION
 #2 Horizon Court • Heath, Texas 75032 • (469) 402-7700
 Texas Registered Engineering Firm F-7449

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY CHRISTOPHER R. CUNY, P.E. 65642

Drawn By: F.C. CUNY	Checked By: F.C. CUNY
Date: 02/12	Project No.:
Sheet Title: Sleeving Plan	
Scale:	Sheet No.:
1" = 50'	18A of 21

RECORD DRAWING