

SCALE IN FEET

### UNDERGROUND UTILITIES

THE LOCATION OF EXISTING UTILITIES SHOWN ON THESE PLANS ARE APPROXIMATE AND BASED ON DATA FURNISHED BY THE CITY OF FRISCO. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO LOCATE AND VERIFY ON-SITE THE UTILITIES THAT MAY CONFLICT WITH THE CONSTRUCTION.

-CAST IRON MH FINISHED GRADE MORTAR-FRAME & COVER ADD OR REMOVE PRECAST REINF CONC GRADE RINGS TO RAISE OR LOWER TOP -EXIST CONC OF EXIST SANITARY SEWER MH CONE MH TO MATCH NEW FINISHED GRADE

### NOTES:

- 1. 2" X8" X24" PRECAST REINFORCED CONCRETE GRADE RINGS SHALL CONFORM TO ASTM C-478.
- 2. SEE PLANS FOR FINISHED GRADE ELEVATION.

## ADJUST MANHOLE TO PROP GRADE

## ATMOS GAS NOTES:

- I. CONTACT KORUAN "KV" VARTEVAN (214-206-2720) FOR ATMOS GAS LINE LOCATION AND TO DETERMINE WHETHER LOWERING OR RELOCATION IS REQUIRED. CONTRACTOR SHALL POTHOLE GAS LINE AFTER LOCATED TO DETERMINE DEPTH OF COVER. AND SUBMIT TO ATMOS.
- 2. ATMOS TYPICALLY RELOCATES FRANCHISE UTILITIES IN CITY/ TXDOT PUBLIC ROW AT THEIR OWN COST.
- 3. IF ATMOS DETERMINES THAT LINE IS IN AN EXISTING GAS EASEMENT, CONTRACTOR SHALL PAY TO RELOCATE. COORDINATE DIRECTLY WITH ATMOS.

# RECORD DRAWING

This drawing is a compilation of the original sealed engineering drawing and modifications by addenda, change orders and information furnished by the contractor. Information shown that was provided by the contractor and others not associated with the design engineer cannot be verified for accuracy or completeness. Original sealed drawing is on file at the office of AECOM USA Group, Inc., TBPE REG. NO. F-3082

ORIGINAL DRAWING SEALED & SIGNED BY John W. Lacy, P.E. TX NO. 90202

			***************************************
			***************************************
***************************************			
NO.	REVISION	BY	DATI



**205 BYPASS** SECTION 1

**UTILITIES LAYOUT** 

WWW.TCB.AECOM.COM 17300 DALLAS PARKWAY, SUITE 1010 DALLAS, TEXAS 75248

6 OF 6

Horzi AS SHOWN
Scale: Verti AS SHOWN
Date 11/11/2009 Unit PW-DAL-FW Project No. 60004153 Designed SRR/SDB TCB Sheet 108 of 217 Approved