NOTES:
CONTRACTOR SHALL EXPOSE EX. WATERLINE AND STORM
SEWER CROSSINGS TO OBSERVE THE PIPE BURSTING PROCESS.
ANY DAMAGE TO EXISTING WATERLINE OR STORM SEWER PIPE
AS A RESULT OF THE PIPE BURSTING PROCESS SHALL BE
REPAIRED OR REPLACED BY THE CONTRACTOR AT HIS EXPENSE.
NO SEPARATE PAY FOR EXPOSING UTILITY CROSSINGS OR
OBSERVING THE PIPE BURSTING PROCESS. LOCATION OF EXISTING UTILITIES SHOWN ARE APPROXIMATE. NEITHER
THE CITY OF ROCKWALL NOR THE ENGINEER ASSUME OR IMPLY ANY
RESPONSIBILITY FOR THE ACCURACY OF THIS DATA. THE CONTRACTOR
SHALL VERIFY ALL DEPTHS AND LOCATIONS OF EXISTING UTILITIES BY
POTHOLING EACH UTILITY (INCLUDING SERVICE LINES) PRIOR TO ANY
CONSTRUCTION. FAILURE OF ANY EXISTING UTILITY TO APPEAR ON THE
PLANS OR RECORD SHALL NOT RELIEVE THE CONTRACTOR OF HIS
RESPONSIBILITY TO PROTECT, SUPPORT AND REPAIR SUCH UTILITIES.
THE CONTRACTOR IS RESPONSIBLE FOR ALL DAMAGES DONE TO EXISTING
FACILTIES AS RESULT OF CONSTRUCTION OPERATIONS. THE CONTRACTOR SHALL TAKE ALL THE NECESSARY PROVISIONS FOR THE SUPPORT, PROTECTION, RELOCATION AND OR TEMPORARY RELOCATION OF ALL UTILTIES, STRUCTURES, PAVEMENT, SIDEWALKS AND LANDSCAPING ABOVE AND BELOW THE GROUND THAT INTEREFERE WITH CONSTRUCTION OPERATIONS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL COSTS ASSOCIATED WITH THE REPAIR AND OR REPLACMENT IN THE EVENT DAMAGES OCCUR TO EXISTING UTILTIES, PAVEMENT, SIDEWALKS, STRUCTURES, TREES OR LANDSCAPING. RECORD DRAWING

THIS RECORD DRAWING IS A COMPILATION OF A COPY
OF THE SEALED ENGINEERING DRAWING FOR THIS
PROJECT; MODIFIED BY ADDENDA, CHANGE ORDERS AND
INFORMATION FURNISHED BY THE CONTRACTOR. THE
INFORMATION SHOWN ON THE RECORD DRAWINGS THAT
WAS PROVIDED BY THE CONTRACTOR OR OTHERS NOT
ASSOCIATED WITH THE DESIGN ENGINEER CANNOT BE
VERIFIED FOR ACCURACY OR COMPLETENESS. THE ORIGINAL
SEALED DRAWINGS ARE ON FILE AT THE OFFICES OF
BURGESS & NIPLE,, INC., 11117 SHADY TRAIL DALLAS, TX 75229.
TBPE REGISTRATION NO. 10834
DATE OF RECORD DRAWING: 6-12-2012 PARKS A PIPE BURST 24 LF OF EX. 6" SAN. SEWER WITH 8" SDR-21 HDPE SAN. SEWER 3 **560** 568 (66) 66 MH NO. 3 NHOLE TO REMAIN IN ACE. MH DEPTH=11.25 PIPE BURST 581 LF OF EX. 6" SAN. SEWER WITH 8" SDR-21 HDPE SAN. SEWER *5*10 CONTRACTOR SHALL VERIFY METHOD OF RECONNECTING SAN. SEWER SERVICES PER BID ITEMS PROVIDED WITH THE CITY OF ROCKWALL PRIOR TO PIPE BURSTING. **CITY OF ROCKWALL, TEXAS BURGESS & NIPLE** 11117 SHADY TRAIL **DATE: SANITARY SEWER PLAN SH-66 SANITARY SEWER RECONSTRUCTION DALLAS, TEXAS 75229** Texas Board of Professional Engineers Firm Registration No. 10834 9-20-2011 SHEET 4 OF 4 **BY PIPE BURST** Engineers ■ Planners

(N. FANNIN AVE. TO N. CLARK AVE.)