



- LEGEND
- TC TOP OF CURB
 - INV INVERT
 - INVERT TOP OF PAVEMENT
 - CR CURB RETURN
 - FL FLOW LINE
 - BFR BARRIER FREE RAMP
 - STREET STATION
 - FLOW ARROW

NOTE:

- 1) PAVEMENT FOR STREETS SHALL CONSIST OF 6" 3500 P.S.I. REINFORCED CONCRETE AND 6" LINE-STABILIZED SUBGRADE WITH 5% PARABOLIC CROWN.
- 2) PAVEMENT FOR ALLEYS SHALL CONSIST OF MIN. 5" 4000 P.S.I. REINFORCED CONCRETE AND 6" LINE-STABILIZED SUBGRADE WITH 5% PARABOLIC CROWN.
- 3) BARRIERS SHALL BE 4" HIGH AND 4" WIDE.
- 4) BARRIERS SHALL BE 4" HIGH AND 4" WIDE.
- 5) BARRIERS SHALL BE 4" HIGH AND 4" WIDE.

CURVE TABLE

CURVE	RADIUS	DELTA	TANGENT LENGTH	CHORD	BEARING
C-1	34.50'	90°00'00"	34.50'	48.79'	N 43°12'17" E
C-2	36.00'	90°00'00"	36.00'	50.91'	N 46°47'11" W

BENCHMARK: ELEV. = 600.69
 CITY OF ROCKWALL R-19 SILVERVIEW & DIAMOND WY. 500' ± SOUTH OF
 BRASS MONUMENT AT THE N/W CORNER OF
 S.H. 276
 R.R. SPIKE SET IN THE CENTERLINE OF S.H. 276
 ELEV. = 583.56
 3600' WEST OF F.M. 549

THESE CONSTRUCTION PLANS WERE PREPARED UNDER THE RESPONSIBLE SUPERVISION OF F.E. MIDDLETON, JR., REGISTERED PROFESSIONAL ENGINEER NO. 67449.
 W.H. BAIRD SURVEY, ABSTRACT NO. 25
 CITY OF ROCKWALL
 ROCKWALL COUNTY, TEXAS
 CONTINENTAL HOMES
 621 WEST COLLEGE STREET
 GRAPEVINE, TEXAS 76031

NO.	DATE	REVISION	APPROV.

Scale: 1" = 40'
 Date: 02/14/01
 Drawn By: MK
 Checked By: FEM
 Project No.: 32001.01

PAVING PLAN & PROFILE
TEAGLE DRIVE STA. 16+67.49 TO 21+38.48
GARRISON DRIVE STA. 21+38.48 TO 22+00
PAVING PLAN
ALLEY '4' STA. 6+71.68 TO 11+60 & ALLEY '6'
LOFLAND FARMS PHASE 2

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY F.E. MIDDLETON, JR., P.E. #67449

Winkelmann & Associates, Inc.
 CONSULTING CIVIL ENGINEERS & SURVEYORS
 621 WEST COLLEGE STREET
 GRAPEVINE, TEXAS 76031
 (972) 242-5500
 www.winkelmann.com