



- NOTE:
- 1) PAVEMENT FOR STREETS SHALL CONSIST OF 6" 3600 P.S.I. REINFORCED CONCRETE AND 6" LIME-STABILIZED SUBGRADE WITH 6" PARABOLIC CROWN.
 - 2) PAVEMENT FOR ALLEYS SHALL CONSIST OF 4000 P.S.I. REINFORCED CONCRETE AND 6" LIME-STABILIZED SUBGRADE WITH 5" INVERT. TYPICAL ALLEY SECTION WILL BE 7'-5" - 7'-7".
 - 3) CONTRACTOR TO RUN LIME SERIES BEFORE CONSTRUCTION.

Winkelman & Associates, Inc.
 CONSULTING CIVIL ENGINEERS & SURVEYORS
 8730 Hillcrest Plaza Drive, Suite 100
 Rockwall, Texas 75087
 (972) 462-7999 FAX
 www.winkelman.com

APPROVED: [Signature]
 REVISION: [Table]
 DATE: 9/15/03

THESE CONSTRUCTION PLANS WERE PREPARED UNDER THE RESPONSIBLE SUPERVISION OF MD. NAIM UDDIN KHAN, REGISTERED PROFESSIONAL ENGINEER NO. 87776

THE SEAL APPEARING ON THIS DOCUMENT WAS AUTHORIZED BY MD. NAIM UDDIN KHAN, # 87776

LOFLAND FARMS, PHASE 5A
 BAIRD SURVEY, ABSTRACT NO. 25
 CITY OF ROCKWALL
 CONTINENTAL HOMES
 621 WEST COLLEGE STREET
 GRAPEVINE, TEXAS 76051

PAVING PLAN & PROFILE
HARVESTER DRIVE -
STA. 0+00 TO STA. 5+03.33
PAVING PLAN - ALLEY 1 STA. 0+00 TO 1+00
PAVING PLAN - ALLEY 1 STA. 6+50 TO 16+76.78

Scale: 1" = 40'
 Date: 3/24/03
 Designed By: RB
 Drawn By: MK
 Checked By: NK
 File: 320045AP5.DWG View:
 Project No.: 32004.01

Winkelman & Associates, Inc. hereby states that this plan, to the best of our knowledge is "As Built." Modifications from the original approved construction documents have been made as per information provided by the contractor. Winkelman & Associates, Inc. does not certify as to the completeness or quality of construction as no field inspection was performed.

[Signature]
 WINKELMAN & ASSOCIATES, INC.
 DATE: 3/10/04