



RECORD DRAWINGS

To the best of our knowledge Engineering Concepts & Design, L.P., hereby states that this plan is As-Built. This information provided is based on surveying at the site and information provided by the contractor.

Todd Winters 6-13-19
TODD WINTERS DATE

STA. 2+56.86 San Sewer
N: 7014648.815
E: 2598646.022
CONSTRUCT STD. 4' DIA. SSMH
RIM = 517.90
FL 8" IN = 510.87
FL 8" OUT = 510.77

STA. 5+85.00 San Sewer
N: 7014896.388
E: 2598568.563
CONSTRUCT STD. 4' DIA. SSMH
RIM = 528.79
FL 8" IN = 520.93
FL 8" OUT = 520.83

STA. 7+06.52 SS
END STEEL ENCASMENT
T/C = 529.69

STA. 6+56.52 SS
BEGIN STEEL ENCASMENT
T/C = 529.45

STA. 6+22.67 SS
END STEEL ENCASMENT
T/C = 529.13

STA. 7+51.00 San Sewer
N: 7015016.387
E: 2598683.263
CONSTRUCT STD. 4' DIA. SSMH
RIM = 529.76
FL 8" IN = 521.89
FL 8" OUT = 521.79

STA. 8+12.00 San Sewer
N: 7015060.483
E: 2598725.412
CONSTRUCT STD. 4' DIA.
INTERNAL DROP SSMH
RIM = 530.73
FL 8" IN = 522.28
FL 8" OUT = 522.18

STA. 3+14.65 San Sewer
N: 7014708.254
E: 2598652.422
CONSTRUCT 4' DIA.
INTERNAL DROP SSMH
RIM = 525.01
FL 8" IN = 516.50
FL 8" OUT = 512.00

BENCHMARK:
"X" CUT IN CURB 23'± SOUTH OF EAST DRIVE APPROACH
OF EXISTING RAYBURN COUNTRY ELECTRIC BUILDING.

ENGINEERINGCONCEPTS & DESIGN, L.P.

ENGINEERING / PROJECT MANAGEMENT /
CONSTRUCTION SERVICES - FIRM REG. #F-001145
201 WINDCO CIR, STE 200, WYLIE, TX 75098
972-941-8400 FAX: 972-941-8401 WWW.ECDLP.COM

REVISIONS: ADDENDUM 1 NOTE

2.06-07-2018	ADDED FL'S TO WW LAT'S, RELOCATED FDC MOVED WATER AND FLAUE FOR TOWER. ADDED RETAINING WALL
DRAWN: TONY	DATE: JUNE 7, 2018
CHECKED: TW	DATE: MAY 23, 2018
PROJECT NO.: 3560	
DWG FILE NAME:	

THIS DOCUMENT IS RELEASED FOR THE
PURPOSE OF CONSTRUCTION.



WATER & SANITARY SEWER PLAN
RAYBURN ELECTRIC COOP. PHASE 2
LOT 5, BLK 1 RAYBURN COUNTRY ADDITION
CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS