

01 PRIVATE SANITARY SEWER PROFILE


HOR. SCALE: 1" = 30'-0"
VER. SCALE: 1" = 3'-0"

- NOTES:
- SPECIFICATIONS AND STANDARD DETAILS SHALL BE IN ACCORDANCE WITH NCTCOG STANDARD SPECIFICATIONS 3RD EDITION, WITH CITY OF ROCKWALL ADDENDUM/REVISIONS.
 - THE LIFT STATION PUMPS SHALL BE PROVIDED WITH AN EMERGENCY GENERATOR (MINIMUM OF 3KW) AND TRANSFER SWITCH CAPABLE OF PROVIDING EMERGENCY POWER TO THE LIFT STATION PUMPS IN CASE OF POWER OUTAGE. THE EQUIPMENT SHALL BE PROPERLY SCREENED IN ACCORDANCE WITH CITY OF ROCKWALL SCREENING REQUIREMENTS.

ALEXANDER
MARCUS
123 WEST MAIN STREET
SUITE 201
GRAND PRAIRIE
TEXAS 75050
TEL: 469 733 1140
FAX: 469 733 1141

OWNER / DEVELOPER
PASTEM CORP.
PO Box 600433, Dallas, TX 75360
Contact Person: T. DAYALJI
tekdayalji@aol.com

CIVIL ENGINEER:
MLD ENGINEERING SOLUTIONS, INC.
MARTIN L. DE LA ROSA, P.E., F. ASCE
President
2121 W. Airport Freeway, Suite 220 Irving, TX 75062
(972) 258-0484 (972) 672-9347 Fax: (972) 258-1297
email: mdlar6661@aol.com



COMFORT INN & SUITES
VIGOR WAY,
ROCKWALL, TX 75087
1.74 AC.
BY CHOICE HOTELS

PROJECT NUMBER	REVISIONS		
023-08	DATE	REV. NO.	DESCRIPTION
	062209		ADD NOTES
PROJ. TEAM			
DRAWN BY			
CHECKED BY			
ISSUE DATE			
032609			

DRAWING TITLE
**PROPOSED 4 STORY HOTEL
COMFORT INN & SUITES
SANITARY SEWER PROFILE**

DRAWING NUMBER
C2a
PLOT DATE
062209