


- GENERAL NOTES**
- All work shall be in accordance with these plans and City of Rockwall Standards and Specifications.
 - All proposed contours are approximate. Proposed spot elevations and designated gradient are to be used in the event of any discrepancies.
 - The General Contractor and all subcontractors shall verify the suitability of all existing and proposed site conditions including grades and dimensions before commencement of any construction. In the event of any conflict and prior to commencement of any construction, immediately notify Engineer. Minor adjustments of finished grade to accomplish spot drainage are acceptable.
 - Positive drainage shall be provided away from all foundations and structures.
 - All spot elevations are top of pavement or gutter. To obtain top of curb elevation, add 0.5 feet.
 - Ground shall be scarified prior to placing any fill.
 - Fill shall be placed in accordance with the geotechnical investigation and soils report recommendations.
 - Any excess excavation shall be distributed as directed by the Owner or the Engineer.
 - It is the responsibility of the Contractor to locate and/or establish a benchmark prior to construction and maintain the benchmark during construction.
 - The locations of all utilities indicated on the plans are taken from available public records. The exact location and depth of all utilities indicated must be determined by the Contractor. It shall be the duty of the Contractor to ascertain whether any additional facilities other than those shown on the plans may be present.
 - It shall be the responsibility of the Contractor to protect all existing utilities in the construction of this project. Any utilities damaged during the construction of this project shall be repaired at the Contractor's expense.
 - "MEMORIAL TREES AND PLAQUES ARE TO BE PROTECTED AND MUST REMAIN"



- LEGEND**
- 558.00 = PROPOSED TOP OF CURB
 - 558.00 TP = PROPOSED TOP OF PAVEMENT
 - 558.00 TI = PROPOSED TOP OF INLET
 - 558.00 FO = PROPOSED TOP OF INLET
 - 558 = PROPOSED CONTOUR
 - FF=558.00 = PROPOSED FINISH FLOOR
 - - - = PROPOSED LANDSCAPE BERM
 - - -> = DIRECTION OF FLOW
 - 558.00 GR = EXISTING SHOT
 - - - 558 - - - = EXISTING CONTOUR

ADDENDUM #1
PC - REMOVE STORM FLUME AND PARKING
PC - REMOVED STORM SEWER

Revision / Date

1	11/22/2016
2	09/11/2017
3	12/04/2017

Project: **ROCKWALL HIGH SCHOOL RENOVATIONS**
FOR
ROCKWALL HIGH SCHOOL
ROCKWALL I.S.D.
901 YELLOW JACKET LN, ROCKWALL, TX 75087

Huckabee
AUSTIN • DALLAS • FORT WORTH • HOUSTON • WACO
www.huckabee-inc.com
800.687.1229

RECORD DRAWING
This is to certify that changes and corrections have been made to conform to the contractor's record of this project.
Signed: *Mike Glenn* Date: March 28, 2018
Glenn Engineering Corporation

GLENN ENGINEERING
TEXAS REGISTRATION NUMBER: F-303
PHONE 972-717-5151 FAX 972-717-2176
105 DECKER COURT, SUITE 910
IRVING, TEXAS 75062

DETAILED ENTRY GRADING PLAN

100% CD	VOLUME
Job No. 1738-02-01	Sheet No. CG
Drawn By: RAH	1.0
Date: 12-03-2016	

Plotted: Apr 20, 2018, 9:55 AM by user: robert. Saved: 4/20/2018 by user: robert. D:\Public\Bob's Projects\Rockwall\High-School\2016 WALL REPAIR\BIDSET\2016 ROCKWALL-HS ENG5 REV STORM FLUME.dwg