

CASE COVER SHEET

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

PLANNING & ZONING CASE NO.

PLANNING & ZONING FEE

PLATTING APPLICATION MASTER PLAT PRELIMINARY PLAT FINAL PLAT REPLAT AMENDING OR MINOR PLAT PLAT REINSTATEMENT REQUEST SITE PLAN APPLICATION SITE PLAN AMENDED SITE PLAN/ELEVATIONS/LANDSCAPING	ZONING APPLICATION ZONING CHANGE SPECIFIC USE PERMIT PD DEVELOPMENT PLAN OTHER APPLICATION TREE REMOVAL VARIANCE REQUEST/SPECIAL EXCEPTIONS
---	---


RECORD OF RECOMMENDATIONS, VOTING RECORDS, AND CONDITIONS OF APPROVAL

ARCHITECTURE REVIEW BOARD	CITY COUNCIL READING #2
PLANNING AND ZONING COMMISSION	CONDITIONS OF APPROVAL
CITY COUNCIL READING #1	NOTES


	DEVELOPMEN City of Rockwall Planning and Zonin 385 S. Goliad Street Rockwall, Texas 75087	g Department		PLANI <u>NOTE:</u> CITY U SIGNE DIREC	F USE ONLY NING & ZONING CASE NO. THE APPLICATION IS NOT CONSIDERED ACCEPTED BY T INTIL THE PLANNING DIRECTOR AND CITY ENGINEER HA D BELOW. TOR OF PLANNING: NGINEER:	
Please check the ap	ppropriate box below to indicat	e the type of develo	pment requ	iest (S	ELECT ONLY ONE BOX1:	
Platting Applicati [] Master Plat (\$ [x] Preliminary Pl. [] Final Plat (\$300 [] Replat (\$300.0 [] Amending or N [] Plat Reinstater Site Plan Applicat [] Site Plan (\$250	on Fees: 100.00 + \$15.00 Acre) ¹ at (\$200.00 + \$15.00 Acre) ¹ 0.00 + \$20.00 Acre) ¹ 00 + \$20.00 Acre) ¹ Winor Plat (\$150.00) ment Request (\$100.00)		Zoning A [] Zonin [] Spec [] PD D Other Ap [] Tree [] Varia Notes: ² : In deter	Applica ng Cha ific Use evelop oplicat Remov ince Re mining f	tion Fees: nge (\$200.00 + \$15.00 Acre) ¹ e Permit (\$200.00 + \$15.00 Acre) ¹ oment Plans (\$200.00 + \$15.00 Acre) ¹ ion Fees: val (\$75.00) equest (\$100.00) the fee, please use the exact acreage when multiplying by For requests on less than one acre, round up to one (1) acr	
PROPERTY INFO	RMATION [PLEASE PRINT]		MPARTE INC.			
Address						
Subdivision	Terracina Estates, Phase 2				Lot Block	
General Location	West of Rochelle Road and south o	f Timber Creek Estates No	elghborhood			
		8				
	AN AND PLATTING INFO	RIVIATION [PLEASE				
Current Zoning	· PD - 82		Current	Use	VACANT	
Proposed Zoning	PD - 82		Proposed	Use	SINGLE FAMILY RESIDENTIAL	
Acreage	31.331	Lots [Current]	T.		Lots [Proposed] 94	
[x] <u>SITE PLANS AND</u> process, and failu	<u>PLATS</u> : By checking this box you ack re to address any of staff's comments	nowledge that due to the by the date provided on t	e passage of p the Developme	HB3167 ent Cale	the City no longer has flexibility with regard to its an ndar will result in the denial of your case.	proval
OWNER/APPLIC	ANT/AGENT INFORMATI	ON [PLEASE PRINT/CHE	ECK THE PRIM	ARY CO	NTACT/ORIGINAL SIGNATURES ARE REQUIRED]	
[] Owner	BLOOMFIELD HOMES LP		[] Applic		ENGINEERING CONCEPTS & DESIGN, LP	
Contact Person	CLINT VINCENT		Contact Per	son	CHUCKLAMPING	
Address	1050 E. HIGHWAY 114		Addr	ress	1600 N. COLLINS BLVD.	
*	SUITE 114				SUITE 3300	
City, State & Zip	SOUTHLAKE, TEXAS 76092		City, State &	Zip	RICHARDSON, TEXAS 75080	
Phone	817-416-1572		Pho	one	214-403-3589	
E-Mail	clint@bloomfieldhomes.net		E-N	/lail	chuck@ecdlp.com	
NOTARY VERIFIC Before me, the undersign this application to be tru	CATION [REQUIRED] ned authority, on this day personally a e and certified the following:	ppeared Clint	Vince	nt	[Owner] the undersigned, who stated the informat	on on
cover the cost of this app that the City of Rockwall	lication, has been paid to the City of R I (i.e. "City") is authorized and permil	ockwall on this the	day of	within t	ue and correct; and the application fee of \$	ed and

Given under my hand and seal of office on this the day of any and seal of 2024.	LETTY GARCIA Notary ID #134166427	1 3 1 3
Owner's Signature	My Commission Expires January 25, 2027	1111
Notary Public in and for the State of Texas	Ay Commission Expires	

DEVELOPMENT APPLICATION • CITY DE ROCKWALL • 385 500 TH GOLIAD STREET • ROCKWALL, TX 75087 • [P] (972) 771-7745 • [F] (972) 771-7727



Z:\PROJECTS\06537 Terracina Estates\dwg\06537 Preliminary Plat Ph 2.dwg



LINE TABLE NO. DIRECTION DISTANCE N0. S 1'26'05" E 125.00' 123 S 41'55'38" W 41.19' L1 S 1'26'05" E 10.00' 124 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' 125 S 85'30'11" W 66.96' L4 N 88'33'55" E 10.00' 125 S 67'34'05" W 61.57' L5 S 1'26'05" E 125.00' 126 S 74'39'57" E 68.77' L6 S 74'39'57" E 64.32' 129 S 60'25'59" W 63.64' L7 S 18'37'29" E 67.02' 130 N 63'01'42" E 63.64' L10 S 18'37'29" E 67.02' 133 N 63'31'09" E 63.64' L11 S 15'12'53" E 74.64' 130 N 63'31'09" E 63.64' L11 S 15'12'53" E 74.64' 133 N 70'48'53" E 63.64' L12 S 11'52'18" E 81.90' 133 N 73'24'36" E 63.64' L13 N 10'58'						
L1 S 1'26'05" E 125.00' L2 S 88'33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L13 N 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 250.04' L14 S 10'58'09" E 250.04' L15 S 10'58'09" E 250.04' <td></td> <td>LINE TABLI</td> <td>Ε</td> <td></td> <td>LINE TABL</td> <td>E</td>		LINE TABLI	Ε		LINE TABL	E
L2 S 88*33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15'12'53" E 64.32' L12 S 11*22'18" E 61.97' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 250.04' L16 S 12*16'48" E 50.00' </td <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td> <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td>	NO.	DIRECTION	DISTANCE	NO.	DIRECTION	DISTANCE
L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L15 S 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 250.04' L18 S 88'58'40" W 35.00' L19 N 1'01'20" W 56.74' L40 S 18'33'56" E 71.27' L41 S 14'29'17" E 59.01' <	L1	S 1°26'05" E	125.00'	L23	S 41°55'38" W	41.19'
L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 10.20' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L39 N 60'38'26" W 30.28' L40 S 18*33'56" E 71.27'	L2	S 88°33'55" W	10.00'	L24	S 1°26'05" E	57.53'
L5 S 1*26'05" E 125.00' L27 S 67*34'05" W 61.57' L6 S 74*39'57" E 88.77' L28 S 59*41'23" W 64.21' L7 S 27*50'10" E 60.72' L29 S 60*25'59" W 63.64' L8 S 9*02'55" E 64.32' L30 N 63*01'42" E 63.64' L9 S 14*35'37" E 62.88' L31 N 65*37'26" E 63.64' L10 S 18*37'29" E 67.02' L32 N 68*13'09" E 63.64' L11 S 15*12'53" E 74.64' L33 N 70*48'53" E 63.64' L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L38 N 73*57'31" E 72.34' L15 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 250.04' L40 S 18*33'56" E	L3	S 1°26'05" E	50.00'	L25	S 85°30'11" W	66.96'
L6 S 74*39'57" E 88.77' L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 10*58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L4	N 88°33'55" E	10.00'	L26	S 76°23'43" W	61.57 '
L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L5	S 1°26'05" E	125.00'	L27	S 67°34'05" W	61.57 '
L8 S 9°02'55" E 64.32' L30 N 63°01'42" E 63.64' L9 S 14°35'37" E 62.88' L31 N 65°37'26" E 63.64' L10 S 18°37'29" E 67.02' L32 N 68°13'09" E 63.64' L11 S 15°12'53" E 74.64' L33 N 70°48'53" E 63.64' L12 S 11°22'18" E 81.90' L34 N 73°24'36" E 63.64' L13 N 10°58'09" W 10.20' L35 S 76°21'39" W 81.00' L14 S 79°01'51" W 50.00' L36 N 14'16'45" W 66.78' L15 S 10°58'09" E 10.20' L38 N 73°57'31" E 72.34' L15 S 10°58'09" E 250.04' L38 N 73°57'31" E 72.34' L14 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E	L6	S 74°39'57" E	88.77'	L28	S 59°41'23" W	64.21'
L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 10*120" W 56.74' L19 N 10*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L7	S 27°50'10" E	60.72'	L29	S 60°25'59" W	63.64'
L10 S 18°37'29" E 67.02' L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L8	S 9°02'55" E	64.32'	L30	N 63°01'42" E	63.64'
L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L9	S 14°35'37" E	62.88'	L31	N 65°37'26" E	63.64'
L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L10	S 18°37'29" E	67.02'	L32	N 68°13'09" E	63.64'
L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L11	S 15°12'53" E	74.64'	L33	N 70°48'53" E	63.64'
L14 S 79°01'51" W 50.00' L36 N 14°16'45" W 66.78' L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L12	S 11°22'18" E	81.90'	L34	N 73°24'36" E	63.64'
L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L13	N 10°58'09" W	10.20'	L35	S 76°21'39" W	81.00'
L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L14	S 79°01'51" W	50.00'	L36	N 14°16'45" W	66.78'
L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L15	S 10°58'09" E	10.20'	L37	S 82°52'23" W	77.17'
L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L16	S 12°16'48" E	50.00'	L38	N 73°57'31" E	72.34'
L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L17	S 10°58'09" E	250.04'	L39	N 60°38'26" W	30.28'
L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L18	S 88°58'40" W	35.00'	L40	S 18°33'56" E	71.27'
L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L19	N 1°01'20" W	56.74'	L41	S 14°29'17" E	59.01'
	L20	S 88°58'40" W	27.24'	L42	S 17°28'56" E	72.75'
L22 S 1°26'05" E 150.00' L44 N 10°58'09" W 31.71'	L21	S 46°26'05" E	40.00'	L43	S 79°53'09" W	130.22'
	L22	S 1°26'05" E	150.00'	L44	N 10°58'09" W	31.71'

NOTES:

- 1. The bearings and coordinates shown and recited hereon are referenced to the Texas Coordinate System of 1983 North Central Zone No. 4202 NAD83. All distances are surface distances with a surface to grid scale factor of 1.000146135
- 2. Subdivision property corners are 5/8-inch iron rods with caps marked "PETITT-ECD 6134" found or set, unless noted otherwise. Lot corners are 5/8-inch iron rods with cap marked "PETITT- ECD 6134" set or an "X" cut set in concrete, unless otherwise noted. When a retaining wall or screening fence has been placed at the rear lot corner, a 5/8-inch iron rod may be set five feet (5') from the rear lot corner along the side lot line
- 3. Subject tract is located in Zone X (Areas determined to be outside the 0.2% annual chance floodplain) according to Federal Emergency Management Area Flood Insurance Rate Maps for Ellis County, Texas and incorporated areas ~ Map Number 48397C0045L, Effective Date September 26, 2008. Floodplain lines plotted hereon are graphically shown according to this map and should be considered approximate.
- 4. All Open Space tracts, Drainage, & Detention Easements will be maintained, repaired and replaced by the Homeowners Association.
- 5. Retaining Walls in the Park Area will be maintained, repaired and replaced by the Homeowners Association.
- 6. Driveway depth must be 25' or more between the front of garage and edge of sidewalk.
- 7. Retaining Walls in Residential Lots will be maintained, repaired and replaced by the Property Owners.
- 8. The flood information shown on this plat is based on the August 20, 2020 Terracina Detention Study completed by McLendon Hydrology and Engineering, LLC.
- 9. Subdivider's statement. Selling a portion of this addition by metes and bounds is unlawful and a violation of the subdivision ordinance of the city and chapter 212, municipal regulation of subdivisions and property development, of the Texas Local Government Code, and shall be subject to the city withholding utilities and building permits.
- 10. Public improvement statement. It shall be the policy of the city to withhold issuing buildings permits until all streets, water, sewer and storm drainage systems have been accepted by the city. The approval of a subdivision plat by the city does not constitute any representation, assurance or guarantee that any building within such subdivision plat shall be approved, authorized, or permit issued, nor shall such approval constitute any representation, assurance or guarantee by the city of the adequacy and availability for water and sanitary sewer for personal use and fire protection within such subdivision plat, as required under the subdivision ordinance of the city.
- 11. Drainage and detention easements. The property owner shall be responsible for maintaining, repairing, and replacing and shall bear sole liability of all systems within the drainage and detention easements.
- 12. Fire lanes. All fire lanes will be constructed, maintained, repaired and replaced by the property owner. Fire lanes shall be constructed in accordance with the approved civil engineering plans for both on-site and off-site fire lane improvements.
- 13. Street appurtenances. All decorative signage, posts, or lights installed in public right—of—way shall be installed, maintained, repaired, and replaced by the homeowner's association (HOA).

CURVE TABLE						
CURVE	DELTA	RADIUS	TANGENT	LENGTH	CHORD BEARING	CHORD
C1	004•32'28"	1580.00'	62.65'	125.23'	S 82'12'29" W	125.19'
C2	000°24'15"	1580.00'	5.57'	11.15'	S 77'55'20" W	11.15'
C3	000*22'28"	1530.00'	5.00'	10.00'	S 77 * 54'26" W	10.00'
C4	000°26'52"	1280.00'	5.00'	10.00 '	S 77 ° 41'16" W	10.00'
C5	030*59'26"	555.00'	153.87'	300.19'	N 73°28'57" E	296.55'
C6	019*28'37"	1250.00'	214.53'	424.92'	S 67°43'32" W	422.88'
C7	030*59'27"	250.00'	69.31'	135.22'	N 73°28'57" E	133.58'
C8	019*43'58"	1555.00'	270.45'	535.55'	S 67°51'13" W	532.91'
C9	023°01'04"	300.00'	61.08'	120.52'	S 12•31'52" E	119.71'
C10	018°23'27"	800.00'	129.51'	256.78'	S 10°37'48" E	255.68'
C11	008•51'23"	800.00'	61.95'	123.66'	N 15°23'50" W	123.53'
C12	090*00'00"	25.00'	25.00'	39.27'	N 46°26'05" W	35.36'
C13	089*35'15"	25.00'	24.82'	39.09'	S 43*46'18" W	35.23'

REVIEWED F	OR PRELIMINARY A	APPROVAL
Planning and Zoning Commiss	sion	Date
APPROVED FOR	PREPARATION OF	FINAL PLAT
Mayor, City of Rockwall	City Secretary	City Engineer

PRELIMINARY PLAT TERRACINA ESTATES PHASE 2 BEING 31.331 ACRES ZONING 1.96 DWELLING UNITS PER ACRE SITUATED IN THE (MAX. OVERALL DENSITY) [ORD. NO. 18-08-PD-82] JOHN A. RAMSEY SURVEY, A-186 CITY OF ROCKWALL OPEN SPACE = 0.06 AC. ROCKWALL COUNTY, TEXAS PARK = 4.84 AC.**PETITT - ECD** 94 RESIDENTIAL LOTS 3.00 LOTS PER ACRE CIVIL ENGINEERING/SURVEYING/CONSTRUCTION ADMINISTRATION OWNER/DEVELOPER TBPELS FIRM REGISTRATION BLOOMFIELD HOMES L.P. ENGINEERING FIRM #001145 SURVEYING FIRM #10194792 1050 E. HWY. 114, SUITE 210 1600 N. COLLINS BLVD. 201 WINDCO CIR. SOUTHLAKE, TEXAS 76092 SUITE 3300 SUITE 100 PHONE: 817-416-1572 RICHARDSON, TX 75080 WYLIE, TX 75098 (972) 941-8400

DATE: 12/21/2023

SHEET 3 OF 3

CASE NO.

CHECKLIST FOR PLAT SUBMITTALS

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

Case Type:		Case Number	
Minor/Amending Plat Final Plat	🗌 Replat 📝 Preliminary Plat	Reviewed By:	
Master Plat	Vacation Plat	Review Date:	

NOTES: The requirements listed below are based on the case type, which is indicated in the '[]' below the requirement description. On the checklist below a Replat, Minor Subdivision Plat, and Vacation Plat would be required to meet all the same requirements as a Final Plat.

Requirements	✓= 0K	N/A	Comments
Case Number		(D 1	The case number will be provided by staff and placed in the lower right
[Final Plat, Preliminary Plat & Master Plat]	of the transfer of the	, 1	hand corner of all new submittals.
Items Necessary for Plat Review:	-		
✓ Plat			[Final Plat, Preliminary Plat & Master Plat] If Applicable [Final Plat & Preliminary Plat]
✓ Treescape Plan ✓ Landscape Plan			If Applicable [Final Plat & Preliminary Plat]
✓ Plat Reinstatement Request		2	Check w/ Planning Staff
Submittal Requirements	A THE REAL FROM	HORSES.	Four (4) large (18" x 24") folded copies and one (1) PDF digital copy of
[Fihal Plat, Preliminary Plot & Master Plat]	Ę.		each plat is required at the time of submittal
* FLORAGE COLDS * Second Local Bront Strate State Regardle for the Control State Stat State State S	/		Provide accurate plat dimensions with all engineering information
Engineering Information	e		necessary to reproduce the plat on the ground. ENGINEERING
[Final Plat]			SUBMITTAL AND APPROVAL REQUIRED PRIOR TO SUBMITTING AN APPLICATION FOR FINAL PLAT.
Title Block:	tan na s	WAR ISH	
Type of Plat [Master, Preliminary, Final or Replat]	A CONTRACTOR	1.1.1	The Participant of the State of
Subdivision Name (Proposed or Approved)			
Lot / Block Designation			Provide the title block information in the lower right hand corner.
Number of Lots (Proposed)			the second s
Total Acreage City, State, County	a different als press	11	
Owner, Developer, and/or Surveyor/Engineer			This includes the names and addresses of the sub dividers, record
(Name/Address/Phone Number/Date of Preparation)			owner, land planner, engineer and/or surveyor. The date of plat
[Final Plat & Preliminary Plat]			preparation should also be put in the lower right hand corner.
Survey Monuments/State Plane Coordinates	9	_	The location of the development is required to be tied to a Rockwall monument, or tie two (2) corners to state plan coordinates (NAD 83
[Final Plat]			State Plane Texas, North Central (7202), US Survey Feet).
Vicinity Map			A Vicinity Map should show the boundaries of the proposed subdivision
[Final Plat & Preliminary Plat]			relative to the rest of the city.
			The north point or north arrow must be facing true north (or straight
North Point [[Final Plat & Preliminary Plat]			up) on all plans, unless the scale of the drawings or scope of the project
	N CLASSIC HOLE	i.	, requires a different position.
Numeric and Graphic Scale			Plats should be drawn to an Engineering Scale of 1"=50', 1"=100', etc
[Final Plat & Preliminary Plat]		in a little	indicate the subdivision boundary lines, and acreage and square,
Subdivision	ten a	1 total	footage. For Master Plats provide a schematic layout of the entire tract
(Boundary, Abreage, and Square Footage)	<u>i</u> k	1 HAV	to be subdivided, any remainder tracts and its relationship to adjacent
[Find] Plat, Preliminary Plat & Master Plat]			property and existing adjoining developments.
Lot and Block		_	Identification of each lot and block by number or letter. For each lot
(Designation, Width, Depth and Area)			indicate the square footage and acreage or provide a calculation sheet. Also provide a lot count.
[Final Plat & Preliminary Plat]		e con catali in	Indicate the proposed number of dwelling units and population
Dwelling Units/Population Density [Master Plat]			densities.
Building Setbacks	4		Lange in the set
[Final Plat & Preliminary Plat]	Ľ,		Label the building lines where adjacent to a street.
Easements			Label all existing and proposed easements relative to the site and
[Final Plat & Preliminary Plat]			include the type, purpose and width.

City Limits [Final Plat, Preliminary Plat & Master Plat]			Indicate the location of the City Limits, contiguous or within the platting area.
Utilities (P)			Indicate the locations of all existing and proposed utilities. Include the size and type of each.
Property Lines [Final Plat, Preliminary Plat & Master Plat]	Ð		Provide all the proposed and platted property lines.
Streets [Final Plat, Preliminary Plat & Master Plat]	Ø		Label all proposed and existing streets with the proposed or approved names: For Master Plats indicate the existing arterials and collector streets to serve the land to be platted consistent with the Thoroughfare Plan or proposed amendments.
Right-Of-Way and Centerline [Final Plat, Preliminary Plat & Master Plat]	e		Label the right-of-way width and street centerline for each street both within and adjacent to the development.
Additional Right-Of-Way [Fing Plat & Preliminary Plat]	Ø		Indicate the location and dimensions of any proposed right-of-way dedication.
Corner Clips [Final Plat & Preliminary Plat]			Indicate all existing and proposed corner clips and any subsequent dedication.
Median Openings [Prelimingry Plat]			Locate and identify existing and/or proposed median openings and left turn channelization.
Topographical Contours [Preliminary Plat & Master Plat]			Topographical information and physical features to include contours at 2-foot intervals.
Flood Elevations [Preliminary Plat & Master Plat]			Show 100-Year & 50-Year floodplain and floodway boundaries (if applicable),
Drainage Areas [Preliminary Plat & Master Plat]	3		Show all drainage areas and all proposed storm drainages areas with sizes if applicable.
Wooded Areas [Preliminary Plat & Master[Plat]	Ø		Indicate the boundaries of all adjacent wooded areas.
Zoning and Land Use Information [Preliminary Plat & Master Plat]	Ø		Indicate all proposed land uses, and existing and proposed zoning classifications. For Master Plats indicate the proposed major categories of land use.
Existing Man-Madë Reatures [Master Plat]		ø	Indicate all significant man-made features such as railroad, roads, buildings, utilities or other physical structures as shown on USGS topographic maps, utility company records and city records when such features affect the plans.
Parks and Open Space [Preliminary Plat & Master Plat]	Q⁄		Identify the dimensions, names and description of all parks and open spaces, both existing and proposed. For Master Plats also indicate schools and other public uses as consistent with those shown in the comprehensive plan.
Proposed Improvements [Preliminary Plat]			Indicate how the proposed improvements would relate to those in the surrounding area.
Water Sources [Preliminary Plat]			Indicate water sources inside the city limits or in the extraterritorial jurisdiction (ETJ).
Sewage Disposal [Preliminary Plat]			Indicate sewage disposal method inside the city limits or in the extraterritorial jurisdiction (ETJ).
Adjacent Properties [Final Plat & Preliminary Plat]	12"		Record owners of contiguous parcels of subdivided land, names and lot patterns of contiguous subdivisions, approved Concept Plans, reference recorded subdivision plats adjoining platted land by record name and by deed record volume and page.
Phasing Plah [Master Plat]	0	đ	Designation of each phase of development within the subdivision, the order of development, and a schedule for the development of each phase of the master plan.
Dedication [Final Plat, Preliminary Plat & Master Plat]	i 2 .		Indicate the boundary lines, dimensions and descriptions, of spaces to be dedicated for public use of the inhabitants of the development. Provide a detailed statement of now the proposed subdivision will be
Statement of Service [Master Plat]			served by water, wastewater, roadway and drainage facilities that have adequate capacity to serve the development.
			Provide the appropriate plat wording provided in the application packet that details the designation of the entity responsible for the operation
Standard Plat Wording [Final Plat]		Ø	and maintenance of any commonly held property and a waiver releasing the city of such responsibility, a waiver releasing the City for damages in establishment or alteration of grade.
Legal Description [Final Plat]		۵	Place the Legal Description (Metes and Bounds Description/Field Notes) where indicated in the Owner's Certificate per the application packet.
Storm Drainage Improvements Statement [Final Plat]			Provide the appropriate statement of developer responsibility for storm drainage improvements found in the application packet.

[Final Plat, Preliminary Plat & Master Plat]	 	companies.
Review Plans with Franchise Utility Companies		Review the proposed plans and plat with electric, gas, cable and phone
Compliance with Preliminary Plat [Find Plat]		Does the plat comply with all the special requirements developed in the preliminary plat review?
Plat Approval Signatures [Final Plat]	Ø,	Provide a space for signatures attesting approval of the plat.
Public Improvement Statement [Final Plat]	ø	Proved the appropriate statement indicating that no building permits will be issued until all public improvements are accepted by the City as provided in the application packet.
Seal/Signature [Final Plat]		Required to have the seal and signature of surveyor responsible for the surveying the development and/or the preparation of the plat.
Dedication Language [Final Plat]	đ	Provide the instrument of dedication or adoption signed by the owners, which is provided in the application packet.


Applicant and Staff Checklist

d ,	Initial Contact [Final Plat, Preliminary Plat & Master Plat]: Discuss platting requirements with city staff. Obtain application packet. The applicant or representative should become familiar with city ordinances (appropriate ordinances available for a fee, or can be downloaded on the city's website).
Q	Pre-Development Meeting [Final Plat, Preliminary Plat & Master Plat]: Prior to submitting any proposed plat, the applicant is encouraged to meet with city staff to review and comment on a general plan for the development of property, including the layout of streets, lots, open space, sites for public facilities and utilities. Date: /
	· · · · · · · · · · · · · · · · · · ·
ø	Prepare Plat for Submittal [Final Plat, Preliminary Plat & Master Plat]: Hire surveyor to prepare plat and if required, Civil Engineer for preparation of preliminary engineering plans. [FOR FINAL PLATS ONLY: Engineering plans must be submitted and approved prior to final plat applications]
	<u>Submit [Final Plat, Preliminary Plat & Master Plat]:</u> Submit application form, fees and required copies of plat. Date: //
Ø	Submit Electronic Files and Survey Closure Report: In addition to the application form, fees and required copies of the plat all plat submittals require one (1) digital copy of the plat in .pdf format and one (1) survey boundary closure report. All digital submittals are to be in NAD 83 State Plane, Texas North Central (4202), US Survey Feet. Date://
	DRC Meeting [Final Plat, Preliminary Plat & Master Plat]: Staff reviews submitted plat and plans with applicants. Written comments to be provided to applicant(s) at this meeting. Date://
	Planning and Zoning Work Session [Final Plat, Preliminary Plat & Master Plat]: The plans are reviewed and discussed by the Planning & Zoning Commission. Date: / /
	<u>Plat Changes and Corrections [Final Plat, Preliminary Plat & Moster Plat]</u> : Based on staff review, changes and corrections will be reviewed with the applicant or representative. Revised plans must be submitted in <u>ELECTRONIC (E.G. PDF) FORMAT</u> the Tuesday prior to the Planning & Zoning Commission public hearing. Date://
	Planning and Zoning Meeting [Final Plat, Preliminary Plat & Master Plat]: Revised plans and staff reports are sent to the Planning & Zoning Commission for consideration. Date: //

	DEVELOPMEN City of Rockwall Planning and Zonin 385 S. Goliad Street Rockwall, Texas 75087	g Department		PLANI <u>NOTE:</u> CITY U SIGNE DIREC	F USE ONLY NING & ZONING CASE NO. THE APPLICATION IS NOT CONSIDERED ACCEPTED BY T INTIL THE PLANNING DIRECTOR AND CITY ENGINEER HA D BELOW. TOR OF PLANNING: NGINEER:	
Please check the ap	ppropriate box below to indicat	e the type of develo	pment requ	iest (S	ELECT ONLY ONE BOX1:	
Platting Applicati [] Master Plat (\$ [x] Preliminary Pl. [] Final Plat (\$300 [] Replat (\$300.0 [] Amending or N [] Plat Reinstater Site Plan Applicat [] Site Plan (\$250	on Fees: 100.00 + \$15.00 Acre) ¹ at (\$200.00 + \$15.00 Acre) ¹ 0.00 + \$20.00 Acre) ¹ 00 + \$20.00 Acre) ¹ Winor Plat (\$150.00) ment Request (\$100.00)		Zoning A [] Zonin [] Spec [] PD D Other Ap [] Tree [] Varia Notes: ² : In deter	Applica ng Cha ific Use evelop oplicat Remov ince Re mining f	tion Fees: nge (\$200.00 + \$15.00 Acre) ¹ e Permit (\$200.00 + \$15.00 Acre) ¹ oment Plans (\$200.00 + \$15.00 Acre) ¹ ion Fees: val (\$75.00) equest (\$100.00) the fee, please use the exact acreage when multiplying by For requests on less than one acre, round up to one (1) acr	
PROPERTY INFO	RMATION [PLEASE PRINT]		MPARTE INC.			
Address						
Subdivision	Terracina Estates, Phase 2				Lot Block	
General Location	West of Rochelle Road and south o	f Timber Creek Estates No	elghborhood			
		8				
	AN AND PLATTING INFO	RIVIATION [PLEASE				
Current Zoning	· PD - 82		Current	Use	VACANT	
Proposed Zoning	PD - 82		Proposed	Use	SINGLE FAMILY RESIDENTIAL	
Acreage	31.331	Lots [Current]	T.		Lots [Proposed] 94	
[x] <u>SITE PLANS AND</u> process, and failu	<u>PLATS</u> : By checking this box you ack re to address any of staff's comments	nowledge that due to the by the date provided on t	e passage of p the Developme	HB3167 ent Cale	the City no longer has flexibility with regard to its an ndar will result in the denial of your case.	proval
OWNER/APPLIC	ANT/AGENT INFORMATI	ON [PLEASE PRINT/CHE	ECK THE PRIM	ARY CO	NTACT/ORIGINAL SIGNATURES ARE REQUIRED]	
[] Owner	BLOOMFIELD HOMES LP		[] Applic		ENGINEERING CONCEPTS & DESIGN, LP	
Contact Person	CLINT VINCENT		Contact Per	son	CHUCKLAMPING	
Address	1050 E. HIGHWAY 114		Addr	ress	1600 N. COLLINS BLVD.	
*	SUITE 114				SUITE 3300	
City, State & Zip	SOUTHLAKE, TEXAS 76092		City, State &	Zip	RICHARDSON, TEXAS 75080	
Phone	817-416-1572		Pho	one	214-403-3589	
E-Mail	clint@bloomfieldhomes.net		E-N	/lail	chuck@ecdlp.com	
NOTARY VERIFIC Before me, the undersign this application to be tru	CATION [REQUIRED] ned authority, on this day personally a e and certified the following:	ppeared Clint	Vince	nt	[Owner] the undersigned, who stated the informat	on on
cover the cost of this app that the City of Rockwall	lication, has been paid to the City of R I (i.e. "City") is authorized and permil	ockwall on this the	day of	within t	ue and correct; and the application fee of \$	ed and

Given under my hand and seal of office on this the day of any and seal of 2024.	LETTY GARCIA Notary ID #134166427	1 3 1 3
Owner's Signature	My Commission Expires January 25, 2027	1111
Notary Public in and for the State of Texas	Ay Commission Expires	


DEVELOPMENT APPLICATION • CITY DE ROCKWALL • 385 500 TH GOLIAD STREET • ROCKWALL, TX 75087 • [P] (972) 771-7745 • [F] (972) 771-7727




City of Rockwall Planning & Zoning Department 385 S. Goliad Street Rockwall, Texas 75087 (P): (972) 771-7745 (W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





Z:\PROJECTS\06537 Terracina Estates\dwg\06537 Preliminary Plat Ph 2.dwg



LINE TABLE NO. DIRECTION DISTANCE N0. S 1'26'05" E 125.00' 123 S 41'55'38" W 41.19' L1 S 1'26'05" E 10.00' 124 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' 125 S 85'30'11" W 66.96' L4 N 88'33'55" E 10.00' 125 S 67'34'05" W 61.57' L5 S 1'26'05" E 125.00' 126 S 74'39'57" E 68.77' L6 S 74'39'57" E 68.77' 128 S 59'41'23" W 64.21' L7 S 27'50'10" E 66.72' 129 S 60'25'59" W 63.64' L8 S 9'02'55" E 64.32' 130 N 63'01'42" E 63.64' L10 S 18'37'29" E 67.02' 133 N 63'01'42" E 63.64' L11 S 15'12'53" E 74.64' 133 N 70'48'53" E 63.64' L12 S 11'22'18" E 81.90' 134' N 73'24'36" E 63.64' L13 N 10'58'0						
L1 S 1'26'05" E 125.00' L2 S 88'33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L13 N 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 250.04' L14 S 10'58'09" E 250.04' L15 S 10'58'09" E 250.04' <td></td> <td>LINE TABLI</td> <td>Ε</td> <td></td> <td>LINE TABL</td> <td>E</td>		LINE TABLI	Ε		LINE TABL	E
L2 S 88*33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15'12'53" E 64.32' L12 S 11*22'18" E 61.97' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 250.04' L16 S 12*16'48" E 50.00' </td <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td> <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td>	NO.	DIRECTION	DISTANCE	NO.	DIRECTION	DISTANCE
L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L15 S 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 250.04' L18 S 88'58'40" W 35.00' L19 N 1'01'20" W 56.74' L40 S 18'33'56" E 71.27' L41 S 14'29'17" E 59.01' <	L1	S 1°26'05" E	125.00'	L23	S 41°55'38" W	41.19'
L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 10.20' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L39 N 60'38'26" W 30.28' L40 S 18*33'56" E 71.27'	L2	S 88°33'55" W	10.00'	L24	S 1°26'05" E	57.53'
L5 S 1*26'05" E 125.00' L27 S 67*34'05" W 61.57' L6 S 74*39'57" E 88.77' L28 S 59*41'23" W 64.21' L7 S 27*50'10" E 60.72' L29 S 60*25'59" W 63.64' L8 S 9*02'55" E 64.32' L30 N 63*01'42" E 63.64' L9 S 14*35'37" E 62.88' L31 N 65*37'26" E 63.64' L10 S 18*37'29" E 67.02' L32 N 68*13'09" E 63.64' L11 S 15*12'53" E 74.64' L33 N 70*48'53" E 63.64' L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L38 N 73*57'31" E 72.34' L15 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 250.04' L40 S 18*33'56" E	L3	S 1°26'05" E	50.00'	L25	S 85°30'11" W	66.96'
L6 S 74*39'57" E 88.77' L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 10*58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L4	N 88°33'55" E	10.00'	L26	S 76°23'43" W	61.57'
L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L5	S 1°26'05" E	125.00'	L27	S 67°34'05" W	61.57 '
L8 S 9°02'55" E 64.32' L30 N 63°01'42" E 63.64' L9 S 14°35'37" E 62.88' L31 N 65°37'26" E 63.64' L10 S 18°37'29" E 67.02' L32 N 68°13'09" E 63.64' L11 S 15°12'53" E 74.64' L33 N 70°48'53" E 63.64' L12 S 11°22'18" E 81.90' L34 N 73°24'36" E 63.64' L13 N 10°58'09" W 10.20' L35 S 76°21'39" W 81.00' L14 S 79°01'51" W 50.00' L36 N 14'16'45" W 66.78' L15 S 10°58'09" E 10.20' L38 N 73°57'31" E 72.34' L15 S 10°58'09" E 250.04' L38 N 73°57'31" E 72.34' L14 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E	L6	S 74°39'57" E	88.77'	L28	S 59°41'23" W	64.21'
L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 10*120" W 56.74' L19 N 10*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L7	S 27°50'10" E	60.72'	L29	S 60°25'59" W	63.64'
L10 S 18°37'29" E 67.02' L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L8	S 9°02'55" E	64.32'	L30	N 63°01'42" E	63.64'
L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L9	S 14°35'37" E	62.88'	L31	N 65°37'26" E	63.64'
L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L41 S 14*29'17" E 59.01' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L10	S 18°37'29" E	67.02'	L32	N 68°13'09" E	63.64'
L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L11	S 15°12'53" E	74.64'	L33	N 70°48'53" E	63.64'
L14 S 79°01'51" W 50.00' L36 N 14°16'45" W 66.78' L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L12	S 11°22'18" E	81.90'	L34	N 73°24'36" E	63.64'
L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L13	N 10°58'09" W	10.20'	L35	S 76°21'39" W	81.00'
L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L14	S 79°01'51" W	50.00'	L36	N 14°16'45" W	66.78'
L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L15	S 10°58'09" E	10.20'	L37	S 82°52'23" W	77.17'
L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L16	S 12°16'48" E	50.00'	L38	N 73°57'31" E	72.34'
L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L17	S 10°58'09" E	250.04'	L39	N 60°38'26" W	30.28'
L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L18	S 88°58'40" W	35.00'	L40	S 18°33'56" E	71.27'
L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L19	N 1°01'20" W	56.74'	L41	S 14°29'17" E	59.01'
	L20	S 88°58'40" W	27.24'	L42	S 17°28'56" E	72.75'
L22 S 1°26'05" E 150.00' L44 N 10°58'09" W 31.71'	L21	S 46°26'05" E	40.00'	L43	S 79°53'09" W	130.22'
	L22	S 1°26'05" E	150.00'	L44	N 10°58'09" W	31.71'

NOTES:

- 1. The bearings and coordinates shown and recited hereon are referenced to the Texas Coordinate System of 1983 North Central Zone No. 4202 NAD83. All distances are surface distances with a surface to grid scale factor of 1.000146135
- 2. Subdivision property corners are 5/8-inch iron rods with caps marked "PETITT-ECD 6134" found or set, unless noted otherwise. Lot corners are 5/8-inch iron rods with cap marked "PETITT- ECD 6134" set or an "X" cut set in concrete, unless otherwise noted. When a retaining wall or screening fence has been placed at the rear lot corner, a 5/8-inch iron rod may be set five feet (5') from the rear lot corner along the side lot line
- 3. Subject tract is located in Zone X (Areas determined to be outside the 0.2% annual chance floodplain) according to Federal Emergency Management Area Flood Insurance Rate Maps for Ellis County, Texas and incorporated areas ~ Map Number 48397C0045L, Effective Date September 26, 2008. Floodplain lines plotted hereon are graphically shown according to this map and should be considered approximate.
- 4. All Open Space tracts, Drainage, & Detention Easements will be maintained, repaired and replaced by the Homeowners Association.
- 5. Retaining Walls in the Park Area will be maintained, repaired and replaced by the Homeowners Association.
- 6. Driveway depth must be 25' or more between the front of garage and edge of sidewalk.
- 7. Retaining Walls in Residential Lots will be maintained, repaired and replaced by the Property Owners.
- 8. The flood information shown on this plat is based on the August 20, 2020 Terracina Detention Study completed by McLendon Hydrology and Engineering, LLC.
- 9. Subdivider's statement. Selling a portion of this addition by metes and bounds is unlawful and a violation of the subdivision ordinance of the city and chapter 212, municipal regulation of subdivisions and property development, of the Texas Local Government Code, and shall be subject to the city withholding utilities and building permits.
- 10. Public improvement statement. It shall be the policy of the city to withhold issuing buildings permits until all streets, water, sewer and storm drainage systems have been accepted by the city. The approval of a subdivision plat by the city does not constitute any representation, assurance or guarantee that any building within such subdivision plat shall be approved, authorized, or permit issued, nor shall such approval constitute any representation, assurance or guarantee by the city of the adequacy and availability for water and sanitary sewer for personal use and fire protection within such subdivision plat, as required under the subdivision ordinance of the city.
- 11. Drainage and detention easements. The property owner shall be responsible for maintaining, repairing, and replacing and shall bear sole liability of all systems within the drainage and detention easements.
- 12. Fire lanes. All fire lanes will be constructed, maintained, repaired and replaced by the property owner. Fire lanes shall be constructed in accordance with the approved civil engineering plans for both on-site and off-site fire lane improvements.
- 13. Street appurtenances. All decorative signage, posts, or lights installed in public right—of—way shall be installed, maintained, repaired, and replaced by the homeowner's association (HOA).

	CURVE TABLE						
CURVE	CURVE DELTA RADIUS TANGENT LENGTH CHORD BEARING CHORD						
C1	004•32'28"	1580.00'	62.65'	125.23'	S 82'12'29" W	125.19'	
C2	000°24'15"	1580.00'	5.57'	11.15'	S 77'55'20" W	11.15'	
C3	000*22'28"	1530.00'	5.00'	10.00'	S 77 * 54'26" W	10.00'	
C4	000°26'52"	1280.00'	5.00'	10.00 '	S 77 ° 41'16" W	10.00'	
C5	030*59'26"	555.00'	153.87'	300.19'	N 73°28'57" E	296.55'	
C6	019*28'37"	1250.00'	214.53'	424.92'	S 67°43'32" W	422.88'	
C7	030*59'27"	250.00'	69.31'	135.22'	N 73°28'57" E	133.58'	
C8	019*43'58"	1555.00'	270.45'	535.55'	S 67°51'13" W	532.91'	
C9	023°01'04"	300.00'	61.08'	120.52'	S 12•31'52" E	119.71'	
C10	018°23'27"	800.00'	129.51'	256.78'	S 10°37'48" E	255.68'	
C11	008•51'23"	800.00'	61.95'	123.66'	N 15°23'50" W	123.53'	
C12	090*00'00"	25.00'	25.00'	39.27'	N 46°26'05" W	35.36'	
C13	089*35'15"	25.00'	24.82'	39.09'	S 43*46'18" W	35.23'	

REVIEWED F	OR PRELIMINARY A	APPROVAL
Planning and Zoning Commiss	sion	Date
APPROVED FOR	PREPARATION OF	FINAL PLAT
Mayor, City of Rockwall	City Secretary	City Engineer


PRELIMINARY PLAT TERRACINA ESTATES PHASE 2 BEING 31.331 ACRES ZONING 1.96 DWELLING UNITS PER ACRE SITUATED IN THE (MAX. OVERALL DENSITY) [ORD. NO. 18-08-PD-82] JOHN A. RAMSEY SURVEY, A-186 CITY OF ROCKWALL OPEN SPACE = 0.06 AC. ROCKWALL COUNTY, TEXAS PARK = 4.84 AC.**PETITT - ECD** 94 RESIDENTIAL LOTS 3.00 LOTS PER ACRE CIVIL ENGINEERING/SURVEYING/CONSTRUCTION ADMINISTRATION OWNER/DEVELOPER TBPELS FIRM REGISTRATION BLOOMFIELD HOMES L.P. ENGINEERING FIRM #001145 SURVEYING FIRM #10194792 1050 E. HWY. 114, SUITE 210 1600 N. COLLINS BLVD. 201 WINDCO CIR. SOUTHLAKE, TEXAS 76092 SUITE 3300 SUITE 100 PHONE: 817-416-1572 RICHARDSON, TX 75080 WYLIE, TX 75098 (972) 941-8400

DATE: 12/21/2023

SHEET 3 OF 3

CASE NO.

PROJECT COMMENTS



DATE: 1/26/2024

PROJECT NUMBER:	P2024-003
PROJECT NAME:	Preliminary Plat for Terracina Estates Phase 2
SITE ADDRESS/LOCATIONS:	

CASE CAPTION: Discuss and consider a request by Chuck Lamping of Engineering Concepts & Design, LP on behalf of Clint Vincent of Bloomfield Homes, LP for the approval of a Preliminary Plat for Phase 2 of the Terracina Estates Subdivision consisting of 94 single-family residential lots on a 31.331-acre tract of land identified as Tract 16 of the J. A. Ramsey Survey, Abstract No. 186, City of Rockwall, Rockwall County, Texas, zoned Planned Development District 82 (PD-82) [Ordinance No. 18-08] for Single-Family 10 (SF-10) District land uses, generally located at the terminus of Guadalupe Drive, Mesa Verde Drive and Oakcrest Drive, and take any action necessary.

DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
PLANNING	Henry Lee	01/26/2024	Approved w/ Comments	

01/26/2024: Please address the following comments (M= Mandatory Comments; I = Informational Comments)

I.1 This is a request for the approval of a Preliminary Plat for Phase 2 of the Terracina Estates Subdivision consisting of 94 single-family residential lots on a 31.331-acre tract of land identified as Tract 16 of the J. A. Ramsey Survey, Abstract No. 186, City of Rockwall, Rockwall County, Texas, zoned Planned Development District 82 (PD-82) [Ordinance No. 18-08] for Single-Family 10 (SF-10) District land uses, generally located at the terminus of Guadalupe Drive, Mesa Verde Drive and Oakcrest Drive.

1.2 For questions or comments concerning this case please contact Henry Lee in the Planning Department at (972) 772-6434 or email hlee@rockwall.com.

M.3 For reference, include the case number (P2024-003) in the lower right-hand corner of all pages on future submittals.

M.4 Please correct the Title Block to the following (Section 38-7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances):

Preliminary Plat Lots 15-25, Block D; Lot 1, Block F; Lots 1-6, Block G; Lots 1-27, Block H; Lots 1-30, Block J; Lots 1-20, Block K; Terracina Estates Phase 2 Being 95 Lots 31.331 Acres or 1,364,778.36 SF Situated in the J. A. Ramsey Survey, Abstract No. 186 City of Rockwall, Rockwall County, Texas

M.5 Provide the subdivision acreage and square footage on the plat. (Section 38-7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)

M.6 Please correct Lot 22, Block D, as the minimum lot width is not met at the front setback; the lot width must be at least 62-feet. (Ordinance 18-08)

M.7 Line 41 must be at least 62-feet in order to meet the lot minimum width. (Ordinance No. 18-08)

M.8 Please describe the water service and sewage disposal method. (Section 38-7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)

M.9 The adjacent property to the west (i.e. Phase 3) is not zoned Agricultural (AG) District. Please correct the plat and indicate it is zoned Planned Development District 82 (PD-82). (Section 38-7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)

M.10 Please include all items listed in Section 38-7(b), Section 38-7(c), Section 38-7(d), and Section 38-7(e) of the Subdivision Ordinance, which can be found through the Planning and Zoning Webpage on the City of Rockwall Website. (Section 38-7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)

M.11 The city signature block is not correct. The correct signature block can be found under the preliminary plat section within the City of Rockwall Subdivision ordinance, more specifically in Section 38-7(3)(D)(2)(a)(1). (Section 38-7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)

M.12 Per the PD Ordinance, all parks are to be maintained by the HOA. Please include a note that reflects this. (Ordinance No. 18-08)

I.13 The projected meeting dates for this case are as follows:

Planning and Zoning Work Session: January 30, 2024 Park Board meeting: February 6, 2024 Planning and Zoning Public Hearing: February 13, 2024 City Council: February 20, 2024

I.14 Please note that once the Preliminary Plat has been approved by the Planning and Zoning Commission and City Council, the case will be considered to be conditionally approved pending all of staff's comments from all City Departments and any applicable conditions of approval contained in staff's case memo are addressed prior to the subdivision plat being filed.


DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
ENGINEERING	Jonathan Browning	01/24/2024	Approved w/ Comments	
01/24/2024: Remove contours	from plat.			
Existing and proposed water ar	nd sewer is required to be shown on preliminary p	plat.		
Turn around needed at the end	of Oakcrest Dr.,			
DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
BUILDING	Craig Foshee	01/24/2024	Approved	
No Comments				
DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
FIRE	Ariana Kistner	01/22/2024	Needs Review	
01/22/2024: Review Oakcrest	Drive. Dead-end fire apparatus access roads in	excess of 150 feet shall be provided with width and	turnaround provisions in accordance with the	
2021 IFC Table D103.4.				
DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
GIS	Lance Singleton	01/22/2024	Approved w/ Comments	
01/22/2024: Please forward C/	AD (.dwg) of street centerlines and lot lines to lsir	ngleton@rockwall.com so addressing can begin.		
DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
POLICE	Chris Cleveland	01/22/2024	Approved	

No Comments

DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT
PARKS	Travis Sales	01/25/2024	Approved w/ Comments

01/25/2024: Park District 22


This development satisfied all park land donation and equipment requirements with phase I through the donation of park land and providing a fully developed park.



	DEVELOPMEN City of Rockwall Planning and Zonin 385 S. Goliad Street Rockwall, Texas 75087	g Department		PLANI <u>NOTE:</u> CITY U SIGNE DIREC	F USE ONLY NING & ZONING CASE NO. THE APPLICATION IS NOT CONSIDERED ACCEPTED BY T INTIL THE PLANNING DIRECTOR AND CITY ENGINEER HA D BELOW. TOR OF PLANNING: NGINEER:	
Please check the ap	ppropriate box below to indicat	e the type of develo	pment requ	iest (S	ELECT ONLY ONE BOX1:	
Platting Applicati [] Master Plat (\$ [x] Preliminary Pl. [] Final Plat (\$300 [] Replat (\$300.0 [] Amending or N [] Plat Reinstater Site Plan Applicat [] Site Plan (\$250	on Fees: 100.00 + \$15.00 Acre) ¹ at (\$200.00 + \$15.00 Acre) ¹ 0.00 + \$20.00 Acre) ¹ 00 + \$20.00 Acre) ¹ Winor Plat (\$150.00) ment Request (\$100.00)		Zoning A [] Zonin [] Spec [] PD D Other Ap [] Tree [] Varia Notes: ² : In deter	Applica ng Cha ific Use evelop oplicat Remov ince Re mining f	tion Fees: nge (\$200.00 + \$15.00 Acre) ¹ e Permit (\$200.00 + \$15.00 Acre) ¹ oment Plans (\$200.00 + \$15.00 Acre) ¹ ion Fees: val (\$75.00) equest (\$100.00) the fee, please use the exact acreage when multiplying by For requests on less than one acre, round up to one (1) acr	
PROPERTY INFO	RMATION [PLEASE PRINT]		MPARTE INC.			
Address						
Subdivision	Terracina Estates, Phase 2				Lot Block	
General Location	West of Rochelle Road and south o	f Timber Creek Estates No	elghborhood			
		8				
	AN AND PLATTING INFO	RIVIATION [PLEASE				
Current Zoning	· PD - 82		Current	Use	VACANT	
Proposed Zoning	PD - 82		Proposed	Use	SINGLE FAMILY RESIDENTIAL	
Acreage	31.331	Lots [Current]	T.		Lots [Proposed] 94	
[x] <u>SITE PLANS AND</u> process, and failu	<u>PLATS</u> : By checking this box you ack re to address any of staff's comments	nowledge that due to the by the date provided on t	e passage of p the Developme	HB3167 ent Cale	the City no longer has flexibility with regard to its an ndar will result in the denial of your case.	proval
OWNER/APPLIC	ANT/AGENT INFORMATI	ON [PLEASE PRINT/CHE	ECK THE PRIM	ARY CO	NTACT/ORIGINAL SIGNATURES ARE REQUIRED]	
[] Owner	BLOOMFIELD HOMES LP		[] Applic		ENGINEERING CONCEPTS & DESIGN, LP	
Contact Person	CLINT VINCENT		Contact Per	son	CHUCKLAMPING	
Address	1050 E. HIGHWAY 114		Addr	ress	1600 N. COLLINS BLVD.	
*	SUITE 114				SUITE 3300	
City, State & Zip	SOUTHLAKE, TEXAS 76092		City, State &	Zip	RICHARDSON, TEXAS 75080	
Phone	817-416-1572		Pho	one	214-403-3589	
E-Mail	clint@bloomfieldhomes.net		E-N	/lail	chuck@ecdlp.com	
NOTARY VERIFIC Before me, the undersign this application to be tru	CATION [REQUIRED] ned authority, on this day personally a e and certified the following:	ppeared Clint	Vince	nt	[Owner] the undersigned, who stated the informat	on on
cover the cost of this app that the City of Rockwall	lication, has been paid to the City of R I (i.e. "City") is authorized and permil	ockwall on this the	day of	within t	ue and correct; and the application fee of \$	ed and

Given under my hand and seal of office on this the day of any and seal of 2024.	LETTY GARCIA Notary ID #134166427	1 3 1 3
Owner's Signature	My Commission Expires January 25, 2027	1111
Notary Public in and for the State of Texas	Ay Commission Expires	


DEVELOPMENT APPLICATION • CITY DE ROCKWALL • 385 500 TH GOLIAD STREET • ROCKWALL, TX 75087 • [P] (972) 771-7745 • [F] (972) 771-7727




City of Rockwall Planning & Zoning Department 385 S. Goliad Street Rockwall, Texas 75087 (P): (972) 771-7745 (W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





Z:\PROJECTS\06537 Terracina Estates\dwg\06537 Preliminary Plat Ph 2.dwg



LINE TABLE NO. DIRECTION DISTANCE N0. S 1'26'05" E 125.00' 123 S 41'55'38" W 41.19' L1 S 1'26'05" E 10.00' 124 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' 125 S 85'30'11" W 66.96' L4 N 88'33'55" E 10.00' 126 S 74'39'57" E 68.77' L5 S 1'26'05" E 125.00' 128 S 59'41'23" W 64.21' L6 S 74'39'57" E 66.72' 129 S 60'25'59" W 63.64' L7 S 18'37'29" E 64.32' 130 N 63'01'42" E 63.64' L10 S 18'37'29" E 67.02' 133 N 63'31'09" E 63.64' L11 S 15'12'53" E 74.64' 132 N 68'13'09" E 63.64' L13 N 10'58'09" M 10.20' 134 N 73'24'36" E 63.64' L14 S 10'58'09" E 10.20' 135 S 76'21'39" W 66.78' L14 S 10'58'						
L1 S 1'26'05" E 125.00' L2 S 88'33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L13 N 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 250.04' L14 S 10'58'09" E 250.04' L15 S 10'58'09" E 250.04' <td></td> <td>LINE TABLI</td> <td>Ε</td> <td></td> <td>LINE TABL</td> <td>E</td>		LINE TABLI	Ε		LINE TABL	E
L2 S 88*33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15'12'53" E 64.32' L12 S 11*22'18" E 61.97' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 250.04' L16 S 12*16'48" E 50.00' </td <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td> <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td>	NO.	DIRECTION	DISTANCE	NO.	DIRECTION	DISTANCE
L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L15 S 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 250.04' L18 S 88'58'40" W 35.00' L19 N 1'01'20" W 56.74' L40 S 18'33'56" E 71.27' L41 S 14'29'17" E 59.01' <	L1	S 1°26'05" E	125.00'	L23	S 41°55'38" W	41.19'
L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 10.20' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L39 N 60'38'26" W 30.28' L40 S 18*33'56" E 71.27'	L2	S 88°33'55" W	10.00'	L24	S 1°26'05" E	57.53'
L5 S 1*26'05" E 125.00' L27 S 67*34'05" W 61.57' L6 S 74*39'57" E 88.77' L28 S 59*41'23" W 64.21' L7 S 27*50'10" E 60.72' L29 S 60*25'59" W 63.64' L8 S 9*02'55" E 64.32' L30 N 63*01'42" E 63.64' L9 S 14*35'37" E 62.88' L31 N 65*37'26" E 63.64' L10 S 18*37'29" E 67.02' L32 N 68*13'09" E 63.64' L11 S 15*12'53" E 74.64' L33 N 70*48'53" E 63.64' L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L38 N 73*57'31" E 72.34' L15 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 250.04' L40 S 18*33'56" E	L3	S 1°26'05" E	50.00'	L25	S 85°30'11" W	66.96'
L6 S 74*39'57" E 88.77' L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 10*58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L4	N 88°33'55" E	10.00'	L26	S 76°23'43" W	61.57 '
L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L5	S 1°26'05" E	125.00'	L27	S 67°34'05" W	61.57 '
L8 S 9°02'55" E 64.32' L30 N 63°01'42" E 63.64' L9 S 14°35'37" E 62.88' L31 N 65°37'26" E 63.64' L10 S 18°37'29" E 67.02' L32 N 68°13'09" E 63.64' L11 S 15°12'53" E 74.64' L33 N 70°48'53" E 63.64' L12 S 11°22'18" E 81.90' L34 N 73°24'36" E 63.64' L13 N 10°58'09" W 10.20' L35 S 76°21'39" W 81.00' L14 S 79°01'51" W 50.00' L36 N 14'16'45" W 66.78' L15 S 10°58'09" E 10.20' L38 N 73°57'31" E 72.34' L15 S 10°58'09" E 250.04' L38 N 73°57'31" E 72.34' L14 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E	L6	S 74°39'57" E	88.77'	L28	S 59°41'23" W	64.21'
L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 10*120" W 56.74' L19 N 10*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L7	S 27°50'10" E	60.72'	L29	S 60°25'59" W	63.64'
L10 S 18°37'29" E 67.02' L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L8	S 9°02'55" E	64.32'	L30	N 63°01'42" E	63.64'
L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L9	S 14°35'37" E	62.88'	L31	N 65°37'26" E	63.64'
L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L10	S 18°37'29" E	67.02'	L32	N 68°13'09" E	63.64'
L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L11	S 15°12'53" E	74.64'	L33	N 70°48'53" E	63.64'
L14 S 79°01'51" W 50.00' L36 N 14°16'45" W 66.78' L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L12	S 11°22'18" E	81.90'	L34	N 73°24'36" E	63.64'
L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L13	N 10°58'09" W	10.20'	L35	S 76°21'39" W	81.00'
L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L14	S 79°01'51" W	50.00'	L36	N 14°16'45" W	66.78'
L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L15	S 10°58'09" E	10.20'	L37	S 82°52'23" W	77.17'
L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L16	S 12°16'48" E	50.00'	L38	N 73°57'31" E	72.34'
L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L17	S 10°58'09" E	250.04'	L39	N 60°38'26" W	30.28'
L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L18	S 88°58'40" W	35.00'	L40	S 18°33'56" E	71.27'
L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L19	N 1°01'20" W	56.74'	L41	S 14°29'17" E	59.01'
	L20	S 88°58'40" W	27.24'	L42	S 17°28'56" E	72.75'
L22 S 1°26'05" E 150.00' L44 N 10°58'09" W 31.71'	L21	S 46°26'05" E	40.00'	L43	S 79°53'09" W	130.22'
	L22	S 1°26'05" E	150.00'	L44	N 10°58'09" W	31.71'

NOTES:

- 1. The bearings and coordinates shown and recited hereon are referenced to the Texas Coordinate System of 1983 North Central Zone No. 4202 NAD83. All distances are surface distances with a surface to grid scale factor of 1.000146135
- 2. Subdivision property corners are 5/8-inch iron rods with caps marked "PETITT-ECD 6134" found or set, unless noted otherwise. Lot corners are 5/8-inch iron rods with cap marked "PETITT- ECD 6134" set or an "X" cut set in concrete, unless otherwise noted. When a retaining wall or screening fence has been placed at the rear lot corner, a 5/8-inch iron rod may be set five feet (5') from the rear lot corner along the side lot line
- 3. Subject tract is located in Zone X (Areas determined to be outside the 0.2% annual chance floodplain) according to Federal Emergency Management Area Flood Insurance Rate Maps for Ellis County, Texas and incorporated areas ~ Map Number 48397C0045L, Effective Date September 26, 2008. Floodplain lines plotted hereon are graphically shown according to this map and should be considered approximate.
- 4. All Open Space tracts, Drainage, & Detention Easements will be maintained, repaired and replaced by the Homeowners Association.
- 5. Retaining Walls in the Park Area will be maintained, repaired and replaced by the Homeowners Association.
- 6. Driveway depth must be 25' or more between the front of garage and edge of sidewalk.
- 7. Retaining Walls in Residential Lots will be maintained, repaired and replaced by the Property Owners.
- 8. The flood information shown on this plat is based on the August 20, 2020 Terracina Detention Study completed by McLendon Hydrology and Engineering, LLC.
- 9. Subdivider's statement. Selling a portion of this addition by metes and bounds is unlawful and a violation of the subdivision ordinance of the city and chapter 212, municipal regulation of subdivisions and property development, of the Texas Local Government Code, and shall be subject to the city withholding utilities and building permits.
- 10. Public improvement statement. It shall be the policy of the city to withhold issuing buildings permits until all streets, water, sewer and storm drainage systems have been accepted by the city. The approval of a subdivision plat by the city does not constitute any representation, assurance or guarantee that any building within such subdivision plat shall be approved, authorized, or permit issued, nor shall such approval constitute any representation, assurance or guarantee by the city of the adequacy and availability for water and sanitary sewer for personal use and fire protection within such subdivision plat, as required under the subdivision ordinance of the city.
- 11. Drainage and detention easements. The property owner shall be responsible for maintaining, repairing, and replacing and shall bear sole liability of all systems within the drainage and detention easements.
- 12. Fire lanes. All fire lanes will be constructed, maintained, repaired and replaced by the property owner. Fire lanes shall be constructed in accordance with the approved civil engineering plans for both on-site and off-site fire lane improvements.
- 13. Street appurtenances. All decorative signage, posts, or lights installed in public right—of—way shall be installed, maintained, repaired, and replaced by the homeowner's association (HOA).

CURVE TABLE							
CURVE	DELTA	RADIUS	TANGENT	LENGTH	CHORD BEARING	CHORD	
C1	004•32'28"	1580.00'	62.65'	125.23'	S 82'12'29" W	125.19'	
C2	000°24'15"	1580.00'	5.57'	11.15'	S 77'55'20" W	11.15'	
C3	000*22'28"	1530.00'	5.00'	10.00'	S 77 * 54'26" W	10.00'	
C4	000°26'52"	1280.00'	5.00'	10.00 '	S 77 ° 41'16" W	10.00'	
C5	030*59'26"	555.00'	153.87'	300.19'	N 73°28'57" E	296.55'	
C6	019*28'37"	1250.00'	214.53'	424.92'	S 67°43'32" W	422.88'	
C7	030*59'27"	250.00'	69.31'	135.22'	N 73°28'57" E	133.58'	
C8	019*43'58"	1555.00'	270.45'	535.55'	S 67°51'13" W	532.91'	
C9	023°01'04"	300.00'	61.08'	120.52'	S 12•31'52" E	119.71'	
C10	018°23'27"	800.00'	129.51'	256.78'	S 10°37'48" E	255.68'	
C11	008•51'23"	800.00'	61.95'	123.66'	N 15°23'50" W	123.53'	
C12	090*00'00"	25.00'	25.00'	39.27'	N 46°26'05" W	35.36'	
C13	089*35'15"	25.00'	24.82'	39.09'	S 43*46'18" W	35.23'	

REVIEWED FOR PRELIMINARY APPROVAL						
Planning and Zoning Commiss	sion	Date				
APPROVED FOR	PREPARATION OF	FINAL PLAT				
Mayor, City of Rockwall	City Secretary	City Engineer				

PRELIMINARY PLAT TERRACINA ESTATES PHASE 2 BEING 31.331 ACRES ZONING 1.96 DWELLING UNITS PER ACRE SITUATED IN THE (MAX. OVERALL DENSITY) [ORD. NO. 18-08-PD-82] JOHN A. RAMSEY SURVEY, A-186 CITY OF ROCKWALL OPEN SPACE = 0.06 AC. ROCKWALL COUNTY, TEXAS PARK = 4.84 AC.**PETITT - ECD** 94 RESIDENTIAL LOTS 3.00 LOTS PER ACRE CIVIL ENGINEERING/SURVEYING/CONSTRUCTION ADMINISTRATION OWNER/DEVELOPER TBPELS FIRM REGISTRATION BLOOMFIELD HOMES L.P. ENGINEERING FIRM #001145 SURVEYING FIRM #10194792 1050 E. HWY. 114, SUITE 210 1600 N. COLLINS BLVD. 201 WINDCO CIR. SOUTHLAKE, TEXAS 76092 SUITE 3300 SUITE 100 PHONE: 817-416-1572 RICHARDSON, TX 75080 WYLIE, TX 75098 (972) 941-8400

DATE: 12/21/2023

SHEET 3 OF 3

CASE NO.



CITY OF ROCKWALL

PLANNING AND ZONING COMMISION CASE MEMO

PLANNING AND ZONING DEPARTMENT 385 S. GOLIAD STREET • ROCKWALL, TX 75087 PHONE: (972) 771-7745 • EMAIL: PLANNING@ROCKWALL.COM

TO:	Planning and Zoning Commission
DATE:	February 13, 2024
APPLICANT:	Chuck Lamping; Engineering Concepts and Design, LP
CASE NUMBER:	P2024-003; Preliminary Plat for Phase 2 of the Terracina Estates Subdivision

SUMMARY

Consider a request by Chuck Lamping of Engineering Concepts & Design, LP on behalf of Clint Vincent of Bloomfield Homes, LP for the approval of a <u>Preliminary Plat</u> for Phase 2 of the Terracina Estates Subdivision consisting of 94 single-family residential lots on a 31.331-acre tract of land identified as Tract 16 of the J. A. Ramsey Survey, Abstract No. 186, City of Rockwall, Rockwall County, Texas, zoned Planned Development District 82 (PD-82) [Ordinance No. 18-08] for Single-Family 10 (SF-10) District land uses, generally located at the terminus of Guadalupe Drive, Mesa Verde Drive and Oakcrest Drive, and take any action necessary.

PLAT INFORMATION

- Purpose. The purpose of the applicant's request is to <u>Preliminary Plat</u> a 31.331-acre parcel of land (i.e. Tract 16 of the J. A. Ramsey Survey, Abstract No. 186) to show the future establishment of 94 single-family residential lots and two (2) open space lots (i.e. Lots 15-25, Block D; Lot 1, Block F; Lots 1-6, Block G; Lots 1-27, Block H; Lots 1-30, Block J; Lots 1-20, Block K, Terracina Estates Phase 2 Subdivision). The proposed <u>Preliminary Plat</u> also lays out the necessary easements (e.g. fire lane, public access/right-of-way, utilities, and drainage) for the future development of the residential subdivision.
- Eackground. The subject property was annexed on July 21, 1997 by Ordinance No. 97-14. On June 20, 2016, the City Council approved a request to rezone an 81.49-acre portion of the subject property from an Agricultural (AG) District to Planned Development District 82 (PD-82) [Ordinance No. 16-43] for a single-family residential subdivision that would consist of 204 single-family lots [Case No. Z2016-013]. On September 15, 2017, the owner of the subject property requested to amend Planned Development District 82 (PD-82) to incorporate an additional 59.065-acre tract of land into the existing 81.49-acre tract of land, creating a 140.55-acre subdivision. This request was denied by the City Council on November 6, 2017 [Case No. Z2017-046]. On November 28, 2017, the Planning and Zoning Commission approved a consideration of substantial change allowing the applicant to resubmit a zoning application. The new request proposed the incorporation of an additional 39.00-acres of open space (*i.e. the antenna tower park*), providing larger lots, and adding an additional 2.24-acre private park. This new request also changed the overall density of the development reducing it from 2.5 units per acre to 1.5 units per acre. On January 2, 2018, the City Council approved the amendment to Planned Development District 82 (PD-82) [Ordinance No. 18-08; Case No. Z2017-063]. The final Planned Development District consisted of 179.831-acres and 352 single-family residential lots. The following is a summary of the lot composition and density and dimensional standards contained within Planned Development District 82 (PD-82):

Lot Type	Minimum Lot Size (FT)	Minimum Lot Size (SF)	Maximum Dwelling Units (#)	Dwelling Units (%)
A	65' x 125'	8,125 SF	296	84.09%
В	80' x 125'	10,000 SF	46	13.06%
С	80' x 125'	25,000 SF	10	2.85%
		Maximum Permitted Units:	352	100%

TABLE 1: LOT COMPOSITION

TABLE 2: LOT DIMENSIONAL REQUIREMENTS

Lot Type (see Concept Plan) ►	Α	В	С
Minimum Lot Width ^{(1) & (5)}	65'	80'	80'
Minimum Lot Depth	125'	125'	125'
Minimum Lot Area	8,125 SF	10,000 SF	25,000 SF
Minimum Front Yard Setback ⁽²⁾	20'	20'	20'
Minimum Side Yard Setback	5'	5'	5'
Minimum Side Yard Setback (Adjacent to a Street) ⁽²⁾	10'	10'	10'
Minimum Length of Driveway Pavement	25'	25'	25'
Maximum Height ⁽³⁾	36'	36'	36'
Minimum Rear Yard Setback ⁽⁴⁾	10'	10'	10'
Minimum Area/Dwelling Unit (SF)	1,800 SF	2,000 SF	2,000 SF
Maximum Lot Coverage	65%	65%	65%

General Notes:

- ¹: The minimum lot width shall be measured at the *Front Yard Building Setback*.
- ²: The location of the Front Yard Building Setback as measured from the front property line.
- ³: The *Maximum Height* shall be measured to the eave or top plate (whichever is greater) of the single-family home.
- 4: As measured from the rear yard property line.
- 5: Lots fronting onto a curvilinear street, cul-de-sac or eyebrow may have the lot width reduced by up to 20% as measured at the front property line provided that the lot width is met at the front building line. Additionally, the lot depth on lots fronting onto curvilinear streets, cul-de-sacs and eyebrows maybe reduced by up to ten (10%) percent, but shall meet the minimum lot size for each lot type.
- Parks Board. Per the zoning ordinance for Planned Development District 82 (PD-82) [Ordinance No. 18-08], Phase 1 & 2 were not required to pay pro-rata equipment fees or cash-in-lieu of land fees. In lieu of these fees, the development was to incorporate a nine (9) acre, fully amenitized public park that is to maintained by the Homeowner's Association (HOA). The Parks Board reviewed the proposed development on February 6, 2024 and recommended approval by a vote of 6-0 (with Board Member Fowler absent).
- Conformance to the Subdivision Ordinance. The surveyor has completed the majority of the technical revisions requested by staff, and this plat -- conforming to the requirements for plats as stipulated by the Chapter 38, Subdivisions, of the Municipal Code of Ordinances -- is recommended for conditional approval pending the completion of final technical modifications and submittal requirements.
- Conditional Approval. Conditional approval of this <u>Preliminary Plat</u> by the City Council shall constitute approval subject to the conditions stipulated in the Conditions of Approval section below.

CONDITIONS OF APPROVAL


If the Planning and Zoning Commission chooses to recommend approval of the <u>Preliminary Plat</u> for Phase 2 of the Terracina Estates Subdivision staff would propose the following conditions of approval:

- (1) All technical comments from the Engineering, Planning and Fire Departments shall be addressed prior to the filing of this <u>Preliminary Plat</u>; and,
- (2) Any construction resulting from the approval of this <u>Preliminary Plat</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.

	DEVELOPMEN City of Rockwall Planning and Zonin 385 S. Goliad Street Rockwall, Texas 75087	g Department		PLANI <u>NOTE:</u> CITY U SIGNE DIREC	F USE ONLY NING & ZONING CASE NO. THE APPLICATION IS NOT CONSIDERED ACCEPTED BY T INTIL THE PLANNING DIRECTOR AND CITY ENGINEER HA D BELOW. TOR OF PLANNING: NGINEER:	
Please check the ap	ppropriate box below to indicat	e the type of develo	pment requ	iest (S	ELECT ONLY ONE BOX1:	
Platting Applicati [] Master Plat (\$ [x] Preliminary Pl. [] Final Plat (\$300 [] Replat (\$300.0 [] Amending or N [] Plat Reinstater Site Plan Applicat [] Site Plan (\$250	on Fees: 100.00 + \$15.00 Acre) ¹ at (\$200.00 + \$15.00 Acre) ¹ 0.00 + \$20.00 Acre) ¹ 00 + \$20.00 Acre) ¹ Winor Plat (\$150.00) ment Request (\$100.00)		Zoning A [] Zonin [] Spec [] PD D Other Ap [] Tree [] Varia Notes: ² : In deter	Applica ng Cha ific Use evelop oplicat Remov ince Re mining f	tion Fees: nge (\$200.00 + \$15.00 Acre) ¹ e Permit (\$200.00 + \$15.00 Acre) ¹ oment Plans (\$200.00 + \$15.00 Acre) ¹ ion Fees: val (\$75.00) equest (\$100.00) the fee, please use the exact acreage when multiplying by For requests on less than one acre, round up to one (1) acr	
PROPERTY INFO	RMATION [PLEASE PRINT]		MPARTE INC.			
Address						
Subdivision	Terracina Estates, Phase 2				Lot Block	
General Location	West of Rochelle Road and south o	f Timber Creek Estates No	elghborhood			
		8				
	AN AND PLATTING INFO	RIVIATION [PLEASE				
Current Zoning	PD - 82		Current	Use	VACANT	
Proposed Zoning	PD - 82		Proposed	Use	SINGLE FAMILY RESIDENTIAL	
Acreage	31.331	Lots [Current]	T.		Lots [Proposed] 94	
[x] <u>SITE PLANS AND</u> process, and failu	<u>PLATS</u> : By checking this box you ack re to address any of staff's comments	nowledge that due to the by the date provided on t	e passage of p the Developme	HB3167 ent Cale	the City no longer has flexibility with regard to its an ndar will result in the denial of your case.	proval
OWNER/APPLIC	ANT/AGENT INFORMATI	ON [PLEASE PRINT/CHE	ECK THE PRIM	ARY CO	NTACT/ORIGINAL SIGNATURES ARE REQUIRED]	
[] Owner	BLOOMFIELD HOMES LP		[] Applic		ENGINEERING CONCEPTS & DESIGN, LP	
Contact Person	CLINT VINCENT		Contact Per	son	CHUCKLAMPING	
Address	1050 E. HIGHWAY 114		Addr	ress	1600 N. COLLINS BLVD.	
*	SUITE 114				SUITE 3300	
City, State & Zip	SOUTHLAKE, TEXAS 76092		City, State &	Zip	RICHARDSON, TEXAS 75080	
Phone	817-416-1572		Pho	one	214-403-3589	
E-Mail	clint@bloomfieldhomes.net		E-N	/lail	chuck@ecdlp.com	
NOTARY VERIFIC Before me, the undersign this application to be tru	CATION [REQUIRED] ned authority, on this day personally a e and certified the following:	ppeared Clint	Vince	nt	[Owner] the undersigned, who stated the informat	on on
cover the cost of this app that the City of Rockwall	lication, has been paid to the City of R I (i.e. "City") is authorized and permil	ockwall on this the	day of	within t	ue and correct; and the application fee of \$	ed and

Given under my hand and seal of office on this the day of any and seal of 2024.	LETTY GARCIA Notary ID #134166427	1 3 1 3
Owner's Signature	My Commission Expires January 25, 2027	1111
Notary Public in and for the State of Texas	Ay Commission Expires	


DEVELOPMENT APPLICATION • CITY DE ROCKWALL • 385 500 TH GOLIAD STREET • ROCKWALL, TX 75087 • [P] (972) 771-7745 • [F] (972) 771-7727




City of Rockwall Planning & Zoning Department 385 S. Goliad Street Rockwall, Texas 75087 (P): (972) 771-7745 (W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





Z:\PROJECTS\06537 Terracina Estates\dwg\06537 Preliminary Plat Ph 2.dwg



LINE TABLE NO. DIRECTION DISTANCE N0. S 1'26'05" E 125.00' 123 S 41'55'38" W 41.19' L1 S 1'26'05" E 10.00' 124 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' 125 S 85'30'11" W 66.96' L4 N 88'33'55" E 10.00' 125 S 67'34'05" W 61.57' L5 S 1'26'05" E 125.00' 126 S 74'39'57" E 68.77' L6 S 74'39'57" E 68.77' 128 S 59'41'23" W 64.21' L7 S 27'50'10" E 66.72' 129 S 60'25'59" W 63.64' L8 S 9'02'55" E 64.32' 130 N 63'01'42" E 63.64' L10 S 18'37'29" E 67.02' 133 N 63'01'42" E 63.64' L11 S 15'12'53" E 74.64' 133 N 70'48'53" E 63.64' L13 N 10'58'09" E 10.20' 134 N 73'24'36" E 63.64' L14 S 10'58'09						
L1 S 1'26'05" E 125.00' L2 S 88'33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L13 N 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 250.04' L14 S 10'58'09" E 250.04' L15 S 10'58'09" E 250.04' <td></td> <td>LINE TABLI</td> <td>Ε</td> <td></td> <td>LINE TABL</td> <td>E</td>		LINE TABLI	Ε		LINE TABL	E
L2 S 88*33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15'12'53" E 64.32' L12 S 11*22'18" E 61.97' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 250.04' L16 S 12*16'48" E 50.00' </td <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td> <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td>	NO.	DIRECTION	DISTANCE	NO.	DIRECTION	DISTANCE
L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L15 S 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 250.04' L18 S 88'58'40" W 35.00' L19 N 1'01'20" W 56.74' L40 S 18'33'56" E 71.27' L41 S 14'29'17" E 59.01' <	L1	S 1°26'05" E	125.00'	L23	S 41°55'38" W	41.19'
L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 10.20' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L39 N 60'38'26" W 30.28' L40 S 18*33'56" E 71.27'	L2	S 88°33'55" W	10.00'	L24	S 1°26'05" E	57.53'
L5 S 1*26'05" E 125.00' L27 S 67*34'05" W 61.57' L6 S 74*39'57" E 88.77' L28 S 59*41'23" W 64.21' L7 S 27*50'10" E 60.72' L29 S 60*25'59" W 63.64' L8 S 9*02'55" E 64.32' L30 N 63*01'42" E 63.64' L9 S 14*35'37" E 62.88' L31 N 65*37'26" E 63.64' L10 S 18*37'29" E 67.02' L32 N 68*13'09" E 63.64' L11 S 15*12'53" E 74.64' L33 N 70*48'53" E 63.64' L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L38 N 73*57'31" E 72.34' L15 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 250.04' L40 S 18*33'56" E	L3	S 1°26'05" E	50.00'	L25	S 85°30'11" W	66.96'
L6 S 74*39'57" E 88.77' L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 10*58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L4	N 88°33'55" E	10.00'	L26	S 76°23'43" W	61.57 '
L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L5	S 1°26'05" E	125.00'	L27	S 67°34'05" W	61.57 '
L8 S 9°02'55" E 64.32' L30 N 63°01'42" E 63.64' L9 S 14°35'37" E 62.88' L31 N 65°37'26" E 63.64' L10 S 18°37'29" E 67.02' L32 N 68°13'09" E 63.64' L11 S 15°12'53" E 74.64' L33 N 70°48'53" E 63.64' L12 S 11°22'18" E 81.90' L34 N 73°24'36" E 63.64' L13 N 10°58'09" W 10.20' L35 S 76°21'39" W 81.00' L14 S 79°01'51" W 50.00' L36 N 14'16'45" W 66.78' L15 S 10°58'09" E 10.20' L38 N 73°57'31" E 72.34' L15 S 10°58'09" E 250.04' L38 N 73°57'31" E 72.34' L14 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E	L6	S 74°39'57" E	88.77'	L28	S 59°41'23" W	64.21'
L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 10*120" W 56.74' L19 N 10*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L7	S 27°50'10" E	60.72'	L29	S 60°25'59" W	63.64'
L10 S 18°37'29" E 67.02' L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L8	S 9°02'55" E	64.32'	L30	N 63°01'42" E	63.64'
L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L9	S 14°35'37" E	62.88'	L31	N 65°37'26" E	63.64'
L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L10	S 18°37'29" E	67.02'	L32	N 68°13'09" E	63.64'
L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L11	S 15°12'53" E	74.64'	L33	N 70°48'53" E	63.64'
L14 S 79°01'51" W 50.00' L36 N 14°16'45" W 66.78' L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L12	S 11°22'18" E	81.90'	L34	N 73°24'36" E	63.64'
L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L13	N 10°58'09" W	10.20'	L35	S 76°21'39" W	81.00'
L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L14	S 79°01'51" W	50.00'	L36	N 14°16'45" W	66.78'
L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L15	S 10°58'09" E	10.20'	L37	S 82°52'23" W	77.17'
L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L16	S 12°16'48" E	50.00'	L38	N 73°57'31" E	72.34'
L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L17	S 10°58'09" E	250.04'	L39	N 60°38'26" W	30.28'
L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L18	S 88°58'40" W	35.00'	L40	S 18°33'56" E	71.27'
L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L19	N 1°01'20" W	56.74'	L41	S 14°29'17" E	59.01'
	L20	S 88°58'40" W	27.24'	L42	S 17°28'56" E	72.75'
L22 S 1°26'05" E 150.00' L44 N 10°58'09" W 31.71'	L21	S 46°26'05" E	40.00'	L43	S 79°53'09" W	130.22'
	L22	S 1°26'05" E	150.00'	L44	N 10°58'09" W	31.71'

NOTES:

- 1. The bearings and coordinates shown and recited hereon are referenced to the Texas Coordinate System of 1983 North Central Zone No. 4202 NAD83. All distances are surface distances with a surface to grid scale factor of 1.000146135
- 2. Subdivision property corners are 5/8-inch iron rods with caps marked "PETITT-ECD 6134" found or set, unless noted otherwise. Lot corners are 5/8-inch iron rods with cap marked "PETITT- ECD 6134" set or an "X" cut set in concrete, unless otherwise noted. When a retaining wall or screening fence has been placed at the rear lot corner, a 5/8-inch iron rod may be set five feet (5') from the rear lot corner along the side lot line
- 3. Subject tract is located in Zone X (Areas determined to be outside the 0.2% annual chance floodplain) according to Federal Emergency Management Area Flood Insurance Rate Maps for Ellis County, Texas and incorporated areas ~ Map Number 48397C0045L, Effective Date September 26, 2008. Floodplain lines plotted hereon are graphically shown according to this map and should be considered approximate.
- 4. All Open Space tracts, Drainage, & Detention Easements will be maintained, repaired and replaced by the Homeowners Association.
- 5. Retaining Walls in the Park Area will be maintained, repaired and replaced by the Homeowners Association.
- 6. Driveway depth must be 25' or more between the front of garage and edge of sidewalk.
- 7. Retaining Walls in Residential Lots will be maintained, repaired and replaced by the Property Owners.
- 8. The flood information shown on this plat is based on the August 20, 2020 Terracina Detention Study completed by McLendon Hydrology and Engineering, LLC.
- 9. Subdivider's statement. Selling a portion of this addition by metes and bounds is unlawful and a violation of the subdivision ordinance of the city and chapter 212, municipal regulation of subdivisions and property development, of the Texas Local Government Code, and shall be subject to the city withholding utilities and building permits.
- 10. Public improvement statement. It shall be the policy of the city to withhold issuing buildings permits until all streets, water, sewer and storm drainage systems have been accepted by the city. The approval of a subdivision plat by the city does not constitute any representation, assurance or guarantee that any building within such subdivision plat shall be approved, authorized, or permit issued, nor shall such approval constitute any representation, assurance or guarantee by the city of the adequacy and availability for water and sanitary sewer for personal use and fire protection within such subdivision plat, as required under the subdivision ordinance of the city.
- 11. Drainage and detention easements. The property owner shall be responsible for maintaining, repairing, and replacing and shall bear sole liability of all systems within the drainage and detention easements.
- 12. Fire lanes. All fire lanes will be constructed, maintained, repaired and replaced by the property owner. Fire lanes shall be constructed in accordance with the approved civil engineering plans for both on-site and off-site fire lane improvements.
- 13. Street appurtenances. All decorative signage, posts, or lights installed in public right—of—way shall be installed, maintained, repaired, and replaced by the homeowner's association (HOA).

CURVE TABLE							
CURVE	DELTA	RADIUS	TANGENT	LENGTH	CHORD BEARING	CHORD	
C1	004•32'28"	1580.00'	62.65'	125.23'	S 82'12'29" W	125.19'	
C2	000°24'15"	1580.00'	5.57'	11.15'	S 77'55'20" W	11.15'	
C3	000*22'28"	1530.00'	5.00'	10.00'	S 77 * 54'26" W	10.00'	
C4	000°26'52"	1280.00'	5.00'	10.00 '	S 77 ° 41'16" W	10.00'	
C5	030*59'26"	555.00'	153.87'	300.19'	N 73°28'57" E	296.55'	
C6	019*28'37"	1250.00'	214.53'	424.92'	S 67°43'32" W	422.88'	
C7	030*59'27"	250.00'	69.31'	135.22'	N 73°28'57" E	133.58'	
C8	019*43'58"	1555.00'	270.45'	535.55'	S 67°51'13" W	532.91'	
C9	023°01'04"	300.00'	61.08'	120.52'	S 12•31'52" E	119.71'	
C10	018°23'27"	800.00'	129.51'	256.78'	S 10°37'48" E	255.68'	
C11	008•51'23"	800.00'	61.95'	123.66'	N 15°23'50" W	123.53'	
C12	090*00'00"	25.00'	25.00'	39.27'	N 46°26'05" W	35.36'	
C13	089*35'15"	25.00'	24.82'	39.09'	S 43*46'18" W	35.23'	

REVIEWED FOR PRELIMINARY APPROVAL						
Planning and Zoning Commiss	sion	Date				
APPROVED FOR	PREPARATION OF	FINAL PLAT				
Mayor, City of Rockwall	City Secretary	City Engineer				

PRELIMINARY PLAT TERRACINA ESTATES PHASE 2 BEING 31.331 ACRES ZONING 1.96 DWELLING UNITS PER ACRE SITUATED IN THE (MAX. OVERALL DENSITY) [ORD. NO. 18-08-PD-82] JOHN A. RAMSEY SURVEY, A-186 CITY OF ROCKWALL OPEN SPACE = 0.06 AC. ROCKWALL COUNTY, TEXAS PARK = 4.84 AC.**PETITT - ECD** 94 RESIDENTIAL LOTS 3.00 LOTS PER ACRE CIVIL ENGINEERING/SURVEYING/CONSTRUCTION ADMINISTRATION OWNER/DEVELOPER TBPELS FIRM REGISTRATION BLOOMFIELD HOMES L.P. ENGINEERING FIRM #001145 SURVEYING FIRM #10194792 1050 E. HWY. 114, SUITE 210 1600 N. COLLINS BLVD. 201 WINDCO CIR. SOUTHLAKE, TEXAS 76092 SUITE 3300 SUITE 100 PHONE: 817-416-1572 RICHARDSON, TX 75080 WYLIE, TX 75098 (972) 941-8400

DATE: 12/21/2023

SHEET 3 OF 3

CASE NO.



CITY OF ROCKWALL CITY COUNCIL CASE MEMO

PLANNING AND ZONING DEPARTMENT 385 S. GOLIAD STREET • ROCKWALL, TX 75087 PHONE: (972) 771-7745 • EMAIL: PLANNING@ROCKWALL.COM

TO:	Mayor and City Council
DATE:	February 20, 2024
APPLICANT:	Chuck Lamping; Engineering Concepts and Design, LP
CASE NUMBER:	P2024-003; Preliminary Plat for Phase 2 of the Terracina Estates Subdivision

SUMMARY

Consider a request by Chuck Lamping of Engineering Concepts & Design, LP on behalf of Clint Vincent of Bloomfield Homes, LP for the approval of a <u>Preliminary Plat</u> for Phase 2 of the Terracina Estates Subdivision consisting of 94 single-family residential lots on a 31.331-acre tract of land identified as Tract 16 of the J. A. Ramsey Survey, Abstract No. 186, City of Rockwall, Rockwall County, Texas, zoned Planned Development District 82 (PD-82) [Ordinance No. 18-08] for Single-Family 10 (SF-10) District land uses, generally located at the terminus of Guadalupe Drive, Mesa Verde Drive and Oakcrest Drive, and take any action necessary.

PLAT INFORMATION

- Purpose. The purpose of the applicant's request is to <u>Preliminary Plat</u> a 31.331-acre parcel of land (i.e. Tract 16 of the J. A. Ramsey Survey, Abstract No. 186) to show the future establishment of 94 single-family residential lots and two (2) open space lots (i.e. Lots 15-25, Block D; Lot 1, Block F; Lots 1-6, Block G; Lots 1-27, Block H; Lots 1-30, Block J; Lots 1-20, Block K, Terracina Estates Phase 2 Subdivision). The proposed <u>Preliminary Plat</u> also lays out the necessary easements (e.g. fire lane, public access/right-of-way, utilities, and drainage) for the future development of the residential subdivision.
- Eackground. The subject property was annexed on July 21, 1997 by Ordinance No. 97-14. On June 20, 2016, the City Council approved a request to rezone an 81.49-acre portion of the subject property from an Agricultural (AG) District to Planned Development District 82 (PD-82) [Ordinance No. 16-43] for a single-family residential subdivision that would consist of 204 single-family lots [Case No. Z2016-013]. On September 15, 2017, the owner of the subject property requested to amend Planned Development District 82 (PD-82) to incorporate an additional 59.065-acre tract of land into the existing 81.49-acre tract of land, creating a 140.55-acre subdivision. This request was denied by the City Council on November 6, 2017 [Case No. Z2017-046]. On November 28, 2017, the Planning and Zoning Commission approved a consideration of substantial change allowing the applicant to resubmit a zoning application. The new request proposed the incorporation of an additional 39.00-acres of open space (*i.e. the antenna tower park*), providing larger lots, and adding an additional 2.24-acre private park. This new request also changed the overall density of the development reducing it from 2.5 units per acre to 1.5 units per acre. On January 2, 2018, the City Council approved the amendment to Planned Development District 82 (PD-82) [Ordinance No. 18-08; Case No. Z2017-063]. The final Planned Development District consisted of 179.831-acres and 352 single-family residential lots. The following is a summary of the lot composition and density and dimensional standards contained within Planned Development District 82 (PD-82):

Lot Type	Minimum Lot Size (FT)	Minimum Lot Size (SF)	Maximum Dwelling Units (#)	Dwelling Units (%)
А	65' x 125'	8,125 SF	296	84.09%
В	80' x 125'	10,000 SF	46	13.06%
С	80' x 125'	25,000 SF	10	2.85%
		Maximum Permitted Units:	352	100%

TABLE 1: LOT COMPOSITION

TABLE 2: LOT DIMENSIONAL REQUIREMENTS

	Lot Type (see Concept Plan) ►	А	В	С
Minimum Lot Width ^{(1) & (5)}		65'	80'	80'
Minimum Lot Depth		125'	125'	125'
Minimum Lot Area		8,125 SF	10,000 SF	25,000 SF
Minimum Front Yard Setback	(2)	20'	20'	20'
Minimum Side Yard Setback		5'	5'	5'
Minimum Side Yard Setback	(Adjacent to a Street) ⁽²⁾	10'	10'	10'
Minimum Length of Driveway	Pavement	25'	25'	25'
Maximum Height ⁽³⁾		36'	36'	36'
Minimum Rear Yard Setback	(4)	10'	10'	10'
Minimum Area/Dwelling Unit	(SF)	1,800 SF	2,000 SF	2,000 SF
Maximum Lot Coverage		65%	65%	65%

General Notes:

- ¹: The minimum lot width shall be measured at the *Front Yard Building Setback*.
- ²: The location of the *Front Yard Building Setback* as measured from the front property line.
- ³: The *Maximum Height* shall be measured to the eave or top plate (whichever is greater) of the single-family home.
- 4: As measured from the rear yard property line.
- 5: Lots fronting onto a curvilinear street, cul-de-sac or eyebrow may have the lot width reduced by up to 20% as measured at the front property line provided that the lot width is met at the front building line. Additionally, the lot depth on lots fronting onto curvilinear streets, cul-de-sacs and eyebrows maybe reduced by up to ten (10%) percent, but shall meet the minimum lot size for each lot type.
- Parks Board. Per the zoning ordinance for Planned Development District 82 (PD-82) [Ordinance No. 18-08], Phase 1 & 2 were not required to pay pro-rata equipment fees or cash-in-lieu of land fees. In lieu of these fees, the development was to incorporate a nine (9) acre, fully amenitized public park that is to maintained by the Homeowner's Association (HOA). The Parks Board reviewed the proposed development on February 6, 2024 and recommended approval by a vote of 6-0 (with Board Member Fowler absent).
- Conformance to the Subdivision Ordinance. The surveyor has completed the majority of the technical revisions requested by staff, and this plat -- conforming to the requirements for plats as stipulated by the Chapter 38, Subdivisions, of the Municipal Code of Ordinances -- is recommended for conditional approval pending the completion of final technical modifications and submittal requirements.
- Conditional Approval. Conditional approval of this <u>Preliminary Plat</u> by the City Council shall constitute approval subject to the conditions stipulated in the Conditions of Approval section below.

CONDITIONS OF APPROVAL

If City Council chooses to approve of the <u>Preliminary Plat</u> for Phase 2 of the Terracina Estates Subdivision staff would propose the following conditions of approval:

- (1) All technical comments from the Engineering, Planning and Fire Departments shall be addressed prior to the filing of this <u>Preliminary Plat</u>; and,
- (2) Any construction resulting from the approval of this <u>Preliminary Plat</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.


PLANNING AND ZONING COMMISSION

On February 13, 2024, the Planning and Zoning Commission approved a motion to recommend approval of the <u>Preliminary Plat</u> by a vote of 5-0, with Commissioners Hustings and Thompson absent.

	DEVELOPMEN City of Rockwall Planning and Zonin 385 S. Goliad Street Rockwall, Texas 75087	g Department		PLANI <u>NOTE:</u> CITY U SIGNE DIREC	F USE ONLY NING & ZONING CASE NO. THE APPLICATION IS NOT CONSIDERED ACCEPTED BY INTIL THE PLANNING DIRECTOR AND CITY ENGINEER H, D BELOW. TOR OF PLANNING: NGINEER:	
Please check the ap	propriate box below to indicat	e the type of develo	pment regu	iest (S	ELECT ONLY ONE BOX]:	
Platting Applicati [] Master Plat (\$ [x] Preliminary Pl. [] Final Plat (\$300 [] Replat (\$300.0 [] Amending or N [] Plat Reinstater Site Plan Applicat [] Site Plan (\$250	on Fees: 100.00 + \$15.00 Acre) ¹ at (\$200.00 + \$15.00 Acre) ¹ 0.00 + \$20.00 Acre) ¹ 00 + \$20.00 Acre) ¹ Winor Plat (\$150.00) ment Request (\$100.00)		Zoning A [] Zonin [] Spec [] PD D Other Ap [] Tree [] Varia Notes: ² : In deter	Applica ng Cha ific Use evelop oplicat Remov ince Re mining f	tion Fees: nge (\$200.00 + \$15.00 Acre) ¹ e Permit (\$200.00 + \$15.00 Acre) ¹ oment Plans (\$200.00 + \$15.00 Acre) ¹ ion Fees: val (\$75.00) equest (\$100.00) the fee, please use the exact acreage when multiplying by For requests on less than one acre, round up to one (1) ac	
PROPERTY INFO	RMATION [PLEASE PRINT]		AND CONTRACTOR			
Address						
Subdivision	Terracina Estates, Phase 2				Lot Block	
General Location	West of Rochelle Road and south o	f Timber Creek Estates No	elghborhood			
		8				
	AN AND PLATTING INFO	RIVIATION [PLEASE	-			
Current Zoning	PD - 82		Current	Use	VACANT	
Proposed Zoning	PD - 82		Proposed	Use	SINGLE FAMILY RESIDENTIAL	
Acreage	31.331	Lots [Current]	T.		Lots [Proposed] 94	
[x] <u>SITE PLANS AND</u> process, and failu	<u>PLATS</u> : By checking this box you ack re to address any of staff's comments	nowledge that due to the by the date provided on t	e passage of t the Developme	HB3167 ent Cale	the City no longer has flexibility with regard to its a ndar will result in the denial of your case.	oproval
OWNER/APPLIC	ANT/AGENT INFORMATI	ON [PLEASE PRINT/CHE	ECK THE PRIM	ARY CO	NTACT/ORIGINAL SIGNATURES ARE REQUIRED]	
[] Owner	BLOOMFIELD HOMES LP		[] Applic		ENGINEERING CONCEPTS & DESIGN, LP	
Contact Person	CLINT VINCENT		Contact Per	son	CHUCKLAMPING	
Address	1050 E. HIGHWAY 114		Addı	ress	1600 N. COLLINS BLVD.	
*	SUITE 114				SUITE 3300	
City, State & Zip	SOUTHLAKE, TEXAS 76092		City, State &	Zip	RICHARDSON, TEXAS 75080	
Phone	817-416-1572		Pho	one	214-403-3589	
E-Mail	clint@bloomfieldhomes.net		E-N	/lail	chuck@ecdlp.com	
NOTARY VERIFIC Before me, the undersign this application to be tru	CATION [REQUIRED] ned authority, on this day personally a e and certified the following:	ppeared Clint	Vince	nt	[Owner] the undersigned, who stated the information of the information	ion on
cover the cost of this app that the City of Rockwall	lication, has been paid to the City of R (i.e. "City") is authorized and permit	ockwall on this the	day of on contained	within t	ue and correct; and the application fee of	ed and

Given under my hand and seal of office on this the day of any and seal of 2024.	LETTY GARCIA Notary ID #134166427	1111
Owner's Signature	My Commission Expires January 25, 2027	1111
Notary Public in and for the State of Texas	My Commission Expires	


DEVELOPMENT APPLICATION • CITY DE ROCKWALL • 385 500 TH GOLIAD STREET • ROCKWALL, TX 75087 • [P] (972) 771-7745 • [F] (972) 771-7727




City of Rockwall Planning & Zoning Department 385 S. Goliad Street Rockwall, Texas 75087 (P): (972) 771-7745 (W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





Z:\PROJECTS\06537 Terracina Estates\dwg\06537 Preliminary Plat Ph 2.dwg



LINE TABLE NO. DIRECTION DISTANCE N0. S 1'26'05" E 125.00' 123 S 41'55'38" W 41.19' L1 S 1'26'05" E 10.00' 124 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' 125 S 85'30'11" W 66.96' L4 N 88'33'55" E 10.00' 125 S 67'34'05" W 61.57' L5 S 1'26'05" E 125.00' 126 S 74'39'57" E 68.77' L6 S 74'39'57" E 68.77' 128 S 59'41'23" W 64.21' L7 S 27'50'10" E 66.72' 129 S 60'25'59" W 63.64' L8 S 9'02'55" E 64.32' 130 N 63'01'42" E 63.64' L10 S 18'37'29" E 67.02' 133 N 63'01'42" E 63.64' L11 S 15'12'53" E 74.64' 133 N 70'48'53" E 63.64' L12 S 11'22'18" E 81.90' 134' N 73'24'36" E 63.64' L13 N 10'58'0						
L1 S 1'26'05" E 125.00' L2 S 88'33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L13 N 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 250.04' L14 S 10'58'09" E 250.04' L15 S 10'58'09" E 250.04' <td colspan="2">LINE TABLE</td> <td colspan="3">LINE TABLE</td>	LINE TABLE		LINE TABLE			
L2 S 88*33'55" W 10.00' L3 S 1'26'05" E 50.00' L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15'12'53" E 64.32' L12 S 11*22'18" E 61.97' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L13 N 10'58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 250.04' L16 S 12*16'48" E 50.00' </td <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td> <td>NO.</td> <td>DIRECTION</td> <td>DISTANCE</td>	NO.	DIRECTION	DISTANCE	NO.	DIRECTION	DISTANCE
L3 S 1'26'05" E 50.00' L4 N 88'33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L15 S 10'58'09" W 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 250.04' L18 S 88'58'40" W 35.00' L19 N 1'01'20" W 56.74' L40 S 18'33'56" E 71.27' L41 S 14'29'17" E 59.01' <	L1	S 1°26'05" E	125.00'	L23	S 41°55'38" W	41.19'
L4 N 88*33'55" E 10.00' L5 S 1'26'05" E 125.00' L6 S 74'39'57" E 88.77' L7 S 27'50'10" E 60.72' L8 S 9'02'55" E 64.32' L9 S 14'35'37" E 62.88' L10 S 18'37'29" E 67.02' L11 S 15'12'53" E 74.64' L12 S 11'22'18" E 81.90' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L14 S 79'01'51" W 50.00' L15 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 10.20' L38 N 73'57'31" E 72.34' L17 S 10'58'09" E 10.20' L16 S 12'16'48" E 50.00' L17 S 10'58'09" E 250.04' L39 N 60'38'26" W 30.28' L40 S 18*33'56" E 71.27'	L2	S 88°33'55" W	10.00'	L24	S 1°26'05" E	57.53'
L5 S 1*26'05" E 125.00' L27 S 67*34'05" W 61.57' L6 S 74*39'57" E 88.77' L28 S 59*41'23" W 64.21' L7 S 27*50'10" E 60.72' L29 S 60*25'59" W 63.64' L8 S 9*02'55" E 64.32' L30 N 63*01'42" E 63.64' L9 S 14*35'37" E 62.88' L31 N 65*37'26" E 63.64' L10 S 18*37'29" E 67.02' L32 N 68*13'09" E 63.64' L11 S 15*12'53" E 74.64' L33 N 70*48'53" E 63.64' L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L38 N 73*57'31" E 72.34' L15 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 250.04' L40 S 18*33'56" E	L3	S 1°26'05" E	50.00'	L25	S 85°30'11" W	66.96'
L6 S 74*39'57" E 88.77' L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 10*58'09" W 10.20' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L4	N 88°33'55" E	10.00'	L26	S 76°23'43" W	61.57'
L7 S 27*50'10" E 60.72' L8 S 9*02'55" E 64.32' L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 1*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L5	S 1°26'05" E	125.00'	L27	S 67°34'05" W	61.57'
L8 S 9°02'55" E 64.32' L30 N 63°01'42" E 63.64' L9 S 14°35'37" E 62.88' L31 N 65°37'26" E 63.64' L10 S 18°37'29" E 67.02' L32 N 68°13'09" E 63.64' L11 S 15°12'53" E 74.64' L33 N 70°48'53" E 63.64' L12 S 11°22'18" E 81.90' L34 N 73°24'36" E 63.64' L13 N 10°58'09" W 10.20' L35 S 76°21'39" W 81.00' L14 S 79°01'51" W 50.00' L36 N 14'16'45" W 66.78' L15 S 10°58'09" E 10.20' L38 N 73°57'31" E 72.34' L15 S 10°58'09" E 250.04' L38 N 73°57'31" E 72.34' L14 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E	L6	S 74°39'57" E	88.77'	L28	S 59°41'23" W	64.21'
L9 S 14*35'37" E 62.88' L10 S 18*37'29" E 67.02' L11 S 15*12'53" E 74.64' L12 S 11*22'18" E 81.90' L13 N 70*48'53" E 63.64' L14 S 79*01'51" W 50.00' L15 S 10*58'09" E 10.20' L16 S 12*16'48" E 50.00' L17 S 10*58'09" E 250.04' L18 S 88*58'40" W 35.00' L19 N 10*120" W 56.74' L19 N 10*01'20" W 56.74' L20 S 88*58'40" W 27.24' L21 S 46*26'05" E 40.00'	L7	S 27°50'10" E	60.72'	L29	S 60°25'59" W	63.64'
L10 S 18°37'29" E 67.02' L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L8	S 9°02'55" E	64.32'	L30	N 63°01'42" E	63.64'
L11 S 15°12'53" E 74.64' L12 S 11°22'18" E 81.90' L13 N 10°58'09" W 10.20' L14 S 79°01'51" W 50.00' L15 S 10°58'09" E 10.20' L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 10.20' L18 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L9	S 14°35'37" E	62.88'	L31	N 65°37'26" E	63.64'
L12 S 11*22'18" E 81.90' L34 N 73*24'36" E 63.64' L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L10	S 18°37'29" E	67.02'	L32	N 68°13'09" E	63.64'
L13 N 10*58'09" W 10.20' L35 S 76*21'39" W 81.00' L14 S 79*01'51" W 50.00' L36 N 14*16'45" W 66.78' L15 S 10*58'09" E 10.20' L37 S 82*52'23" W 77.17' L16 S 12*16'48" E 50.00' L38 N 73*57'31" E 72.34' L17 S 10*58'09" E 250.04' L39 N 60*38'26" W 30.28' L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L11	S 15°12'53" E	74.64'	L33	N 70°48'53" E	63.64'
L14 S 79°01'51" W 50.00' L36 N 14°16'45" W 66.78' L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L12	S 11°22'18" E	81.90'	L34	N 73°24'36" E	63.64'
L15 S 10°58'09" E 10.20' L37 S 82°52'23" W 77.17' L16 S 12°16'48" E 50.00' L38 N 73°57'31" E 72.34' L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L13	N 10°58'09" W	10.20'	L35	S 76°21'39" W	81.00'
L16 S 12°16'48" E 50.00' L17 S 10°58'09" E 250.04' L18 S 88°58'40" W 35.00' L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L14	S 79°01'51" W	50.00'	L36	N 14°16'45" W	66.78'
L17 S 10°58'09" E 250.04' L39 N 60°38'26" W 30.28' L18 S 88°58'40" W 35.00' L40 S 18°33'56" E 71.27' L19 N 1°01'20" W 56.74' L41 S 14°29'17" E 59.01' L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L15	S 10°58'09" E	10.20'	L37	S 82°52'23" W	77.17'
L18 S 88*58'40" W 35.00' L40 S 18*33'56" E 71.27' L19 N 1*01'20" W 56.74' L41 S 14*29'17" E 59.01' L20 S 88*58'40" W 27.24' L42 S 17*28'56" E 72.75' L21 S 46*26'05" E 40.00' L43 S 79*53'09" W 130.22'	L16	S 12°16'48" E	50.00'	L38	N 73°57'31" E	72.34'
L19 N 1°01'20" W 56.74' L20 S 88°58'40" W 27.24' L21 S 46°26'05" E 40.00'	L17	S 10°58'09" E	250.04'	L39	N 60°38'26" W	30.28'
L20 S 88°58'40" W 27.24' L42 S 17°28'56" E 72.75' L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L18	S 88°58'40" W	35.00'	L40	S 18°33'56" E	71.27'
L21 S 46°26'05" E 40.00' L43 S 79°53'09" W 130.22'	L19	N 1°01'20" W	56.74'	L41	S 14°29'17" E	59.01'
	L20	S 88°58'40" W	27.24'	L42	S 17°28'56" E	72.75'
L22 S 1°26'05" E 150.00' L44 N 10°58'09" W 31.71'	L21	S 46°26'05" E	40.00'	L43	S 79°53'09" W	130.22'
	L22	S 1°26'05" E	150.00'	L44	N 10°58'09" W	31.71'

NOTES:

- 1. The bearings and coordinates shown and recited hereon are referenced to the Texas Coordinate System of 1983 North Central Zone No. 4202 NAD83. All distances are surface distances with a surface to grid scale factor of 1.000146135
- 2. Subdivision property corners are 5/8-inch iron rods with caps marked "PETITT-ECD 6134" found or set, unless noted otherwise. Lot corners are 5/8-inch iron rods with cap marked "PETITT- ECD 6134" set or an "X" cut set in concrete, unless otherwise noted. When a retaining wall or screening fence has been placed at the rear lot corner, a 5/8-inch iron rod may be set five feet (5') from the rear lot corner along the side lot line
- 3. Subject tract is located in Zone X (Areas determined to be outside the 0.2% annual chance floodplain) according to Federal Emergency Management Area Flood Insurance Rate Maps for Ellis County, Texas and incorporated areas ~ Map Number 48397C0045L, Effective Date September 26, 2008. Floodplain lines plotted hereon are graphically shown according to this map and should be considered approximate.
- 4. All Open Space tracts, Drainage, & Detention Easements will be maintained, repaired and replaced by the Homeowners Association.
- 5. Retaining Walls in the Park Area will be maintained, repaired and replaced by the Homeowners Association.
- 6. Driveway depth must be 25' or more between the front of garage and edge of sidewalk.
- 7. Retaining Walls in Residential Lots will be maintained, repaired and replaced by the Property Owners.
- 8. The flood information shown on this plat is based on the August 20, 2020 Terracina Detention Study completed by McLendon Hydrology and Engineering, LLC.
- 9. Subdivider's statement. Selling a portion of this addition by metes and bounds is unlawful and a violation of the subdivision ordinance of the city and chapter 212, municipal regulation of subdivisions and property development, of the Texas Local Government Code, and shall be subject to the city withholding utilities and building permits.
- 10. Public improvement statement. It shall be the policy of the city to withhold issuing buildings permits until all streets, water, sewer and storm drainage systems have been accepted by the city. The approval of a subdivision plat by the city does not constitute any representation, assurance or guarantee that any building within such subdivision plat shall be approved, authorized, or permit issued, nor shall such approval constitute any representation, assurance or guarantee by the city of the adequacy and availability for water and sanitary sewer for personal use and fire protection within such subdivision plat, as required under the subdivision ordinance of the city.
- 11. Drainage and detention easements. The property owner shall be responsible for maintaining, repairing, and replacing and shall bear sole liability of all systems within the drainage and detention easements.
- 12. Fire lanes. All fire lanes will be constructed, maintained, repaired and replaced by the property owner. Fire lanes shall be constructed in accordance with the approved civil engineering plans for both on-site and off-site fire lane improvements.
- 13. Street appurtenances. All decorative signage, posts, or lights installed in public right—of—way shall be installed, maintained, repaired, and replaced by the homeowner's association (HOA).

	CURVE TABLE					
CURVE	DELTA	RADIUS	TANGENT	LENGTH	CHORD BEARING	CHORD
C1	004•32'28"	1580.00'	62.65'	125.23'	S 82'12'29" W	125.19'
C2	000°24'15"	1580.00'	5.57'	11.15'	S 77'55'20" W	11.15'
C3	000*22'28"	1530.00'	5.00'	10.00'	S 77 * 54'26" W	10.00'
C4	000°26'52"	1280.00'	5.00'	10.00 '	S 77 ° 41'16" W	10.00'
C5	030*59'26"	555.00'	153.87'	300.19'	N 73°28'57" E	296.55'
C6	019*28'37"	1250.00'	214.53'	424.92'	S 67°43'32" W	422.88'
C7	030*59'27"	250.00'	69.31'	135.22'	N 73°28'57" E	133.58'
C8	019*43'58"	1555.00'	270.45'	535.55'	S 67°51'13" W	532.91'
C9	023°01'04"	300.00'	61.08'	120.52'	S 12•31'52" E	119.71'
C10	018°23'27"	800.00'	129.51'	256.78'	S 10°37'48" E	255.68'
C11	008•51'23"	800.00'	61.95'	123.66'	N 15°23'50" W	123.53'
C12	090*00'00"	25.00'	25.00'	39.27'	N 46°26'05" W	35.36'
C13	089*35'15"	25.00'	24.82'	39.09'	S 43*46'18" W	35.23'

REVIEWED FOR PRELIMINARY APPROVAL				
Planning and Zoning Commiss	sion	Date		
APPROVED FOR	PREPARATION OF	FINAL PLAT		
Mayor, City of Rockwall	City Secretary	City Engineer		

PRELIMINARY PLAT TERRACINA ESTATES PHASE 2 BEING 31.331 ACRES ZONING 1.96 DWELLING UNITS PER ACRE SITUATED IN THE (MAX. OVERALL DENSITY) [ORD. NO. 18-08-PD-82] JOHN A. RAMSEY SURVEY, A-186 CITY OF ROCKWALL OPEN SPACE = 0.06 AC. ROCKWALL COUNTY, TEXAS PARK = 4.84 AC.**PETITT - ECD** 94 RESIDENTIAL LOTS 3.00 LOTS PER ACRE CIVIL ENGINEERING/SURVEYING/CONSTRUCTION ADMINISTRATION OWNER/DEVELOPER TBPELS FIRM REGISTRATION BLOOMFIELD HOMES L.P. ENGINEERING FIRM #001145 SURVEYING FIRM #10194792 1050 E. HWY. 114, SUITE 210 1600 N. COLLINS BLVD. 201 WINDCO CIR. SOUTHLAKE, TEXAS 76092 SUITE 3300 SUITE 100 PHONE: 817-416-1572 RICHARDSON, TX 75080 WYLIE, TX 75098 (972) 941-8400

DATE: 12/21/2023

SHEET 3 OF 3

CASE NO.



- DATE: April 10, 2024
- TO: Chuck Lamping Engineering Concepts & Design, LP 1600 N. Collins Boulevard, Suite 3300 Richardson, Texas 75080
- CC: Clint Vincent Bloomfield Homes, LP 1050 E. Highway 114, Suite 114 Southlake, Texas 76092
- FROM: Henry Lee, *AICP* City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, TX 75087
- SUBJECT: P2024-003; Preliminary Plat for Phase 2 of the Terracina Estates Subdivision

Chuck:

This letter serves to notify you that the above referenced platting case that you submitted for consideration by the City of Rockwall was approved by the City Council on February 20, 2024. The following is a record of all recommendations, voting records and conditions of approval:

Staff Recommendations

- (1) All technical comments from the Engineering, Planning and Fire Departments shall be addressed prior to the filing of this plat; and,
- (2) Any construction resulting from the approval of this <u>Final Plat</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.

Planning and Zoning Commission

On February 13, 2024, the Planning and Zoning Commission approved a motion to recommend approval of the Preliminary Plat by a vote of 5-0, with Commissioners Hustings and Thompson absent.

City Council

On February 20, 2024, the City Council approved a motion to approve the final plat by a vote of 4-1, with Council Member McCallum dissenting.

Prior to submitting the required materials for filing, please send or submit a physical or digital copy of the plat to allow staff to ensure that all outstanding comments have been addressed. Once staff has verified all comments have been addressed you will be required to submit -- at a minimum -- the following:

- (1) One (1) set(s) of mylar copies of the plat.
- (2) One (1) tax certificate for each property being platted that demonstrates that the current years taxes have been paid.
- (3) A check for the filing fees (See below) made out to the Rockwall County Clerk's Office.

FILING FEES:

Mylars: \$50.00 per page for the 1st set only (*No charge for additional sets*). **Tax Certificates:** \$30.00 for the 1st certificate and \$4.00 for each additional certificate.

Please note that the filling fee amount above is only an estimate and that filing fees are subject to change based on the requirements of the *Rockwall County Clerk's Office*. In addition, if you are submitting mylars between <u>September 1st</u> and <u>December 31st</u>, you will be required to submit the current year's tax receipt showing that all assessed taxes have been paid. If taxes have not been assessed on the property being platted, a statement/letter from the *Rockwall Central Appraisal District (RCAD)* and an additional \$4.00 filing fee will be required to be submitted to staff.

All plats must be submitted to the City with the required filing fees and tax certificates a minimum of 180-days from the approval date. Failure to adhere to this deadline, will result in the plat being expired in accordance with the requirements of Chapter 38, *Subdivisions*, of the Municipal Code of Ordinances. Should you have any questions or concerns regarding your plat or the platting process, please feel free to contact me a (972) 772-6434.

Sincerel

Henry Lee, AICP, Senior Planner City of Rockwall Planning and Zoning Department