

### **PLANNING & ZONING CASE NO.**

### **PLANNING & ZONING FEE**

**PLATTING APPLICATION** 

MASTER PLAT PRELIMINARY PLAT FINAL PLAT REPLAT

AMENDING OR MINOR PLAT PLAT REINSTATEMENT REQUEST

SITE PLAN APPLICATION

SITE PLAN

AMENDED SITE PLAN/ELEVATIONS/LANDSCAPING

**ZONING APPLICATION** 

ZONING CHANGE SPECIFIC USE PERMIT PD DEVELOPMENT PLAN

OTHER APPLICATION

TREE REMOVAL

VARIANCE REQUEST/SPECIAL EXCEPTIONS

### RECORD OF RECOMMENDATIONS, VOTING RECORDS, AND CONDITIONS OF APPROVAL

ARCHITECTURE REVIEW BOARD	CITY COUNCIL READING #2
PLANNING AND ZONING COMMISSION	CONDITIONS OF APPROVAL
CITY COUNCIL READING #1	NOTES



## **DEVELOPMENT APPLICATION**

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

PLANNING & ZONING CASE	NO.
	NOT CONSIDERED ACCEPTED BY THE DIRECTOR AND CITY ENGINEER HAVE
DIRECTOR OF PLANNING:	
CITY ENGINEER:	

PLEASE CHECK THE A	PPROPRIATE BOX BELOW TO INDICATE THE TYPE	E OF DE	VELOPMENT REQU	UEST [SELECT ON	LY ONE BOX]:		
PLATTING APPLICATION FEES:  ☐ MASTER PLAT (\$100.00 + \$15.00 ACRE) ¹ ☐ PRELIMINARY PLAT (\$200.00 + \$15.00 ACRE) ¹ ☐ FINAL PLAT (\$300.00 + \$20.00 ACRE) ¹ ☐ REPLAT (\$300.00 + \$20.00 ACRE) ¹ ☐ AMENDING OR MINOR PLAT (\$150.00) ☐ PLAT REINSTATEMENT REQUEST (\$100.00)			ZONING APPLICATION FEES:  ☐ ZONING CHANGE (\$200.00 + \$15.00 ACRE) ¹ ☐ SPECIFIC USE PERMIT (\$200.00 + \$15.00 ACRE) ¹ ☐ PD DEVELOPMENT PLANS (\$200.00 + \$15.00 ACRE) ¹  OTHER APPLICATION FEES: ☐ TREE REMOVAL (\$75.00) ☐ VARIANCE REQUEST (\$100.00) '				
	ATION FEES: 0.00 + \$20.00 ACRE)	)	NOTES:  1: IN DETERMININ MULTIPLYING BY 1 ACRE, ROUND UP	NG THE FEE, PLEA: THE PER ACRE AMOU TO ONE (1) ACRE.	SE USE THE I	EXACT ACREA ESTS ON LESS	GE WHEN THAN ONE
PROPERTY INFO	RMATION [PLEASE PRINT]						
ADDRESS	1351 Corporate Crossing Rockwall, T	X 7503	32				
SUBDIVISION	Platted - John Lockhard Survey Abstra	act No	. 134	LOT	1	BLOCK	Α
GENERAL LOCATION	West of intersection of Corporate Cros	sing a	nd Capital Blvd				
ZONING, SITE PL	AN AND PLATTING INFORMATION [PL	EASE PR	INT]				
CURRENT ZONING	u de la companya de l		CURRENT USE	Ware House			
PROPOSED ZONING			PROPOSED USE	Warehouse			
ACREAGE	43.237 AC LOTS [CURRE	ENT]	1	LOTS [I	PROPOSED]	N/A	
REGARD TO ITS A	PLATS: BY CHECKING THIS BOX YOU ACKNOWLEDG APPROVAL PROCESS, AND FAILURE TO ADDRESS ANY ENIAL OF YOUR CASE.	GE THAT . OF STAF	DUE TO THE PASSA F'S COMMENTS BY	AGE OF <u>HB3167</u> THE THE DATE PROVIDE	E CITY NO LON D ON THE DEV	IGER HAS FLE ELOPMENT CA	XIBILITY WITH ALENDAR WILL
OWNER/APPLICA	ANT/AGENT INFORMATION [PLEASE PRINT	T/CHECK		FACT/ORIGINAL SIGN	NATURES ARE	REQUIRED]	
☐ OWNER	Westcore Bravo Rockwall, LLC		M APPLICANT	Kimley-Horn a	and Associa	ates, Inc.	
CONTACT PERSON	Matthew Bateman	COI	NTACT PERSON	Chris Lewis			
ADDRESS	4350 La Jolla Village Drive, Suite 900		ADDRESS	2600 N Centr	al Express	way	
				Suite 400			
CITY, STATE & ZIP	San Diego, CA 92122	CI.	TY, STATE & ZIP	Richardson,		80	
PHONE	(858) 625-4100		PHONE	(469) 445-27	80		
E-MAIL	mbateman@westcore.net		E-MAIL	chris.lewis@k	imley-horn	.com	
STATED THE INFORMATI	RSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPE. ON ON THIS APPLICATION TO BE TRUE AND CERTIFIED	THE FOL					SIGNED, WHO
S	I AM THE OWNER FOR THE PURPOSE OF THIS APPLICATION TO COVER THE COST OF THIS APPLICATION 20 BY SIGNING THIS APPLICATION, I A D WITHIN THIS APPLICATION TO THE PUBLIC. THE CIT	N, HAS BE AGREE TH IN 15 VALS AGSOCIAT	EN PAID TO THE CITY OAT THE CITY OF ROU SO AUTHORIZED AND TED OR IN RESPONSE	OF ROCKWALL ON TH CKWALL (I.E. "CITY") I PERMITTED TO REF	S AUTHORIZED PRODUCE ANY	AND PERMITTE COPYRIGHTED	DAY UF
GIVEN UNDER MY HAND	AND SEAL OF OFFICE ON THIS THE  OWNER'S SIGNATURE  FOR THE STATE OF TEXAS	that	7 ( 20 <u>20</u>	92			
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	70%		MY COMMI	SSION EXPIRES		

# Development Application City of Rockwall Planning & Zoning Department

WESTCORE BRAVO ROCKWALL, LLC a Delaware limited liability company

By: Westcore Management I, LLC.

a Delaware limited liability company,


as Agent for Owner

By: 12114

Name: Matthew Bateman

Title: Authorized Signatory

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.	CALIFORNIA JURAT
State of California )	
County of San Diego	
Subscribed and sworn to (or affirmed) before me on this	21 day
of <u>Oct.</u> , 20 <del>24</del> , by <u>N</u>	latthew Bateman
proved to me on the basis of satisfactory evidence to be the persor who appeared before me.	n(s)
Signature MCCC	MICHAEL CONRAD COMM. #2432761 NOTARY PUBLIC-CALIFORNIA SAN DIEGO COUNTY My Commission Expires JANUARY 23, 2027
Signature	(Seal)
OPTIONAL INFORMATION  Although the information in this section is not required by law, it could pre jurat to an unauthorized document and may prove useful to persons relying to the person of Attached Document	event fraudulent removal and reattachment of this and on the attached document.  Additional Information
This certificate is attached to a document titled/for the purpose of	Method of Affiant Identification  Proved to me on the basis of satisfactory evidence:
	L form(s) of identification credible witness(es)  Notarial event is detailed in notary journal on:  Page # Entry #  Notary contact:
	Other Describer
containing pages, and dated	Affiant(s) Thumbprint(s) Describe:





## **CHECKLIST FOR SITE PLAN SUBMITTALS**

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

CASE NUMBER:	REVIEWED BY:	
OVERLAY DISTRICT:	REVIEW DATE:	

## 1.1 GENERAL INFORMATION FOR ALL PLANS SUBMITTED

OODMITTED				
Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference
Items Necessary for Site Plan Review:	J			Per Application
✓ Site Plan	A	\ <u>\</u>		§03.04, of Art. 11
✓ Landscape Plan		¥		-
✓ Treescape Plan				-
✓ Photometric Plan ✓ Building Elevations	₩			-
Building Material Sample Board and Color Rendering of Building Elevations	4		If required the sample board should detail all building materials, with each material clearly labeled and indicating manufacturer info, color, etc. Check with Planning Staff to see which is appropriate for the submitted project.	§03.04.A, of Art. 11
Submittal Requirements	M,		Four (4) large (24" x 36") <b>folded</b> copies and one (1) PDF digital copy of each plan is required at the time of submittal.	§03.04.A, of Art. 11
Is the property properly platted?	Y		Indicate if the property has been properly platted.	-
Title Block (Project Name, Legal Description and/or Address)			The title block is to be located in the lower right-hand corner of all sheets and contain the project name, street address, and/or the lot and block designation.	§03.04.A, of Art. 11
Case Number	₹.		The case number should be placed in the lower right-hand corner below the title block of all sheets.	§03.04.A, of Art. 11
Owners (Name, Address, and Phone Number)	lacksquare		The owners name, address, and phone number are required to be in the lower right-hand corner left of the title block.	§03.04.A, of Art. 11
Developer (Name, Address, and Phone Number)	$\checkmark$		The name, address, and phone number of the person or company that prepared the plans are required in the lower right-hand corner left of the title block.	§03.04.A, of Art. 11
North Point	$\checkmark$		The north point or north arrow must be facing true north (or straight up) on all plans, unless the scale of the drawings or scope of the project requires a different position.	§03.04.A, of Art. 11
Numeric and Graphic Scale	M		The recommended engineering scales are $1" = 20'$ , $1" = 40'$ , etc with a maximum of $1" = 100'$ .	§03.04.A, of Art. 11
Vicinity Map	. ✓		The vicinity map should locate the site relative to the nearest major roadways in a one-half mile radius.	Art. 11
Signature Block	M		Standard signature block with signature space for the Planning & Zoning Chairman and Planning Director.	§03.04.A, of Art. 11
Date	M		The date that the plans were prepared is required on all submittals.	§03.04.A, of Art. 11
Proposed Land Use:			Indicate the proposed use for this site. Additionally, indicate the proposed use for all structures.	§03.04.A, of Art. 11
✓ Commercial			Land Uses Permitted in the RO, NS, GR, C, DT, RC & Designated Planned Development District Ordinances.	-
✓ Industrial	¥		Land Uses Permitted in the RT, LI, HI & Designated Planned Development District Ordinances.	-

# 2.1 SITE PLAN: MISCELLANEOUS AND DENSITY & DIMENSIONAL INFORMATION

Requirements	✓= OK	N/A	Comments	UDC Reference
Total Lot or Site Area (Acreage and Square Footage)	Ą		If the site is part of a larger tract include a key map showing the entire tract of land and the location of the site being planned.	§03.04.B, of Art. 11

Perimeter Dimensions of the Site	lacktriangledown		Indicate the perimeter dimensions of the site in feet.	§03.04.B, of Art. 11
Buildings (Square Footage)	A		Indicate the location and total square footage of all existing and planned buildings on the site.	§03.04.B, of Art. 11
Perimeter Dimensions of all Buildings	lacktriangledown		Indicate the wall lengths of all buildings on the site.	§03.04.B, of Art. 11
Distance Between Buildings		Ŋ	Indicate the distance between all existing and planned buildings located on the site.	§03.04.B, of Art. 11
Distance Between Buildings and Property Lines	¥		Indicate the distance between all property lines and existing and planned buildings located on the site.	§03.04.B, of Art. 11
Indicate all Property Lines	₹.		Indicate all existing property lines. If the site plan requires a platting case that will alter the property lines show the proposed changes in a different line weight.	§03.04.B, of Art. 11
Indicate all Building Setbacks	M		Indicate all building setbacks adjacent to right-of-way.	§03.04.B, of Art. 11
Indicate all Easements	A		Additionally, indicate all utilities both existing and proposed.	§03.04.B, of Art. 11
Indicate all Drive/Turning Radii	A.			§03.04.B, of Art. 11
Indicate all Drive Widths	M			§03.04.B, of Art. 11
Indicate all Fire Lanes	M.		Indicate and label the widths of all fire lanes existing and proposed for the site.	§03.04.B, of Art. 11
Indicate location of all Fire Hydrants	M			§03.04.B, of Art. 11
Indicate all Sidewalks	lacktriangledown		Indicate and label the widths of all sidewalks existing and proposed for the site.	§03.04.B, of Art. 11
Adjacent Street Right-Of-Way	M,		Reference the City's Master Transportation Plan for right-of- way information.	§03.04.B, of Art. 11
Label all Adjacent Street Name	M		Label all adjacent existing and proposed street names.	§03.04.B, of Art. 11
Adjacent Street Centerlines	M,		Indicate the street centerline for all existing and proposed streets.	§03.04.B, of Art. 11
Median Breaks in Adjacent Streets	Y			§03.04.B, of Art. 11

### 2.2 SITE PLAN: PARKING INFORMATION

Requirements	✓= OK	N/A	Comments	UDC Reference
Dimension of a Typical Parking Space	A		See the comment section in Adequate Parking and Maneuvering below.	§05.03, of Art. 06
Parking Table	lacksquare		Provide parking table indicating the total number of required parking spaces by use, the total number of required handicapped parking spaces and the total parking provided.	§05.01, of Art. 06
Handicap Parking Spaces Shown	₩,			§05.04, of Art. 06
Adequate Parking	lacktriangle		Reference Table 3 of Article VI.	Table 5, Art. 06
Adequate Parking and Maneuvering	⊀		All parking spaces and aisle dimensions shall conform to the off-street parking requirements in section 2.19 of the City's Standards of Design and Construction (Check w/ the Engineering Department).	§05.03.C, of Art. 06
Adequate Loading Area	$\checkmark$		Loading spaces shall be a minimum of 12 feet in width, 65 feet in length, and 14 feet in height except as may otherwise be approved by the city engineer (Art. VI 6.5 Loading Requirements).	§06.04, of
Adequate Loading Maneuvering	$\checkmark$		It is also the purpose of this Article to require allocation of sufficient off-street/on-site loading facilities by businesses and industry to ensure that the loading and unloading of vehicles will not interfere with traffic flow or block roadways or fire lanes.	§01.02, of Art. 06
Type and Depth of Paving Material	$\checkmark$		Indicate the type and depth of the paving material and provide a detail or cut-sheet. All required parking and loading areas shall be constructed of concrete, but may have a surface treatment of brick, stone or other similar material.	

## 2.3 SITE PLAN: SIGNAGE

Requirements ✓= OK N/A Comments UDC Reference

**NOTE:** All signage shall conform to Chapter 32 of the Rockwall Municipal Code of Ordinance, unless otherwise specified in an Overlay District or Planned Development District with specific signage requirements.

Proposed or Existing Signage  Indicate the location and type of all proposed and/or existing signage on the site plan. Additionally, provide a detail or cutsheet showing the elevations, lighting and dimensions of the Art. 05 proposed signage.	Proposed or Existing Signage
--	------------------------------

2.4 SITE PLAN: SCREENING				
Requirements	✓= 0K	N/A	Comments	UDC Reference
Indicate the Type and Location of any Existing and/or Proposed Fences	M		Label the height and type of fence proposed or existing.	§08.02.F, of Art. 08
Utility Equipment Screening (Pad or Ground Mounted)	$\checkmark$		Pad mounted utility equipment, and air conditioning units, shall be screened from horizontal view from any adjacent public street and from any adjacent property. Utility equipment and air conditioning units shall be screened utilizing plantings, berms, or walls matching the main structure.	§01.05.C, of Art. 05
Utility Equipment Screening (Roof Mounted)	$\checkmark$		All buildings must be designed such that no roof mounted mechanical equipment, HVAC, or satellite dishes shall be visible from any direction.	
Above Ground Storage Tanks	⋞		Aboveground storage tanks shall be screened utilizing walls matching the main structure. Screening plans for above ground storage tanks shall generally conform to the diagram below (i.e. incorporate primary screening – screening wall – and secondary screening) and be approved by the Planning and Zoning Commission in conjunction with a site plan.	§01.05.D, of Art. 05
Dumpster Screening	<b>∀</b>		Trash/Recycling enclosures shall be four (4) sided. These receptacles shall be screened by a minimum six (6) foot, solid masonry dumpster enclosure that utilizes the same masonry materials as the primary building and incorporates an opaque, self-latching gate. Dumpster storage should be located to the rear of the buildings with proper access. Trash dumpster shall not be located in any required parking space and shall allow proper access by service trucks. The minimum enclosure area shall be 12'x10'. A minimum of 6" bollards will be required at potential impact zones and the pad site shall be paved to city standards.	§01.05.B, of Art. 05
Outside Storage	lacksquare			
Off-Street Loading Dock Screening	$\checkmark$		Off-street loading docks must be screened from all public streets and any residential district that abuts or is directly across a public street or alley from the lot. The screening must be at least six feet in height and may be provided by using a masonry fence, berms, plantings or a combination of the above.	§01.05.A, of Art. 05
Residential Adjacency Standards	$\checkmark$		The director may require wing walls, landscape screens, changes in building orientation, and/or other architectural elements to minimize the impact of uses adjacent to residential property within 150 feet (also reference <i>Art. VIII 5.2</i> ).	§01.06, of

## 3.1 LANDSCAPE PLAN

<b>D</b>				
Requirements	√= 0K	N/A	Comments	UDC Reference
Provide Site Data			Provide the same site data information required in Section 2.1 Site Plan: Miscellaneous and Density and Dimensional Requirements of this checklist.	See Sec. 2.1 of this checklist
Impervious Area vs. Landscape/Open Space Area Provided and Required (As Per Zoning District)		$\mathbf{A}$	Indicate the applicable zoning district percentage of landscaping required and provided, and the impervious area vs. the amount of landscaping and open spaces required and provided.	§01.01.B, of Art. 05
Landscape Table		₹	Provide a landscape table showing plant materials, quantities, size and spacing for existing and proposed landscaping. Complete description of plant materials shown on the plan, including names, locations, qualities, container or caliper sizes at installation, heights, spread, and spacing requirements should also be listed on the plan.	§05.03.B, of Art. 08
Indicate all Landscaping		lack	Indicate the locations of all existing and proposed landscaping.	§05.03.B, of Art. 08
Location of Water Courses and Significant Drainage Features		$\mathbf{A}$	Indicate the locations of all existing and/or proposed water courses and the location of any existing and/or proposed significant drainage features.	-
Indicate all Landscape Buffers		lack	Indicate the locations and dimensions of the required landscape buffers.	§05.01, of Art. 08

Acceptable Landscape Materials:			Sec. 04., of Art. 08
✓ Trees allowed in Street Landscape Buffers	⊻	Cedar Elm, Texas Red Oak, Homestead Elm, Lace Bark Elm, Bald Cypress, Chinese Pistachio, October Glory Maple, Pecan, Texas Ash, Live Oak, Chinquapin Oak, and Burr Oak (Understory Trees: Texas Redbud, Mexican Plum, Downy Hawthorn, Wax Myrtle, Yaupon, and Deciduous Yaupon)	Appendix C
✓ Trees not allowed in Landscape Buffers	⊻	Silver Maple, Box Elder, Mimosa, Catalpa, Hackberry, Sugarberry, Honey Locust, Tulip Tree, Chinaberry, Sycamore, Cottonwood, Willows, American Elm, Siberian Elm, Jerusalem Thorn/Petuma, Bois D'Arc, Flowering Crabapple Tree, Ginko Tree, Peach/Plum, Mulberry, Texas Mountain Laurel, Lilac Chaste Tree, and Pine Tree.	Appendix C
Protected Trees (That Will Remain On-Site)	⊻	Indicate the location and provide a description by type and size of all existing protected trees (4" or larger) proposed to be retained. Prior to any construction or land development, the developer shall clearly mark all protected and feature trees with an aluminum tag indicating the trees relationship to the treescape plan and flag (i.e. bright fluorescent red vinyl tape). In those instances where a protected tree is so close to the construction area that construction equipment could possibly damage the tree, a protective fence shall be required.	§07.01, of Art. 09
Parking Lot Landscaping	₹	Complete description of landscaping and screening to be provided in or near off-street parking and loading areas, including the information as to the amount (in sq. ft.) of landscape area to be provided internal to parking areas, the total square footage included in the parking area, and the number and location of required off-street parking and loading spaces.	§05.03.E, of Art. 08
Location of all Site Amenities	$\checkmark$	Identify the size, height, location, and material of proposed seating, lighting, planter's sculptures, water features and landscape paving and other public amenities.	-
Identify Visibility Triangles	M	Identify visibility triangles on all lots for all driveway intersections and public streets.	§01.08, of Art. 05
Landscape Buffer - Street Trees	₹	Large trees (a species which normally reaches a height of 30 feet or more upon maturity) shall be provided in the required street landscape buffer in numbers equal to one (1) tree for every 50 feet of street frontage.	§05.01, of Art. 08
Tree Locations	M	Trees must be planted at least five (5) feet from water, sewer and storm sewer lines.	§05.03.E, of Art. 08
Irrigation Requirements Note		Provide note indicating irrigation will meet requirements of UDC.	§05.04, of Art. 08
Hydro mulch (or non-sod option)	¥	The developer shall establish grass and maintain the seeded area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.	Sec. 4.2, Coverage, Engr Standards of Design and Construction
Hydro mulch (or non-sod option)  Rights-of-Way & Landscape Buffers	<b>∀</b>	area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a	Coverage, Engr Standards of Design and
	_	area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.  All landscape buffers and public right-of-way located adjacent to a proposed development shall be improved with grass (i.e. sod hydro mulch shall be prohibited in these areas) prior to	Coverage, Engr Standards of Design and Construction §05.03.G, of
Rights-of-Way & Landscape Buffers	_	area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.  All landscape buffers and public right-of-way located adjacent to a proposed development shall be improved with grass (i.e. sod hydro mulch shall be prohibited in these areas) prior to	Coverage, Engr Standards of Design and Construction \$05.03.G, of Art. 08
Rights-of-Way & Landscape Buffers  4.1 TREESCAPE PLAN		area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.  All landscape buffers and public right-of-way located adjacent to a proposed development shall be improved with grass (i.e. sod hydro mulch shall be prohibited in these areas) prior to the issuance of a Certificate of Occupancy (CO).	Coverage, Engr Standards of Design and Construction \$05.03.G, of Art. 08
Rights-of-Way & Landscape Buffers  4.1 TREESCAPE PLAN  Requirements	 M N/A	area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.  All landscape buffers and public right-of-way located adjacent to a proposed development shall be improved with grass (i.e. sod hydro mulch shall be prohibited in these areas) prior to the issuance of a Certificate of Occupancy (CO).  Comments  Provide the same site data information required in Section 2.1 Site Plan: Miscellaneous and Density and Dimensional	Coverage, Engr Standards of Design and Construction  §05.03.G, of Art. 08  UDC Reference See Sec. 2.1 of this

Protected Trees (To Remain On Site)	⊻	Indicate the location and provide a description by type and size of all existing protected trees (4" or larger) proposed to be retained. Such trees shall be marked and a drip line of said tress shall be protected prior to and during all construction, including dirt work.	§03.01.E, of Art. 09
Protected Trees (To be Removed from the Site)	4	Indicate the location of all protected trees (4" or larger) that are to be removed from the site and the proposed locations of all replacement trees.	§03.01.F, of Art. 09
Treescape Table	M	Provide a table showing the total inches of trees to be removed and the total inches of trees to be replaced.	§03.01.G, of Art. 09

## 5.1 PHOTOMETRIC AND LIGHTING PLANS

Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference
Provide Site Data Table		▼	Provide the same site data information required in Section 2.1 Site Plan: Miscellaneous and Density and Dimensional Requirements of this checklist.	See Sec. 2.1 of this checklist -
Indicate Lighting Levels (in Foot Candles [FC])		$\mathbf{M}$	Show lighting levels in foot-candles (FC) measured throughout the site and extended to all property lines of the subject property.	§03.03, of Art. 07
Adjacent Property with Common Lot Lines:				
✓ Residential Use			The allowable maximum light intensity measured at the property line of a residential property shall be 0.2 of one foot candle.	§03.03.B, of Art. 07
✓ Commercial Use		$\mathbf{A}$	The allowable maximum light intensity measured at the property line of a non-residential property shall be 0.2 of one foot candle. <i>Subject to requirements in Art. VII 3.3.C.</i>	§03.03.C, of Art. 07
Under-Canopy Lighting			Under canopy lighting (i.e. fuel stations, drive through lanes and covered parking structures) shall not exceed 35 foot candles (with the exception below).	§03.03.E.1, of Art. 07
Lighting for Motor Vehicle Dealerships		¥	Shall not exceed 0.3 of one foot candle within the front yard of the development. The remainder will comply with the 0.2 of one foot candle.	§03.03.E.2, of Art. 07
Lighting in Parking Areas		⊌′	The maximum outdoor maintained, computed and measured illumination level within any nonresidential development shall not exceed 20 FC outdoors at any point on the site, with a maximum of 0.2 FC at the property line. (Exceptions: (1) under canopy lighting and (2) motor vehicle dealerships)	§03.03.G, of Art. 07
Building and Pole Mounted Lighting		M	Indicate the location and type of all exterior lighting, including pole mounted, wall-mounted, signage, etc.	§03.03.E, of Art. 07
Indicate the Mounting Height for all Proposed Light Fixtures		$\blacktriangleleft$	No light pole, base or combination thereof shall exceed 30 feet, unless further restricted within an Overlay District.	§03.03.D of Art. 07
Indicate the Wattage of all Light Sources		⊌	Provide lighting cut sheets that indicates the wattage for each exterior lighting fixture. Light sources (e.g. light bulbs) shall be oriented down and toward the center of the site or shielded so as to not be visible from the property line.	§03.03.A, of Art. 07
Proposed Light Fixtures		$\blacktriangleleft$	Provide elevation drawings and/or cut-sheets of proposed light fixtures on/with photometric plan.	§03.03, of Art. 07

## 6.1 BUILDING ELEVATIONS: NON-INDUSTRIAL

Requirements	✓= 0K	N/A	Comments	UDC Reference
Provide Exterior Elevations	ď		North South East West (Circle all that apply)	-
Indicate Exterior Elevations Adjacent to Public Right-of-Way	M		North South East West (Circle all that apply)	-
Minimum 90% Masonry Requirement  OVERLAY DISTRICTS ONLY	$\checkmark$		Exterior walls should consist of 90% masonry materials excluding doors and windows.	§06.02.C, of Art. 05
Indicate Amount and Location of the Minimum 20% Stone Requirement OVERLAY DISTRICTS ONLY	$\checkmark$		Applies to facades that are visible from a public right-of-way and/or open space.	§06.02.C, of Art. 05
Indicate the Surface Area of Each Facade	$\checkmark$		Indicate the surface area (square feet) of each façade and the percentage and square footage of each material used on that façade.	§04.01, of Art. 05
Proposed Building Materials	M,		Specifications and description of all proposed building materials, on all proposed buildings.	§04.01, of Art. 05
Indicate the Roofing Materials and Color	M		· · ·	

Indicate Parapet Wall Height  **(If Applicable, finish the interior side of the parapet wall)		If applicable indicate the parapet wall by dashing in the top of roof deck. **Projecting elements and parapets that are visible from adjacent properties or public right-of-way shall be finished on the interior side using the same materials as the exterior facing wall.	§04.01, of Art. 05
Indicate all Roof Mounted Mechanical Equipment (If Applicable)	$\blacktriangleleft$	If applicable indicate any proposed roof mounted mechanical equipment and indicate how these will be screened from view.	§01.05.C, of Art. 05
Indicate Any Additional Design Elements Proposed (If Applicable)	<b>∀</b>	Indicate any additional design elements for the base, walls, or parapets (such as cornice, arcades, and covered walkways/windows). Be sure to include the location, size, color, and material of any proposed structure.	
Indicate Building Height(s)	⊌	The height of the building shall be measured from the average elevation of the finished grade along the front of the building to the highest point of the roof or parapet of the building if it is a flat, mansard or shed roof; or to the midpoint of the roof if it is gable, hip or gambrel roof.	§07.03 of Art. 05
Minimum Standards for Articulation:			
Primary Facades (i.e. facades visible from a public ROW, open space/green space, public/private park, and or residential zoning district or residentially used property)	⊻	<ol> <li>Wall Height [H] = H</li> <li>Wall Length [L] = 3 x H</li> <li>Secondary Entry/Arch. Element Length = 25% x L</li> <li>Wall Projection = 25% x H</li> <li>Primary Entry/Arch. Element Width = 2 x (25% x L)</li> <li>Projection Height = 25% x H</li> <li>Primary Entry/Arch. Element Length = 2 x (25% x L)</li> </ol>	§04.01.C.1, of Art. 05
Secondary Facades	$\forall$	<ol> <li>Wall Height [H] = H</li> <li>Wall Length [L] = 3 x H</li> <li>Secondary Entry/Arch. Element Length = 15% x L</li> <li>Secondary Entry/Arch. Element Width = 15% x H</li> <li>Projection Height = 15% x H</li> </ol>	§04.01.C.2, of Art. 05

## 6.2 BUILDING ELEVATIONS: INDUSTRIAL

Requirements	✓= OK	N/A	Comments	UDC Reference
<b>NOTE:</b> Industrial buildings are subject to all the eleme standards.	nts listed in S	Section 6.1 B	uilding Elevations: Non-Industrial with the exception of the	following
Minimum 90% Masonry Requirement	¥		Exterior walls should consist of 90% masonry material excluding doors and windows.	\$ §05.01.A.1, of Art. 05
Indicate Amount and Location of the Minimum 20% Stone Requirement	¥		Applies to <u>facades</u> that are visible from a public right-of-way and/or open space.	§05.01.A.1.a.1, of Art. 05
Minimum Standards for Articulation:				
Primary Facades (i.e. facades visible from a public ROW, open space/green space, public/private park, and or residential zoning district or residentially used property)	$\checkmark$		<ol> <li>Wall Height [H] = H</li> <li>Wall Length [L] = 4 x H</li> <li>Wall Projection = 25% x H</li> <li>Entry/Arch. Element Length = 33% x L</li> <li>Projection Height = 25% x H</li> <li>Entry/Arch. Element Width = 2 x (25% x H)</li> </ol>	§05.01.C.1, of Art. 05
Secondary Facades			<ol> <li>Wall Height [H] = H</li> <li>Wall Length [L] = 3 x H</li> <li>Entry/Arch. Element Length = 15% x L</li> <li>Entry/Arch. Element Width = 15% x H</li> <li>Projection Height = 15% x H</li> </ol>	§05.01.C.2, of Art. 05



## **DEVELOPMENT APPLICATION**

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

PLANNING & ZONING CASE	NO.
	NOT CONSIDERED ACCEPTED BY THE DIRECTOR AND CITY ENGINEER HAVE
DIRECTOR OF PLANNING:	
CITY ENGINEER:	

PLEASE CHECK THE A	PPROPRIATE BOX BELOW TO INDICATE THE TYPE	E OF DE	VELOPMENT REQU	UEST [SELECT ON	LY ONE BOX]:		
PLATTING APPLICATION FEES:  ☐ MASTER PLAT (\$100.00 + \$15.00 ACRE) ¹ ☐ PRELIMINARY PLAT (\$200.00 + \$15.00 ACRE) ¹ ☐ FINAL PLAT (\$300.00 + \$20.00 ACRE) ¹ ☐ REPLAT (\$300.00 + \$20.00 ACRE) ¹ ☐ AMENDING OR MINOR PLAT (\$150.00) ☐ PLAT REINSTATEMENT REQUEST (\$100.00)			ZONING APPLICATION FEES:  ☐ ZONING CHANGE (\$200.00 + \$15.00 ACRE) ¹ ☐ SPECIFIC USE PERMIT (\$200.00 + \$15.00 ACRE) ¹ ☐ PD DEVELOPMENT PLANS (\$200.00 + \$15.00 ACRE) ¹  OTHER APPLICATION FEES: ☐ TREE REMOVAL (\$75.00) ☐ VARIANCE REQUEST (\$100.00) '				
	ATION FEES: 0.00 + \$20.00 ACRE)	)	NOTES:  1: IN DETERMININ MULTIPLYING BY 1 ACRE, ROUND UP	NG THE FEE, PLEA: THE PER ACRE AMOU TO ONE (1) ACRE.	SE USE THE I	EXACT ACREA ESTS ON LESS	GE WHEN THAN ONE
PROPERTY INFO	RMATION [PLEASE PRINT]						
ADDRESS	1351 Corporate Crossing Rockwall, T	X 7503	32				
SUBDIVISION	Platted - John Lockhard Survey Abstra	act No	. 134	LOT	1	BLOCK	Α
GENERAL LOCATION	West of intersection of Corporate Cros	sing a	nd Capital Blvd				
ZONING, SITE PL	AN AND PLATTING INFORMATION [PL	EASE PR	INT]				
CURRENT ZONING	u de la companya de l		CURRENT USE	Ware House			
PROPOSED ZONING			PROPOSED USE	Warehouse			
ACREAGE	43.237 AC LOTS [CURRE	ENT]	1	LOTS [I	PROPOSED]	N/A	
REGARD TO ITS A	PLATS: BY CHECKING THIS BOX YOU ACKNOWLEDG APPROVAL PROCESS, AND FAILURE TO ADDRESS ANY ENIAL OF YOUR CASE.	GE THAT . OF STAF	DUE TO THE PASSA F'S COMMENTS BY	AGE OF <u>HB3167</u> THE THE DATE PROVIDE	E CITY NO LON D ON THE DEV	IGER HAS FLE ELOPMENT CA	XIBILITY WITH ALENDAR WILL
OWNER/APPLICA	ANT/AGENT INFORMATION [PLEASE PRINT	T/CHECK		FACT/ORIGINAL SIGN	NATURES ARE	REQUIRED]	
☐ OWNER	Westcore Bravo Rockwall, LLC		M APPLICANT	Kimley-Horn a	and Associa	ates, Inc.	
CONTACT PERSON	Matthew Bateman	COI	NTACT PERSON	Chris Lewis			
ADDRESS	4350 La Jolla Village Drive, Suite 900		ADDRESS	2600 N Centr	al Express	way	
				Suite 400			
CITY, STATE & ZIP	San Diego, CA 92122	CI.	TY, STATE & ZIP	Richardson,		80	
PHONE	(858) 625-4100		PHONE	(469) 445-27	80		
E-MAIL	mbateman@westcore.net		E-MAIL	chris.lewis@k	imley-horn	.com	
STATED THE INFORMATI	RSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPE. ON ON THIS APPLICATION TO BE TRUE AND CERTIFIED	THE FOL					SIGNED, WHO
S	I AM THE OWNER FOR THE PURPOSE OF THIS APPLICATION TO COVER THE COST OF THIS APPLICATION 20 BY SIGNING THIS APPLICATION, I A D WITHIN THIS APPLICATION TO THE PUBLIC. THE CIT	N, HAS BE AGREE TH IN 15 VALS AGSOCIAT	EN PAID TO THE CITY OAT THE CITY OF ROU SO AUTHORIZED AND TED OR IN RESPONSE	OF ROCKWALL ON TH CKWALL (I.E. "CITY") I PERMITTED TO REF	S AUTHORIZED PRODUCE ANY	AND PERMITTE COPYRIGHTED	DAY UF
GIVEN UNDER MY HAND	AND SEAL OF OFFICE ON THIS THE  OWNER'S SIGNATURE  FOR THE STATE OF TEXAS	that	7 ( 20 <u>20</u>	92			
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	70%		MY COMMI	SSION EXPIRES		

# Development Application City of Rockwall Planning & Zoning Department

WESTCORE BRAVO ROCKWALL, LLC a Delaware limited liability company

By: Westcore Management I, LLC.

a Delaware limited liability company,


as Agent for Owner

By: 12114

Name: Matthew Bateman

Title: Authorized Signatory

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.	CALIFORNIA JURAT
State of California )	
County of San Diego	
Subscribed and sworn to (or affirmed) before me on this	21 day
of <u>Oct.</u> , 20 <del>24</del> , by <u>N</u>	latthew Bateman
proved to me on the basis of satisfactory evidence to be the persor who appeared before me.	n(s)
Signature MCCC	MICHAEL CONRAD COMM. #2432761 NOTARY PUBLIC-CALIFORNIA SAN DIEGO COUNTY My Commission Expires JANUARY 23, 2027
Signature	(Seal)
OPTIONAL INFORMATION  Although the information in this section is not required by law, it could pre jurat to an unauthorized document and may prove useful to persons relying to the person of Attached Document	event fraudulent removal and reattachment of this and on the attached document.  Additional Information
This certificate is attached to a document titled/for the purpose of	Method of Affiant Identification  Proved to me on the basis of satisfactory evidence:
	L form(s) of identification credible witness(es)  Notarial event is detailed in notary journal on:  Page # Entry #  Notary contact:
	Other Describer
containing pages, and dated	Affiant(s) Thumbprint(s) Describe:






# City of Rockwall Planning & Zoning Department 385 S. Goliad Street

Rockwall, Texas 75087 (P): (972) 771-7745 (W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.







## **CHECKLIST FOR SITE PLAN SUBMITTALS**

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

CASE NUMBER:	REVIEWED BY:	
OVERLAY DISTRICT:	REVIEW DATE:	

## 1.1 GENERAL INFORMATION FOR ALL PLANS SUBMITTED

OODMITTED				
Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference
Items Necessary for Site Plan Review:	J			Per Application
✓ Site Plan	A	\ <u>\</u>		§03.04, of Art. 11
✓ Landscape Plan		¥		-
✓ Treescape Plan				-
✓ Photometric Plan ✓ Building Elevations	₩			-
Building Material Sample Board and Color Rendering of Building Elevations	4		If required the sample board should detail all building materials, with each material clearly labeled and indicating manufacturer info, color, etc. Check with Planning Staff to see which is appropriate for the submitted project.	§03.04.A, of Art. 11
Submittal Requirements	M,		Four (4) large (24" x 36") <b>folded</b> copies and one (1) PDF digital copy of each plan is required at the time of submittal.	§03.04.A, of Art. 11
Is the property properly platted?	Y		Indicate if the property has been properly platted.	-
Title Block (Project Name, Legal Description and/or Address)			The title block is to be located in the lower right-hand corner of all sheets and contain the project name, street address, and/or the lot and block designation.	§03.04.A, of Art. 11
Case Number	₹.		The case number should be placed in the lower right-hand corner below the title block of all sheets.	§03.04.A, of Art. 11
Owners (Name, Address, and Phone Number)	lacksquare		The owners name, address, and phone number are required to be in the lower right-hand corner left of the title block.	§03.04.A, of Art. 11
Developer (Name, Address, and Phone Number)	$\checkmark$		The name, address, and phone number of the person or company that prepared the plans are required in the lower right-hand corner left of the title block.	§03.04.A, of Art. 11
North Point	$\checkmark$		The north point or north arrow must be facing true north (or straight up) on all plans, unless the scale of the drawings or scope of the project requires a different position.	§03.04.A, of Art. 11
Numeric and Graphic Scale	M		The recommended engineering scales are $1" = 20'$ , $1" = 40'$ , etc with a maximum of $1" = 100'$ .	§03.04.A, of Art. 11
Vicinity Map	. ✓		The vicinity map should locate the site relative to the nearest major roadways in a one-half mile radius.	Art. 11
Signature Block	M		Standard signature block with signature space for the Planning & Zoning Chairman and Planning Director.	§03.04.A, of Art. 11
Date	M		The date that the plans were prepared is required on all submittals.	§03.04.A, of Art. 11
Proposed Land Use:			Indicate the proposed use for this site. Additionally, indicate the proposed use for all structures.	§03.04.A, of Art. 11
✓ Commercial			Land Uses Permitted in the RO, NS, GR, C, DT, RC & Designated Planned Development District Ordinances.	-
✓ Industrial	¥		Land Uses Permitted in the RT, LI, HI & Designated Planned Development District Ordinances.	-

# 2.1 SITE PLAN: MISCELLANEOUS AND DENSITY & DIMENSIONAL INFORMATION

Requirements	✓= OK	N/A	Comments	UDC Reference
Total Lot or Site Area (Acreage and Square Footage)	Ą		If the site is part of a larger tract include a key map showing the entire tract of land and the location of the site being planned.	§03.04.B, of Art. 11

Perimeter Dimensions of the Site	lacktriangledown		Indicate the perimeter dimensions of the site in feet.	§03.04.B, of Art. 11
Buildings (Square Footage)	A		Indicate the location and total square footage of all existing and planned buildings on the site.	§03.04.B, of Art. 11
Perimeter Dimensions of all Buildings	lacktriangledown		Indicate the wall lengths of all buildings on the site.	§03.04.B, of Art. 11
Distance Between Buildings		Ŋ	Indicate the distance between all existing and planned buildings located on the site.	§03.04.B, of Art. 11
Distance Between Buildings and Property Lines	¥		Indicate the distance between all property lines and existing and planned buildings located on the site.	§03.04.B, of Art. 11
Indicate all Property Lines	₹.		Indicate all existing property lines. If the site plan requires a platting case that will alter the property lines show the proposed changes in a different line weight.	§03.04.B, of Art. 11
Indicate all Building Setbacks	M		Indicate all building setbacks adjacent to right-of-way.	§03.04.B, of Art. 11
Indicate all Easements	A		Additionally, indicate all utilities both existing and proposed.	§03.04.B, of Art. 11
Indicate all Drive/Turning Radii	A.			§03.04.B, of Art. 11
Indicate all Drive Widths	M			§03.04.B, of Art. 11
Indicate all Fire Lanes	M.		Indicate and label the widths of all fire lanes existing and proposed for the site.	§03.04.B, of Art. 11
Indicate location of all Fire Hydrants	M			§03.04.B, of Art. 11
Indicate all Sidewalks	lacktriangledown		Indicate and label the widths of all sidewalks existing and proposed for the site.	§03.04.B, of Art. 11
Adjacent Street Right-Of-Way	M,		Reference the City's Master Transportation Plan for right-of- way information.	§03.04.B, of Art. 11
Label all Adjacent Street Name	M		Label all adjacent existing and proposed street names.	§03.04.B, of Art. 11
Adjacent Street Centerlines	M,		Indicate the street centerline for all existing and proposed streets.	§03.04.B, of Art. 11
Median Breaks in Adjacent Streets	Y			§03.04.B, of Art. 11

### 2.2 SITE PLAN: PARKING INFORMATION

Requirements	✓= OK	N/A	Comments	UDC Reference
Dimension of a Typical Parking Space	A		See the comment section in Adequate Parking and Maneuvering below.	§05.03, of Art. 06
Parking Table	lacksquare		Provide parking table indicating the total number of required parking spaces by use, the total number of required handicapped parking spaces and the total parking provided.	§05.01, of Art. 06
Handicap Parking Spaces Shown	₩,			§05.04, of Art. 06
Adequate Parking	lacktriangle		Reference Table 3 of Article VI.	Table 5, Art. 06
Adequate Parking and Maneuvering	⊀		All parking spaces and aisle dimensions shall conform to the off-street parking requirements in section 2.19 of the City's Standards of Design and Construction (Check w/ the Engineering Department).	§05.03.C, of Art. 06
Adequate Loading Area	$\checkmark$		Loading spaces shall be a minimum of 12 feet in width, 65 feet in length, and 14 feet in height except as may otherwise be approved by the city engineer (Art. VI 6.5 Loading Requirements).	§06.04, of
Adequate Loading Maneuvering	$\checkmark$		It is also the purpose of this Article to require allocation of sufficient off-street/on-site loading facilities by businesses and industry to ensure that the loading and unloading of vehicles will not interfere with traffic flow or block roadways or fire lanes.	§01.02, of Art. 06
Type and Depth of Paving Material	$\checkmark$		Indicate the type and depth of the paving material and provide a detail or cut-sheet. All required parking and loading areas shall be constructed of concrete, but may have a surface treatment of brick, stone or other similar material.	

## 2.3 SITE PLAN: SIGNAGE

Requirements ✓= OK N/A Comments UDC Reference

**NOTE:** All signage shall conform to Chapter 32 of the Rockwall Municipal Code of Ordinance, unless otherwise specified in an Overlay District or Planned Development District with specific signage requirements.

Proposed or Existing Signage  Indicate the location and type of all proposed and/or existing signage on the site plan. Additionally, provide a detail or cutsheet showing the elevations, lighting and dimensions of the Art. 05 proposed signage.	Proposed or Existing Signage
--	------------------------------

2.4 SITE PLAN: SCREENING				
Requirements	✓= 0K	N/A	Comments	UDC Reference
Indicate the Type and Location of any Existing and/or Proposed Fences	M		Label the height and type of fence proposed or existing.	§08.02.F, of Art. 08
Utility Equipment Screening (Pad or Ground Mounted)	$\checkmark$		Pad mounted utility equipment, and air conditioning units, shall be screened from horizontal view from any adjacent public street and from any adjacent property. Utility equipment and air conditioning units shall be screened utilizing plantings, berms, or walls matching the main structure.	§01.05.C, of Art. 05
Utility Equipment Screening (Roof Mounted)	$\checkmark$		All buildings must be designed such that no roof mounted mechanical equipment, HVAC, or satellite dishes shall be visible from any direction.	
Above Ground Storage Tanks	⋞		Aboveground storage tanks shall be screened utilizing walls matching the main structure. Screening plans for above ground storage tanks shall generally conform to the diagram below (i.e. incorporate primary screening – screening wall – and secondary screening) and be approved by the Planning and Zoning Commission in conjunction with a site plan.	§01.05.D, of Art. 05
Dumpster Screening	<b>∀</b>		Trash/Recycling enclosures shall be four (4) sided. These receptacles shall be screened by a minimum six (6) foot, solid masonry dumpster enclosure that utilizes the same masonry materials as the primary building and incorporates an opaque, self-latching gate. Dumpster storage should be located to the rear of the buildings with proper access. Trash dumpster shall not be located in any required parking space and shall allow proper access by service trucks. The minimum enclosure area shall be 12'x10'. A minimum of 6" bollards will be required at potential impact zones and the pad site shall be paved to city standards.	§01.05.B, of Art. 05
Outside Storage	lacksquare			
Off-Street Loading Dock Screening	$\checkmark$		Off-street loading docks must be screened from all public streets and any residential district that abuts or is directly across a public street or alley from the lot. The screening must be at least six feet in height and may be provided by using a masonry fence, berms, plantings or a combination of the above.	§01.05.A, of Art. 05
Residential Adjacency Standards	$\checkmark$		The director may require wing walls, landscape screens, changes in building orientation, and/or other architectural elements to minimize the impact of uses adjacent to residential property within 150 feet (also reference <i>Art. VIII 5.2</i> ).	§01.06, of

## 3.1 LANDSCAPE PLAN

<b>D</b>				
Requirements	√= 0K	N/A	Comments	UDC Reference
Provide Site Data			Provide the same site data information required in Section 2.1 Site Plan: Miscellaneous and Density and Dimensional Requirements of this checklist.	See Sec. 2.1 of this checklist
Impervious Area vs. Landscape/Open Space Area Provided and Required (As Per Zoning District)		$\mathbf{A}$	Indicate the applicable zoning district percentage of landscaping required and provided, and the impervious area vs. the amount of landscaping and open spaces required and provided.	§01.01.B, of Art. 05
Landscape Table		₹	Provide a landscape table showing plant materials, quantities, size and spacing for existing and proposed landscaping. Complete description of plant materials shown on the plan, including names, locations, qualities, container or caliper sizes at installation, heights, spread, and spacing requirements should also be listed on the plan.	§05.03.B, of Art. 08
Indicate all Landscaping		lack	Indicate the locations of all existing and proposed landscaping.	§05.03.B, of Art. 08
Location of Water Courses and Significant Drainage Features		$\mathbf{A}$	Indicate the locations of all existing and/or proposed water courses and the location of any existing and/or proposed significant drainage features.	-
Indicate all Landscape Buffers		lack	Indicate the locations and dimensions of the required landscape buffers.	§05.01, of Art. 08

Acceptable Landscape Materials:			Sec. 04., of Art. 08
✓ Trees allowed in Street Landscape Buffers	⊻	Cedar Elm, Texas Red Oak, Homestead Elm, Lace Bark Elm, Bald Cypress, Chinese Pistachio, October Glory Maple, Pecan, Texas Ash, Live Oak, Chinquapin Oak, and Burr Oak (Understory Trees: Texas Redbud, Mexican Plum, Downy Hawthorn, Wax Myrtle, Yaupon, and Deciduous Yaupon)	Appendix C
✓ Trees not allowed in Landscape Buffers	⊻	Silver Maple, Box Elder, Mimosa, Catalpa, Hackberry, Sugarberry, Honey Locust, Tulip Tree, Chinaberry, Sycamore, Cottonwood, Willows, American Elm, Siberian Elm, Jerusalem Thorn/Petuma, Bois D'Arc, Flowering Crabapple Tree, Ginko Tree, Peach/Plum, Mulberry, Texas Mountain Laurel, Lilac Chaste Tree, and Pine Tree.	Appendix C
Protected Trees (That Will Remain On-Site)	⊻	Indicate the location and provide a description by type and size of all existing protected trees (4" or larger) proposed to be retained. Prior to any construction or land development, the developer shall clearly mark all protected and feature trees with an aluminum tag indicating the trees relationship to the treescape plan and flag (i.e. bright fluorescent red vinyl tape). In those instances where a protected tree is so close to the construction area that construction equipment could possibly damage the tree, a protective fence shall be required.	§07.01, of Art. 09
Parking Lot Landscaping	₹	Complete description of landscaping and screening to be provided in or near off-street parking and loading areas, including the information as to the amount (in sq. ft.) of landscape area to be provided internal to parking areas, the total square footage included in the parking area, and the number and location of required off-street parking and loading spaces.	§05.03.E, of Art. 08
Location of all Site Amenities	$\checkmark$	Identify the size, height, location, and material of proposed seating, lighting, planter's sculptures, water features and landscape paving and other public amenities.	-
Identify Visibility Triangles	M	Identify visibility triangles on all lots for all driveway intersections and public streets.	§01.08, of Art. 05
Landscape Buffer - Street Trees	₹	Large trees (a species which normally reaches a height of 30 feet or more upon maturity) shall be provided in the required street landscape buffer in numbers equal to one (1) tree for every 50 feet of street frontage.	§05.01, of Art. 08
Tree Locations	M	Trees must be planted at least five (5) feet from water, sewer and storm sewer lines.	§05.03.E, of Art. 08
Irrigation Requirements Note		Provide note indicating irrigation will meet requirements of UDC.	§05.04, of Art. 08
Hydro mulch (or non-sod option)	¥	The developer shall establish grass and maintain the seeded area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.	Sec. 4.2, Coverage, Engr Standards of Design and Construction
Hydro mulch (or non-sod option)  Rights-of-Way & Landscape Buffers	<b>∀</b>	area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a	Coverage, Engr Standards of Design and
	_	area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.  All landscape buffers and public right-of-way located adjacent to a proposed development shall be improved with grass (i.e. sod hydro mulch shall be prohibited in these areas) prior to	Coverage, Engr Standards of Design and Construction §05.03.G, of
Rights-of-Way & Landscape Buffers	_	area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.  All landscape buffers and public right-of-way located adjacent to a proposed development shall be improved with grass (i.e. sod hydro mulch shall be prohibited in these areas) prior to	Coverage, Engr Standards of Design and Construction \$05.03.G, of Art. 08
Rights-of-Way & Landscape Buffers  4.1 TREESCAPE PLAN		area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.  All landscape buffers and public right-of-way located adjacent to a proposed development shall be improved with grass (i.e. sod hydro mulch shall be prohibited in these areas) prior to the issuance of a Certificate of Occupancy (CO).	Coverage, Engr Standards of Design and Construction \$05.03.G, of Art. 08
Rights-of-Way & Landscape Buffers  4.1 TREESCAPE PLAN  Requirements	 M N/A	area, including watering, until a "Permanent Stand of Grass" is obtained at which time the project will be accepted by the City. A "Stand of Grass" shall consist of 75% to 80% coverage and a minimum of one-inch (1") in height as determined by the City.  All landscape buffers and public right-of-way located adjacent to a proposed development shall be improved with grass (i.e. sod hydro mulch shall be prohibited in these areas) prior to the issuance of a Certificate of Occupancy (CO).  Comments  Provide the same site data information required in Section 2.1 Site Plan: Miscellaneous and Density and Dimensional	Coverage, Engr Standards of Design and Construction  §05.03.G, of Art. 08  UDC Reference See Sec. 2.1 of this

Protected Trees (To Remain On Site)	⊻	Indicate the location and provide a description by type and size of all existing protected trees (4" or larger) proposed to be retained. Such trees shall be marked and a drip line of said tress shall be protected prior to and during all construction, including dirt work.	§03.01.E, of Art. 09
Protected Trees (To be Removed from the Site)	4	Indicate the location of all protected trees (4" or larger) that are to be removed from the site and the proposed locations of all replacement trees.	§03.01.F, of Art. 09
Treescape Table	M	Provide a table showing the total inches of trees to be removed and the total inches of trees to be replaced.	§03.01.G, of Art. 09

## 5.1 PHOTOMETRIC AND LIGHTING PLANS

Requirements	✓= 0K	N/A	Comments	UDC Reference
Provide Site Data Table		✓	Provide the same site data information required in Section 2.1 Site Plan: Miscellaneous and Density and Dimensional Requirements of this checklist.	See Sec. 2.1 of this checklist -
Indicate Lighting Levels (in Foot Candles [FC])		$\mathbf{A}$	Show lighting levels in foot-candles (FC) measured throughout the site and extended to all property lines of the subject property.	§03.03, of Art. 07
Adjacent Property with Common Lot Lines:				
✓ Residential Use		$\checkmark$	The allowable maximum light intensity measured at the property line of a residential property shall be 0.2 of one foot candle.	§03.03.B, of Art. 07
✓ Commercial Use		¥	The allowable maximum light intensity measured at the property line of a non-residential property shall be 0.2 of one foot candle. Subject to requirements in Art. VII 3.3.C.	§03.03.C, of Art. 07
Under-Canopy Lighting			Under canopy lighting (i.e. fuel stations, drive through lanes and covered parking structures) shall not exceed 35 foot candles (with the exception below).	§03.03.E.1, of Art. 07
Lighting for Motor Vehicle Dealerships		₹	Shall not exceed 0.3 of one foot candle within the front yard of the development. The remainder will comply with the 0.2 of one foot candle.	§03.03.E.2, of Art. 07
Lighting in Parking Areas		₹	The maximum outdoor maintained, computed and measured illumination level within any nonresidential development shall not exceed 20 FC outdoors at any point on the site, with a maximum of 0.2 FC at the property line. (Exceptions: (1) under canopy lighting and (2) motor vehicle dealerships)	§03.03.G, of Art. 07
Building and Pole Mounted Lighting		M	Indicate the location and type of all exterior lighting, including pole mounted, wall-mounted, signage, etc.	§03.03.E, of Art. 07
Indicate the Mounting Height for all Proposed Light Fixtures		$\blacktriangleleft$	No light pole, base or combination thereof shall exceed 30 feet, unless further restricted within an Overlay District.	§03.03.D of Art. 07
Indicate the Wattage of all Light Sources		⊌	Provide lighting cut sheets that indicates the wattage for each exterior lighting fixture. Light sources (e.g. light bulbs) shall be oriented down and toward the center of the site or shielded so as to not be visible from the property line.	§03.03.A, of Art. 07
Proposed Light Fixtures		A	Provide elevation drawings and/or cut-sheets of proposed light fixtures on/with photometric plan.	§03.03, of Art. 07

## 6.1 BUILDING ELEVATIONS: NON-INDUSTRIAL

Requirements	✓= 0K	N/A	Comments	UDC Reference
Provide Exterior Elevations	Ŋ		North South East West (Circle all that apply)	-
Indicate Exterior Elevations Adjacent to Public Right-of-Way	lacksquare		North South East West (Circle all that apply)	-
Minimum 90% Masonry Requirement  OVERLAY DISTRICTS ONLY	$\checkmark$		Exterior walls should consist of 90% masonry materials excluding doors and windows.	§06.02.C, of Art. 05
Indicate Amount and Location of the Minimum 20% Stone Requirement OVERLAY DISTRICTS ONLY	$\checkmark$		Applies to facades that are visible from a public right-of-way and/or open space.	§06.02.C, of Art. 05
Indicate the Surface Area of Each Facade	M		Indicate the surface area (square feet) of each façade and the percentage and square footage of each material used on that façade.	§04.01, of Art. 05
Proposed Building Materials	M,		Specifications and description of all proposed building materials, on all proposed buildings.	§04.01, of Art. 05
Indicate the Roofing Materials and Color	M		· ·	

Indicate Parapet Wall Height  **(If Applicable, finish the interior side of the parapet wall)		If applicable indicate the parapet wall by dashing in the top of roof deck. **Projecting elements and parapets that are visible from adjacent properties or public right-of-way shall be finished on the interior side using the same materials as the exterior facing wall.	§04.01, of Art. 05
Indicate all Roof Mounted Mechanical Equipment (If Applicable)	$\blacktriangleleft$	If applicable indicate any proposed roof mounted mechanical equipment and indicate how these will be screened from view.	§01.05.C, of Art. 05
Indicate Any Additional Design Elements Proposed (If Applicable)	<b>∀</b>	Indicate any additional design elements for the base, walls, or parapets (such as cornice, arcades, and covered walkways/windows). Be sure to include the location, size, color, and material of any proposed structure.	
Indicate Building Height(s)	⊌	The height of the building shall be measured from the average elevation of the finished grade along the front of the building to the highest point of the roof or parapet of the building if it is a flat, mansard or shed roof; or to the midpoint of the roof if it is gable, hip or gambrel roof.	§07.03 of Art. 05
Minimum Standards for Articulation:			
Primary Facades (i.e. facades visible from a public ROW, open space/green space, public/private park, and or residential zoning district or residentially used property)	⊻	<ol> <li>Wall Height [H] = H</li> <li>Wall Length [L] = 3 x H</li> <li>Secondary Entry/Arch. Element Length = 25% x L</li> <li>Wall Projection = 25% x H</li> <li>Primary Entry/Arch. Element Width = 2 x (25% x L)</li> <li>Projection Height = 25% x H</li> <li>Primary Entry/Arch. Element Length = 2 x (25% x L)</li> </ol>	§04.01.C.1, of Art. 05
Secondary Facades	$\forall$	<ol> <li>Wall Height [H] = H</li> <li>Wall Length [L] = 3 x H</li> <li>Secondary Entry/Arch. Element Length = 15% x L</li> <li>Secondary Entry/Arch. Element Width = 15% x H</li> <li>Projection Height = 15% x H</li> </ol>	§04.01.C.2, of Art. 05

## 6.2 BUILDING ELEVATIONS: INDUSTRIAL

Requirements	✓= OK	N/A	Comments	UDC Reference
<b>NOTE:</b> Industrial buildings are subject to all the eleme standards.	nts listed in S	Section 6.1 B	uilding Elevations: Non-Industrial with the exception of the	following
Minimum 90% Masonry Requirement	¥		Exterior walls should consist of 90% masonry material excluding doors and windows.	\$ §05.01.A.1, of Art. 05
Indicate Amount and Location of the Minimum 20% Stone Requirement	¥		Applies to <u>facades</u> that are visible from a public right-of-way and/or open space.	§05.01.A.1.a.1, of Art. 05
Minimum Standards for Articulation:				
Primary Facades (i.e. facades visible from a public ROW, open space/green space, public/private park, and or residential zoning district or residentially used property)	$\checkmark$		<ol> <li>Wall Height [H] = H</li> <li>Wall Length [L] = 4 x H</li> <li>Wall Projection = 25% x H</li> <li>Entry/Arch. Element Length = 33% x L</li> <li>Projection Height = 25% x H</li> <li>Entry/Arch. Element Width = 2 x (25% x H)</li> </ol>	§05.01.C.1, of Art. 05
Secondary Facades			<ol> <li>Wall Height [H] = H</li> <li>Wall Length [L] = 3 x H</li> <li>Entry/Arch. Element Length = 15% x L</li> <li>Entry/Arch. Element Width = 15% x H</li> <li>Projection Height = 15% x H</li> </ol>	§05.01.C.2, of Art. 05



### CITY OF ROCKWALL

### PLANNING AND ZONING COMMISSION MEMORANDUM

#### PLANNING AND ZONING DEPARTMENT

385 S. GOLIAD STREET • ROCKWALL, TX 75087

PHONE: (972) 771-7745 • EMAIL: PLANNING@ROCKWALL.COM

**TO:** Planning and Zoning Commission

DATE: October 29, 2024


**APPLICANT:** Chris Lewis; *Kimley-Horn and Associates, Inc.* 

**CASE NUMBER:** SP2024-045; Amended Site Plan for 1351 Corporate Crossing (SCP Distribution Center)

On September 14, 2021, the Planning and Zoning Commission approved a site plan [Case No. SP2021-024] to allow the construction of a 301,120 SF Warehouse/Distribution Center on the subject property. **Following** the construction of the Warehouse/Distribution Center, the Planning and Zoning Commission approved two (2) amended site plans, [1] [Case No. SP2023-006] to allow ~78,500 SF (~10% of the total impervious area) of outside storage and eight (8) silos, and [2] [Case No. SP2024-027] to allow ~48,000 SF (~6.10% of the total impervious area) of outside storage and four (4) silos on the subject property. This equates to a total of 12 silos and ~126,500 SF (~16.10% of the total impervious area) of outside storage. In February 2023 a fence permit [Permit No. COM2024-598] was submit to the Building Inspection Department requesting to construct an eight (8) foot wrought iron fence for outside storage. Staff informed the applicant that the proposed outside storage was not delineated on the approved site plan and an amended site plan would be required. Based on staff's comment, on May 17, 2024 the applicant submitted a development application requesting approval of an Amended Site Plan to allow a 60-foot by 80-foot (i.e. 4,800 SF) outside storage area. Due to visibility concerns that the Planning and Zoning Commission expressed, this request was ultimately withdrawn by the applicant in order to explore other screening options. Following this, on October 18, 2024, the applicant submitted a new amended site plan application.



<u>FIGURE 1</u>. APPROXIMATE LOCATION AND VISIBILITY OF THE PROPOSED OUTSIDE STORAGE AREA FROM CORPORATE CROSSING.



<u>FIGURE 2</u>. SITE PLAN SHOWING THE LOCATION OF THE PROPOSED OUTSIDE STORAGE AREA.

According to Subsection 01.05(E), *Screening Standards*, of Article 05, *District Development Standards*, of the Unified Development Code (UDC), "(o)utside storage of materials or vehicles shall be screened from all public streets, any residential zoning district or residentially used property, and parks and open space that abuts or is directly across a public street or alley from the subject property." In addition, Subsection 01.05(E) states that the associated screening "...must be at least one (1) foot taller than the material or vehicles being stored and shall be achieved using a masonry wall (*excluding tilt wall or concrete masonry units [CMU] unless otherwise approved by the Planning and Zoning Commission*) and Canopy Trees on 20-foot centers..."; however, the Planning and Zoning Commission may approve alternative landscape screening methods. In this case, the applicant is requesting to screen a 60-foot by 80-foot (*i.e. 4,800 SF*) outside storage area, with an eight (8) foot split face CMU screening wall, without canopy trees on 20-foot centers. Based on this, the applicant is requesting an exception to this requirement. In addition, the applicant has indicated that the "...outside storage area will consist of palletized crates of

stone, pavers, bagged sand, PVC pipe (3" or less), and pre-cast concrete equipment pads. There will be no chemicals stored in the yard." If approved this would increase the outside storage on the subject property to ~131,300 SF (~16.71% of the total impervious area).

According to Subsection 09.01, Exceptions to the General Standards, of Article 11, Development Applications and Review Procedures, of the Unified Development Code (UDC), "...an applicant may request the Planning and Zoning Commission grant an exception to the provisions contained in the Unified Development Code (UDC), where unique or extraordinary conditions exist or where strict adherence to the technical requirements of the Unified Development Code (UDC) would create an undue hardship." In addition, the code requires that applicants provide compensatory measures that directly offset the requested exception. In this case, the applicant is <u>not</u> providing any compensatory measures to offset the requested exception to the outside storage screening requirements. With this being said, requests for exceptions to the general standards are discretionary decisions for the Planning and Zoning Commission. Staff should also note that a supermajority vote (e.g. six [6] out of the seven [7] commissioners) -- with a minimum of four (4) votes in the affirmative -- is required for the approval of an exception. If the Planning and Zoning Commission chooses to approve the applicant's <u>Amended Site Plan</u> to allow outside storage on the subject property as delineated on the site plan, then staff would propose the following conditions of approval:

- (1) All outside storage may not exceed eight (8) feet in total height and/or extend above the eight (8) foot split face CMU wall; and,
- (2) Any construction resulting from the approval of this <u>Site Plan</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.

Should the Planning and Zoning Commission have any questions concerning the applicant's request, staff and the applicant will be available at the <u>October 29, 2024</u> Planning and Zoning Commission meeting.



## **DEVELOPMENT APPLICATION**

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

PLANNING & ZONING CASE	NO.
	NOT CONSIDERED ACCEPTED BY THE DIRECTOR AND CITY ENGINEER HAVE
DIRECTOR OF PLANNING:	
CITY ENGINEER:	

PLEASE CHECK THE A	PPROPRIATE BOX BELOW TO INDICATE THE TYPE	E OF DE	VELOPMENT REQU	UEST [SELECT ON	LY ONE BOX]:		
PLATTING APPLICATION FEES:  ☐ MASTER PLAT (\$100.00 + \$15.00 ACRE) ¹ ☐ PRELIMINARY PLAT (\$200.00 + \$15.00 ACRE) ¹ ☐ FINAL PLAT (\$300.00 + \$20.00 ACRE) ¹ ☐ REPLAT (\$300.00 + \$20.00 ACRE) ¹ ☐ AMENDING OR MINOR PLAT (\$150.00) ☐ PLAT REINSTATEMENT REQUEST (\$100.00)			ZONING APPLICATION FEES:  ☐ ZONING CHANGE (\$200.00 + \$15.00 ACRE) ¹ ☐ SPECIFIC USE PERMIT (\$200.00 + \$15.00 ACRE) ¹ ☐ PD DEVELOPMENT PLANS (\$200.00 + \$15.00 ACRE) ¹  OTHER APPLICATION FEES: ☐ TREE REMOVAL (\$75.00) ☐ VARIANCE REQUEST (\$100.00) '				
SITE PLAN APPLICATION FEES:  U. SITE PLAN (\$250.00 + \$20.00 ACRE)   MAKENDED SITE PLAN/ELEVATIONS/LANDSCAPING PLAN (\$100.00)		)	NOTES:  1: IN DETERMINING THE FEE, PLEASE USE THE EXACT ACREAGE WHEN MULTIPLYING BY THE PER ACRE AMOUNT. FOR REQUESTS ON LESS THAN ONE ACRE, ROUND UP TO ONE (1) ACRE.				
PROPERTY INFO	RMATION [PLEASE PRINT]						
ADDRESS	1351 Corporate Crossing Rockwall, T.	X 7503	32				
SUBDIVISION	Platted - John Lockhard Survey Abstra	act No	. 134	LOT	1	BLOCK	Α
GENERAL LOCATION	ON West of intersection of Corporate Crossing and Capital Blvd						
ZONING, SITE PL	AN AND PLATTING INFORMATION [PL	EASE PR	INT]				
CURRENT ZONING	u de la companya de l		CURRENT USE	Ware House			
PROPOSED ZONING			PROPOSED USE	Warehouse			
ACREAGE	43.237 AC LOTS [CURRE	ENT]	1	LOTS [I	PROPOSED]	N/A	
REGARD TO ITS A	PLATS: BY CHECKING THIS BOX YOU ACKNOWLEDG APPROVAL PROCESS, AND FAILURE TO ADDRESS ANY ENIAL OF YOUR CASE.	GE THAT . OF STAF	DUE TO THE PASSA F'S COMMENTS BY	AGE OF <u>HB3167</u> THE THE DATE PROVIDE	E CITY NO LON D ON THE DEV	IGER HAS FLE ELOPMENT CA	XIBILITY WITH LENDAR WILL
OWNER/APPLICA	ANT/AGENT INFORMATION [PLEASE PRINT	T/CHECK		FACT/ORIGINAL SIGN	NATURES ARE	REQUIRED]	
☐ OWNER	Westcore Bravo Rockwall, LLC		M APPLICANT	Kimley-Horn a	and Associa	ates, Inc.	
CONTACT PERSON	Matthew Bateman	COI	NTACT PERSON	Chris Lewis			
ADDRESS	4350 La Jolla Village Drive, Suite 900		ADDRESS	2600 N Central Expressway			
				Suite 400			
CITY, STATE & ZIP	San Diego, CA 92122	CI.	TY, STATE & ZIP	Richardson,		80	
PHONE	(858) 625-4100		PHONE	(469) 445-27	80		
E-MAIL	mbateman@westcore.net		E-MAIL	chris.lewis@k	imley-horn	.com	
STATED THE INFORMATI	RSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPE. ON ON THIS APPLICATION TO BE TRUE AND CERTIFIED	THE FOL					SIGNED, WHO
S	I AM THE OWNER FOR THE PURPOSE OF THIS APPLICATION TO COVER THE COST OF THIS APPLICATION 20 BY SIGNING THIS APPLICATION, I A D WITHIN THIS APPLICATION TO THE PUBLIC. THE CIT	N, HAS BE AGREE TH IN 15 VALS AGSOCIAT	EN PAID TO THE CITY OAT THE CITY OF ROU SO AUTHORIZED AND TED OR IN RESPONSE	OF ROCKWALL ON TH CKWALL (I.E. "CITY") I PERMITTED TO REF	S AUTHORIZED PRODUCE ANY	AND PERMITTE COPYRIGHTED	DAY UF
GIVEN UNDER MY HAND	AND SEAL OF OFFICE ON THIS THE  OWNER'S SIGNATURE  FOR THE STATE OF TEXAS	that	7 ( 20 <u>20</u>	92			
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	70%		MY COMMI	SSION EXPIRES		

# Development Application City of Rockwall Planning & Zoning Department

WESTCORE BRAVO ROCKWALL, LLC a Delaware limited liability company

By: Westcore Management I, LLC.

a Delaware limited liability company,


as Agent for Owner

By: 12114

Name: Matthew Bateman

Title: Authorized Signatory

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.	CALIFORNIA JURAT			
State of California )				
County of San Diego				
Subscribed and sworn to (or affirmed) before me on this	21 day			
of <u>Oct.</u> , 20 24, by <u>N</u>	latthew Bateman			
proved to me on the basis of satisfactory evidence to be the persor who appeared before me.	n(s)			
Signature McCC	MICHAEL CONRAD COMM. #2432761 NOTARY PUBLIC-CALIFORNIA SAN DIEGO COUNTY My Commission Expires JANUARY 23, 2027			
Signature	(Seal)			
OPTIONAL INFORMATION  Although the information in this section is not required by law, it could prefurat to an unauthorized document and may prove useful to persons relying Description of Attached Document	event fraudulent removal and reattachment of this ng on the attached document.  Additional Information			
This certificate is attached to a document titled/for the purpose of	Method of Affiant Identification  Proved to me on the basis of satisfactory evidence:			
	L of form(s) of identification of credible witness(es)  Notarial event is detailed in notary journal on:  Page # Entry #  Notary contact:			
	Other Describer			
containing pages, and dated	Affiant(s) Thumbprint(s) Describe:			
*				
a,				






# City of Rockwall Planning & Zoning Department 385 S. Goliad Street

Rockwall, Texas 75087 (P): (972) 771-7745 (W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.







### CITY OF ROCKWALL

### PLANNING AND ZONING COMMISSION MEMORANDUM

#### PLANNING AND ZONING DEPARTMENT

385 S. GOLIAD STREET • ROCKWALL, TX 75087

PHONE: (972) 771-7745 • EMAIL: PLANNING@ROCKWALL.COM

**TO:** Planning and Zoning Commission

DATE: November 26, 2024


**APPLICANT:** Chris Lewis; *Kimley-Horn and Associates, Inc.* 

CASE NUMBER: SP2024-045; Amended Site Plan for 1351 Corporate Crossing (SCP Distribution Center)

On September 14, 2021, the Planning and Zoning Commission approved a site plan [Case No. SP2021-024] to allow the construction of a 301,120 SF Warehouse/Distribution Center on the subject property. **Following** the construction of Warehouse/Distribution Center, the Planning and Zoning Commission approved two (2) amended site plans, [1] [Case No. SP2023-006] to allow ~78,500 SF (~10% of the total impervious area) of outside storage and eight (8) silos, and [2] [Case No. SP2024-027] to allow ~48,000 SF (~6.10% of the total impervious area) of outside storage and four (4) silos on the subject property. This equates to a total of 12 silos and ~126,500 SF (~16.10% of the total impervious area) of outside storage. In February 2023 a fence permit [Permit No. COM2024-598] was submitted to the Building Inspection Department requesting to construct an eight (8) foot wrought iron fence for outside storage. Staff informed the applicant that the proposed outside storage was not delineated on the approved site plan and an amended site plan would be required. Based on staff's comment, on May 17, 2024 the applicant submitted a development application requesting approval of an Amended Site Plan to allow a 60-foot by 80-foot (i.e. 4,800 SF) outside storage area. Due to visibility concerns that the Planning and Zoning Commission expressed, this request was ultimately withdrawn by the applicant in order to explore other screening options. Following this, on October 18, 2024, the applicant submitted a new Amended Site Plan application. At the October 29, 2024 Planning and



<u>FIGURE 1</u>. APPROXIMATE LOCATION AND VISIBILITY OF THE PROPOSED OUTSIDE STORAGE AREA FROM CORPORATE CROSSING.



<u>FIGURE 2</u>. SITE PLAN SHOWING THE LOCATION OF THE PROPOSED OUTSIDE STORAGE AREA.

Zoning Commission meeting, the applicant requested a two (2) week extension in order to provide an exhibit of the proposed outside storage enclosure. This established the applicant's new action date as November 12, 2024; however, the applicant was unable to provide the additional exhibit, and subsequently extended their request an additional two (2) weeks to the November 26, 2024 Planning and Zoning Commission meeting.

According to Subsection 01.05(E), Screening Standards, of Article 05, District Development Standards, of the Unified Development Code (UDC), "(o)utside storage of materials or vehicles shall be screened from all public streets, any residential zoning district or residentially used property, and parks and open space that abuts or is directly across a public street or alley from the subject property." In addition, Subsection 01.05(E) states that the associated screening "...must be at least one (1) foot taller than the material or vehicles being stored and shall be achieved using a masonry wall (excluding tilt wall or concrete masonry units [CMU] unless otherwise approved by the Planning and Zoning Commission) and Canopy Trees on 20-foot

centers..."; however, the Planning and Zoning Commission may approve alternative landscape screening methods. In this case, the applicant is requesting to screen a 60-foot by 80-foot (*i.e.* 4,800 SF) outside storage area, with an eight (8) foot split face CMU screening wall, without canopy trees on 20-foot centers. Based on this, the applicant is requesting an exception to

this requirement. In addition, the applicant has indicated that the "...outside storage area will consist of palletized crates of stone, pavers, bagged sand, PVC pipe (3" or less), and pre-cast concrete equipment pads. There will be no chemicals stored in the yard." If approved this would increase the outside storage on the subject property to ~131,300 SF (~16.71% of the total impervious area). Based on the Planning and Zoning Commissions concerns from the October 29, 2024 meeting (i.e. the appearance of the enclosure and the direction the enclosure would be loaded), the applicant has provided an exhibit depicting the enclosure and the existing landscaping at a mature state. In addition, the provided exhibit indicates that the loading area will face east and will have direct visibility from



<u>FIGURE 3</u>. EXHIBIT DEPICTING THE ENCLOSURE AND THE EXISTING LANDSCAPING AT A MATURE STATE.

Corporate Crossing, but that they will be using a slated steel material that will impair visibility of the materials when the gate is closed.

According to Subsection 09.01, Exceptions to the General Standards, of Article 11, Development Applications and Review Procedures, of the Unified Development Code (UDC), "...an applicant may request the Planning and Zoning Commission grant an exception to the provisions contained in the Unified Development Code (UDC), where unique or extraordinary conditions exist or where strict adherence to the technical requirements of the Unified Development Code (UDC) would create an undue hardship." In addition, the code requires that applicants provide compensatory measures that directly offset the requested exception. In this case, the applicant is <u>not</u> providing any compensatory measures to offset the requested exception to the outside storage screening requirements. With this being said, requests for exceptions to the general standards are discretionary decisions for the Planning and Zoning Commission. Staff should also note that a supermajority vote (e.g. six [6] out of the seven [7] commissioners) -- with a minimum of four (4) votes in the affirmative -- is required for the approval of an exception. If the Planning and Zoning Commission chooses to approve the applicant's <u>Amended Site Plan</u> to allow outside storage on the subject property as delineated on the site plan, then staff would propose the following conditions of approval:

- (1) All outside storage may not exceed eight (8) feet in total height and/or extend above the eight (8) foot split face CMU wall; and,
- (2) Any construction resulting from the approval of this <u>Site Plan</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.

Should the Planning and Zoning Commission have any questions concerning the applicant's request, staff and the applicant will be available at the *November 26*, 2024 Planning and Zoning Commission meeting.



## **DEVELOPMENT APPLICATION**

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

PLANNING & ZONING CASE	NO.
	NOT CONSIDERED ACCEPTED BY THE DIRECTOR AND CITY ENGINEER HAVE
DIRECTOR OF PLANNING:	
CITY ENGINEER:	

PLEASE CHECK THE A	PPROPRIATE BOX BELOW TO INDICATE THE TYPE	E OF DE	VELOPMENT REQU	UEST [SELECT ON	LY ONE BOX]:		
PLATTING APPLICATION FEES:  ☐ MASTER PLAT (\$100.00 + \$15.00 ACRE) ¹ ☐ PRELIMINARY PLAT (\$200.00 + \$15.00 ACRE) ¹ ☐ FINAL PLAT (\$300.00 + \$20.00 ACRE) ¹ ☐ REPLAT (\$300.00 + \$20.00 ACRE) ¹ ☐ AMENDING OR MINOR PLAT (\$150.00) ☐ PLAT REINSTATEMENT REQUEST (\$100.00)			ZONING APPLICATION FEES:  ☐ ZONING CHANGE (\$200.00 + \$15.00 ACRE) ¹ ☐ SPECIFIC USE PERMIT (\$200.00 + \$15.00 ACRE) ¹ ☐ PD DEVELOPMENT PLANS (\$200.00 + \$15.00 ACRE) ¹  OTHER APPLICATION FEES: ☐ TREE REMOVAL (\$75.00) ☐ VARIANCE REQUEST (\$100.00) '				
SITE PLAN APPLICATION FEES:  U. SITE PLAN (\$250.00 + \$20.00 ACRE)   MAKENDED SITE PLAN/ELEVATIONS/LANDSCAPING PLAN (\$100.00)		)	NOTES:  1: IN DETERMINING THE FEE, PLEASE USE THE EXACT ACREAGE WHEN MULTIPLYING BY THE PER ACRE AMOUNT. FOR REQUESTS ON LESS THAN ONE ACRE, ROUND UP TO ONE (1) ACRE.				
PROPERTY INFO	RMATION [PLEASE PRINT]						
ADDRESS	1351 Corporate Crossing Rockwall, T.	X 7503	32				
SUBDIVISION	Platted - John Lockhard Survey Abstra	act No	. 134	LOT	1	BLOCK	Α
GENERAL LOCATION	ON West of intersection of Corporate Crossing and Capital Blvd						
ZONING, SITE PL	AN AND PLATTING INFORMATION [PL	EASE PR	INT]				
CURRENT ZONING	u de la companya de l		CURRENT USE	Ware House			
PROPOSED ZONING			PROPOSED USE	Warehouse			
ACREAGE	43.237 AC LOTS [CURRE	ENT]	1	LOTS [I	PROPOSED]	N/A	
REGARD TO ITS A	PLATS: BY CHECKING THIS BOX YOU ACKNOWLEDG APPROVAL PROCESS, AND FAILURE TO ADDRESS ANY ENIAL OF YOUR CASE.	GE THAT . OF STAF	DUE TO THE PASSA F'S COMMENTS BY	AGE OF <u>HB3167</u> THE THE DATE PROVIDE	E CITY NO LON D ON THE DEV	IGER HAS FLE ELOPMENT CA	XIBILITY WITH LENDAR WILL
OWNER/APPLICA	ANT/AGENT INFORMATION [PLEASE PRINT	T/CHECK		FACT/ORIGINAL SIGN	NATURES ARE	REQUIRED]	
☐ OWNER	Westcore Bravo Rockwall, LLC		M APPLICANT	Kimley-Horn a	and Associa	ates, Inc.	
CONTACT PERSON	Matthew Bateman	COI	NTACT PERSON	Chris Lewis			
ADDRESS	4350 La Jolla Village Drive, Suite 900		ADDRESS	2600 N Central Expressway			
				Suite 400			
CITY, STATE & ZIP	San Diego, CA 92122	CI.	TY, STATE & ZIP	Richardson,		80	
PHONE	(858) 625-4100		PHONE	(469) 445-27	80		
E-MAIL	mbateman@westcore.net		E-MAIL	chris.lewis@k	imley-horn	.com	
STATED THE INFORMATI	RSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPE. ON ON THIS APPLICATION TO BE TRUE AND CERTIFIED	THE FOL					SIGNED, WHO
S	I AM THE OWNER FOR THE PURPOSE OF THIS APPLICATION TO COVER THE COST OF THIS APPLICATION 20 BY SIGNING THIS APPLICATION, I A D WITHIN THIS APPLICATION TO THE PUBLIC. THE CIT	N, HAS BE AGREE TH IN 15 VALS AGSOCIAT	EN PAID TO THE CITY OAT THE CITY OF ROU SO AUTHORIZED AND TED OR IN RESPONSE	OF ROCKWALL ON TH CKWALL (I.E. "CITY") I PERMITTED TO REF	S AUTHORIZED PRODUCE ANY	AND PERMITTE COPYRIGHTED	DAY UF
GIVEN UNDER MY HAND	AND SEAL OF OFFICE ON THIS THE  OWNER'S SIGNATURE  FOR THE STATE OF TEXAS	that	7 ( 20 <u>20</u>	92			
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	70%		MY COMMI	SSION EXPIRES		

# Development Application City of Rockwall Planning & Zoning Department

WESTCORE BRAVO ROCKWALL, LLC a Delaware limited liability company

By: Westcore Management I, LLC.

a Delaware limited liability company,


as Agent for Owner

By: 12114

Name: Matthew Bateman

Title: Authorized Signatory

A notary public or other officer completing this certificate verifies only the identity of the individual who signed the document to which this certificate is attached, and not the truthfulness, accuracy, or validity of that document.	CALIFORNIA JURAT			
State of California )				
County of San Diego				
Subscribed and sworn to (or affirmed) before me on this	21 day			
of <u>Oct.</u> , 20 24, by <u>N</u>	latthew Bateman			
proved to me on the basis of satisfactory evidence to be the persor who appeared before me.	n(s)			
Signature McCC	MICHAEL CONRAD COMM. #2432761 NOTARY PUBLIC-CALIFORNIA SAN DIEGO COUNTY My Commission Expires JANUARY 23, 2027			
Signature	(Seal)			
OPTIONAL INFORMATION  Although the information in this section is not required by law, it could prefurat to an unauthorized document and may prove useful to persons relying Description of Attached Document	event fraudulent removal and reattachment of this ng on the attached document.  Additional Information			
This certificate is attached to a document titled/for the purpose of	Method of Affiant Identification  Proved to me on the basis of satisfactory evidence:			
	L of form(s) of identification of credible witness(es)  Notarial event is detailed in notary journal on:  Page # Entry #  Notary contact:			
	Other Describer			
containing pages, and dated	Affiant(s) Thumbprint(s) Describe:			
*				
a,				






# City of Rockwall Planning & Zoning Department 385 S. Goliad Street

Rockwall, Texas 75087 (P): (972) 771-7745 (W): www.rockwall.com


The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





SP-1





November 19, 2024



DATE: December 12, 2024

TO: Chris Lewis

Kimley-Horn & Associates, Inc.

2600 N. Central Expressway, Suite 400

Richardson, Texas 75080

CC: Matthew Bateman

Westcore Bravo Rockwall, LLC 4350 La Jolla Village Drive, Suite 900

San Diego, California 92122

FROM: Henry Lee, AICP

City of Rockwall Planning and Zoning Department

385 S. Goliad Street Rockwall, TX 75087

SUBJECT: SP2024-045; Amended Site Plan for 1351 Corporate Crossing (SCP)

Chris Lewis:

This letter serves to notify you that the above referenced case (*i.e.* Site Plan) that you submitted for consideration by the City of Rockwall was approved by the Planning and Zoning Commission on November 26, 2024. The following is a record of all recommendations, voting records and conditions of approval:

#### Conditions of Approval

- (1) All outside storage may not exceed eight (8) feet in total height and/or extend above the eight (8) foot split face CMU wall; and.
- (2) Any construction resulting from the approval of this <u>Site Plan</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.

#### Planning and Zoning Commission

On October 29, 2024, the Planning and Zoning Commission approved a motion to table the case for the November 12, 2024 Planning and Zoning meeting by a vote of 6-0, with Commissioner Hustings absent.

On November 26, 2024, the Planning and Zoning Commission approved a motion to approve the Site Plan by a vote of 4-0, with Commissioners Deckard, Womble, and Conway absent.

Should you have any questions or concerns regarding your zoning case, please feel free to contact me at (972) 772-6434.

Sincerely,

Henry Lee, AICP, Senior Planner

City of Rockwall Planning and Zoning Department