

PLANNING & ZONING CASE NO.

PLANNING & ZONING FEE

PLATTING APPLICATION

MASTER PLAT PRELIMINARY PLAT FINAL PLAT REPLAT

AMENDING OR MINOR PLAT PLAT REINSTATEMENT REQUEST

SITE PLAN APPLICATION

SITE PLAN

AMENDED SITE PLAN/ELEVATIONS/LANDSCAPING

ZONING APPLICATION

ZONING CHANGE SPECIFIC USE PERMIT PD DEVELOPMENT PLAN

OTHER APPLICATION

TREE REMOVAL

VARIANCE REQUEST/SPECIAL EXCEPTIONS

RECORD OF RECOMMENDATIONS, VOTING RECORDS, AND CONDITIONS OF APPROVAL

ARCHITECTURE REVIEW BOARD	CITY COUNCIL READING #2
PLANNING AND ZONING COMMISSION	CONDITIONS OF APPROVAL
CITY COUNCIL READING #1	NOTES



DEVELOPMENT APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087


PLANNING	& ZONING CASE NO.	
NOTE: THE CITY UNTI SIGNED BE	APPLICATION IS NOT CONSIDERED ACCEPTED BY THE PLANNING DIRECTOR AND CITY ENGINEER HA LOW.	THE VE
DIRECTOR	OF PLANNING:	

CITY ENGINEER: PLEASE CHECK THE APPROPRIATE BOX BELOW TO INDICATE THE TYPE OF DEVELOPMENT REQUEST [SELECT ONLY ONE BOX] PLATTING APPLICATION FEES: **ZONING APPLICATION FEES:** ■ MASTER PLAT (\$100.00 + \$15.00 ACRE) ¹ ☐ ZONING CHANGE (\$200.00 + \$15.00 ACRE)

1 ☐ PRELIMINARY PLAT (\$200.00 + \$15.00 ACRE) 1 ☐ SPECIFIC USE PERMIT (\$200.00 + \$15.00 ACRE) 1 8 2 ☑ FINAL PLAT (\$300.00 + \$20.00 ACRE)

¹ ☐ PD DEVELOPMENT PLANS (\$200.00 + \$15.00 ACRE) 1 ☐ REPLAT (\$300.00 + \$20.00 ACRE) OTHER APPLICATION FEES: ☐ AMENDING OR MINOR PLAT (\$150.00) ☐ TREE REMOVAL (\$75.00) ☐ PLAT REINSTATEMENT REQUEST (\$100.00) ☐ VARIANCE REQUEST/SPECIAL EXCEPTIONS (\$100.00) 2 SITE PLAN APPLICATION FEES: NOTES:

1. IN DETERMINING THE FEE, PLEASE USE THE EXACT ACREAGE WHEN MULTIPLYING BY THE PER ACRE AMOUNT. FOR REQUESTS ON LESS THAN ONE ACRE, ROUND UP TO ONE (1) ACRE. ☑ SITE PLAN (\$250.00 + \$20.00 ACRE) 1 ☐ AMENDED SITE PLAN/ELEVATIONS/LANDSCAPING PLAN (\$100.00) A \$1,000.00 FEE WILL BE ADDED TO THE APPLICATION FEE FOR ANY REQUEST THAT INVOLVES CONSTRUCTION WITHOUT OR NOT IN COMPLIANCE TO AN APPROVED BUILDING PROPERTY INFORMATION (PLEASE PRINT) **ADDRESS** 5565 Hwy FM 549, Rockwall, TX SURDIVISION LOT BLOCK GENERAL LOCATION West of SH 205 & South of FM 549 ZONING, SITE PLAN AND PLATTING INFORMATION [PLEASE PRINT] **CURRENT ZONING** PD-99 **CURRENT USE** Ag PROPOSED ZONING PROPOSED USE Single Family 284 SF, 6 OS, 1 Lift Station. 192.58 Ac. **ACREAGE** LOTS [CURRENT] LOTS [PROPOSED] 1 Park & 1 Amenity Center = 293 Lots Total SITE PLANS AND PLATS: BY CHECKING THIS BOX YOU ACKNOWLEDGE THAT DUE TO THE PASSAGE OF HB3167 THE CITY NO LONGER HAS FLEXIBILITY WITH REGARD TO ITS APPROVAL PROCESS, AND FAILURE TO ADDRESS ANY OF STAFF'S COMMENTS BY THE DATE PROVIDED ON THE DEVELOPMENT CALENDAR WILL RESULT IN THE DENIAL OF YOUR CASE. OWNER/APPLICANT/AGENT INFORMATION [PLEASE PRINT/CHECK THE PRIMARY CONTACT/ORIGINAL SIGNATURES ARE REQUIRED] ☑ OWNER CCD - Rockwall LLC APPLICANT Same CONTACT PERSON Brian Cramer CONTACT PERSON **ADDRESS ADDRESS** CITY, STATE & ZIP CITY, STATE & ZIP PHONE PHONE E-MAIL E-MAIL NOTARY VERIFICATION [REQUIRED] Brian Cramer BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED [OWNER] THE UNDERSIGNED, WHO STATED THE INFORMATION ON THIS APPLICATION TO BE TRUE AND CERTIFIED THE FOLLOWING "I HEREBY CERTIFY THAT I AM THE OWNER FOR THE PURPOSE OF THIS APPLICATION; ALL INFORMATION SUBMITTED HEREIN IS TRUE AND CORRECT. AND THE APPLICATION FEE OF SECTION, HAS BEEN PAID TO THE CITY OF ROCKWALL ON THIS THE DAY OF THE COST OF THIS APPLICATION, I AGREE THAT THE CITY OF ROCKWALL (I.E. "CITY") IS AUTHORIZED AND PERMITTED TO PROVIDE PAGUST 20-15 BY SIGNING THIS APPLICATION, I AGREE THAT THE CITY OF ROCKWALL (I.E. "CITY") IS AUTHORIZED AND PERMITTED TO PROVIDE INFORMATION CONTAINED WITHIN THIS APPLICATION TO THE PUBLIC. THE CITY IS ALSO AUTHORIZED AND PERMITTED TO REPRODUCE ANY COPYRIGHTED INFORMATION SUBMITTED IN CONJUNCTION WITH THIS APPLICATION, IF SUCH REPRODUCTION IS ASSOCIATED OR IN RESPONSE TO A REQUEST FOR PUBLIC INFORMATION." GIVEN UNDER MY HAND AND SEAL OF OFFICE ON THIS THE 13 BELINDA BARTON LAHAR Notary ID #11426361 OWNER'S SIGNATURE My Commission Expires May 27 .- 2026 NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS



1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.


2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS
SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

Owner/Applicant: Corson Cramer Development Dallas, Texas 75206 Phone: 214-734-5924


Engineer/Surveyor: Johnson Volk Consulting, Inc. 4925 Greenville Ave, Ste. 604 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE



TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033 704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100



- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.



KEY MAP

SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B; LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D; LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F; LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H; LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J; LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L; LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O; 192.58 ACRES OR 8,388,777.55 SF 284 SINGLE FAMILY LOTS, 6 OPEN SPACES, 1 LIFT STATION, 1 PARK & 1 AMENITY CENTER SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80 CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS

P2025-XXX

July 17, 2025 SHEET 2 OF 4

EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:
Corson Cramer Development 4925 Greenville Ave, Ste. 604 Dallas, Texas 75206 Phone: 214-734-5924



Line Table			
Line	Length	Direction	
LITE L1	2.73		
		S45° 07' 01"E	
L2	1.85	S45° 07' 01"E	
L3	14.32	N45° 12' 40"W	
L4	46.44	S59° 52′ 38″W	
L5	47.23	S60° 29′ 40″W	
L6	25.00	N45° 12' 40"W	
L7	108.02	N83° 14' 53"W	
L8	17.35	S14° 42' 23"E	
L9	55.15	S75° 51' 12"E	
L10	35.94	S17° 01' 57"W	
L14	56.80	N43° 55' 12"E	
L15	26.33	S86° 40' 44"W	
L16	23.00	S45° 42' 01"E	
L26	16.11	N45° 12' 40"W	
L27	14.32	N45° 12' 40"W	
L28	5.34	S45° 12' 40"E	
L29	11.19	S59° 52' 38"W	
L30	11.01	S59° 52' 38"W	
L31	11.64	S44° 47' 20"W	
L32	13.10	S44° 44' 25"E	
L33	11.69	S44° 47′ 20″W	
L34	13.46	S44° 54′ 48″E	
L35	10.73	S6° 06' 32"W	
L36	4.32	S6° 06' 32"W	
L37	15.99	N43° 45′ 48″E	
L38	21.17	S43° 55' 12"W	
L41	1.19	S60° 29' 40"W	
L42	1.19	S60° 29' 40"W	
L43	13.30	N83° 49' 22"W	
L44	137.50	N44° 52' 16"E	
L45	25.58	N44° 52' 16"E	
L50	10.73	N6° 06′ 32″E	
L52	57.83	N44° 05' 31"E	
L52	57.83	N44° 05' 31"E	
154	135.10	C45° 00' 15"W	

L54 | 135.19 | S45° 09' 15"W L55 | 5.43 | S45° 15' 38"E L56 | 73.77 | S48° 39' 02"E

	Line	Table
Line	Length	Direction
L57	45.30	S48° 39' 02"
L58	6.32	N44° 47′ 20″
L59	12.86	S83° 53' 28"
L60	17.88	N74° 44' 50"
L61	25.00	S45° 42' 01"I
L62	25.00	S45° 42' 01"I
L63	12.51	S45° 59' 00"
L64	51.74	N84° 36' 03"

Curve Table				
Length	Radius	Delta	Chord Length	Chord Bearing
165.95	330.00	028°48'47"	164.21	N30° 48' 17"W
165.93	330.00	028*48'35"	164.19	S30° 48' 11"E
219.10	330.00	038°02'24"	215.09	S64° 13′ 41″E
659.33	375.00	100°44'18"	577.63	N46° 22' 58"E
146.74	400.00	021°01'08"	145.92	S06° 31′ 23″W
625.58	930.00	038°32'27"	613.85	S64° 33' 08"E
45.20	325.00	007°58'09"	45.17	N79° 50' 17"W
55.91	35.00	091°31'18"	50.15	N30° 05' 33"W
117.86	670.00	010*04'44"	117.71	S88° 17' 15"E
44.48	35.00	072°48'42"	41.55	S81° 11' 41"W
185.25	225.00	047'10'23"	180.06	N17° 28' 40"W
551.69	830.00	038*05'02"	541.59	N25° 09' 03"E
81.74	225.00	020°48'54"	81.29	N04° 17' 55"W
358.73	540.00	038*03'46"	352.17	N25° 08' 25"E
166.08	250.00	038°03'46"	163.04	N25* 08' 25"E
156.70	250.00	035*54'47"	154.15	N62* 44' 44"E
68.53	250.00	015*42'20"	68.31	S52° 38′ 30″W
65.83	250.00	015°05'18"	65.64	N52° 19' 59"E
54.98	35.00	090°00'00"	49.50	S00° 12' 40"E
153.32	250.00	035*08'19"	150.93	N27° 38' 30"W
393.00	945.00	023°49'39"	390.17	S21° 59' 11"E
179.69	250.00	041°10'54"	175.85	N13° 18' 33"W
226.99	250.00	052*01'19"	219.27	S18° 43' 45"E
106.12	250.00	024°19'17"	105.33	N32° 34' 46"W
106.88	250.00	024*29'41"	106.07	S32° 39' 58"E
54.98	35.00	089*59'46"	49.50	S89° 54' 41"E
54.98	35.00	090°00'14"	49.50	N00° 05' 19"E
82.89	500.00	009*29'54"	82.79	S88° 34' 19"E
123.93	150.00	047*20'16"	120.44	N69° 39' 08"W
242.63	500.00	027*48'13"	240.26	S30° 01' 05"W
304.35	625.00	027*54'01"	301.35	N30° 03' 59"E
54.98	35.00	090°00'00"	49.50	S00° 59' 00"E
55.15	35.00	09016'59"	49.62	N00° 50' 31"W
358.57	325.00		340.66	S13° 34' 02"W
213.84	350.00	035°00'20"	210.53	N00° 32' 13"W
274.67	250.00	062°56'57"	261.06	S14° 30' 32"E
227.42	625.00	020°50'55"	226.17	S72° 49' 25"E
89.32	57.50	089°00'13"	80.61	N89° 42' 46"W
117.24	57.50	116°49'16"	97.96	S43° 11' 00"W
3.89	57.50	003*52'18"	3.88	N76° 28' 13"W
20.58	50.00	023*34'41"	20.43	S10° 45' 59"W
20.73	225.00	005*16'42"	20.72	N12° 42' 42"W
22.36	920.00	001°23'33"	22.36	S33° 12' 14"E
5.03	275.00	001°02'50"	5.03	N45° 18' 45"E
15.83	275.00	003°17'54"	15.83	S43° 05' 28"E
34.13	225.00	008*41'29"	34.10	N40° 23' 40"W
23.30	225.00	005°55'57"	23.29	S41° 56' 50"E
l				
60.63	50.00	069°28'27"	56.98	N71° 36' 56"E
60.63	50.00	069°28′27″	21.94	N24° 12' 21"E
	165.95 165.93 1219.10 659.33 146.74 625.58 45.20 55.91 117.86 44.48 185.25 551.69 81.74 358.73 166.08 156.70 68.53 65.83 65.83 54.98 179.69 226.99 106.12 106.12 106.88 54.98 123.93 1242.63 154.98 54.98 123.93 1242.63 54.98 123.93 1242.63	Length Radius 165.95 330.00 219.10 330.00 659.33 375.00 146.74 400.00 625.58 930.00 45.20 325.00 55.91 35.00 117.86 670.00 44.48 35.00 551.69 830.00 551.69 830.00 358.73 540.00 156.70 250.00 68.53 250.00 54.98 35.00 153.32 250.00 54.98 35.00 106.12 250.00 106.12 250.00 226.99 250.00 106.12 250.00 242.63 35.00 242.63 35.00 242.63 35.00 25.15 35.00 20.49 250.00 25.15 35.00 20.73 25.00 20.73 25.00 20.74 25.00	Beading Delta 165.95 330.00 028'48'37" 165.93 330.00 038'02'24" 659.33 375.00 100'44'18" 146.74 400.00 021'01'08" 625.58 930.00 038'32'27" 45.20 325.00 007'58'09" 55.91 35.00 091'31'18" 117.86 670.00 1010'04'44" 44.48 35.00 072'48'42" 185.25 225.00 047'10'23" 551.69 830.00 038'05'02" 81.74 225.00 047'10'23" 551.69 830.00 038'03'46" 166.08 250.00 038'03'46" 156.70 250.00 035'54'47" 68.53 250.00 015'05'18" 54.98 35.00 090'00'00" 153.32 250.00 035'08'19" 179.69 250.00 023'49'39" 179.69 250.00 024'19'17" 106.82 250.00 024'19'14"	LengthRadiusDeltaChength165.93330.00028'48'37"164.19165.93330.00038'02'24"215.09659.33375.00100'44'18"577.63146.74400.00021'01'08"145.92625.58930.00038'32'27"613.8545.20325.00007'58'09"45.1755.9135.0009'13'1'18"50.15117.86670.0010'0'4'4"117.7144.4835.00072'48'42"41.55185.25225.00047'10'23"180.06551.69830.00038'03'46"352.17166.08250.00038'03'46"163.04156.70250.00038'03'46"163.04156.70250.00035'54'47"154.1568.53250.00015'42'20"68.3154.9835.00015'05'18"65.6454.9835.00023'49'39"390.17179.69250.00023'49'39"390.17179.69250.00024'19'17"105.33106.12250.00024'19'17"105.33106.88250.00024'19'17"105.3354.9835.00090'00'14"49.5054.9835.00090'00'14"49.5054.9835.00090'00'14"49.5055.1535.00027'26'10"301.3554.9835.00090'00'14"49.5055.1535.00090'00'00"49.5055.1535.00

GENERAL NOTES:

- 1. ALL LOT CORNERS MONUMENTED WITH A 1/2" IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" UNLESS OTHERWISE NOTED.
- 2. ALL UTILITY EASEMENTS AND DRAINAGE EASEMENTS WITHIN THIS PLATTED PROPERTY ARE CREATED BY THIS PLAT, UNLESS OTHERWISE NOTED. ALL OPEN SPACE LOTS ARE UTILITY, DRAINAGE AND ACCESS EASEMENTS.
- 3. BASIS OF BEARING AND COORDINATES SHOWN HEREON REFER TO "TEXAS STATE PLANE COORDINATE SYSTEM, NORTH CENTRAL ZONE (4202), NORTH AMERICAN DATUM OF 1983 ON GRID COORDINATE VALUES.
- 4. LOCATION OF 1% ANNUAL FLOOD CHANCE SHOWN PER JOHNSON VOLK FLOOD STUDY DATED MARCH, 2025.
- 5. LOTS ADJACENT TO FLOODPLAIN SHALL HAVE A MINIMUM FINISHED FLOOR ELEVATION 2' ABOVE THE 100-YR WSEL.
- 6. OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.

GENERAL	NOTES:

- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.

Curve Table					
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing
C71	62.06	50.00	071 ° 07 ' 15"	58.16	N29° 14' 03"E
C72	28.13	50.00	032*14'23"	27.76	N22* 26' 46"W
C73	34.82	50.00	039*54'17"	34.12	N58° 31' 06"W
C74	34.86	805.00	002*28'52"	34.86	N07° 20' 58"E
C75	12.08	695.00	000*59'46"	12.08	N47° 23' 13"E
C76	63.68	50.00	072*58'29"	59.46	N02* 24' 55"E
C91	38.76	300.00	007°24'07"	38.73	N47° 43' 03"E
C92	38.76	300.00	007°24'07"	38.73	S47° 43' 03"W
C94	32.13	50.00	036 ° 49'16"	31.58	S68° 58' 57"E
C96	42.93	375.00	006°33'34"	42.91	N14° 45' 36"W
C97	18.99	375.00	002°54'03"	18.98	N10° 01' 48"W
C98	17.69	175.00	005°47'25"	17.68	N48° 52' 43"W
C99	12.43	275.00	002°35'24"	12.43	S15° 40' 15"W
C100	13.84	225.00	003°31'23"	13.83	S44° 13' 19"E
C101	0.77	275.00	000°09'40"	0.77	S45° 54' 10"E
C104	19.90	250.00	004°33'36"	19.89	N03° 49' 44"E
C105	33.50	565.00	003°23'49"	33.49	N07° 48' 26"E
C106	112.51	57.50	112°06'20"	95.40	N49° 56' 38"W
C107	23.49	50.00	026°54'50"	23.27	S34° 41' 22"W
C108	57.20	50.00	065°33'03"	54.13	S80° 55' 18"W
C109	23.87	50.00	027°21'04"	23.64	N52* 37' 38"W
C111	99.60	225.00	025°21'43"	98.79	S32° 03' 33"E
C112	3.59	275.00	000°44'55"	3.59	S06° 54' 26"W
C113	15.06	360.00	002°23'50"	15.06	S46° 24' 24"E
C114	14.48	360.00	0021819"	14.48	S82° 05' 43"E
C115	103.33	360.00	016*26'46"	102.98	S36° 59' 05"E
C116	28.52	50.00	032°40'34"	28.13	N53° 12' 07"W
C117	44.29	50.00	050°44'52"	42.85	N11° 29' 24"W
C118	11.84	205.00	003°18'30"	11.84	N16° 23' 08"W
C119	61.81	205.00	017°16'32"	61.58	N08° 19' 41"E
C120	17.85	395.00	002°35'24"	17.85	S15° 40' 15"W
C121	0.77	395.00	000°06'44"	0.77	S45° 55' 38"E
C128	19.31	480.00	0021819"	19.31	S82° 05' 43"E
C129	12.56	480.00	001°29'56"	12.56	S80° 11' 36"E
C130	28.85	105.00	015*44'35"	28.76	S52° 39' 37"W
C131	164.29	1280.00	007*21'14"	164.17	S27° 47' 25"E
C132	88.69	5866.43	000°51'59"	88.69	N45° 06' 38"E
C134	112.69	245.00	026°21'14"	111.70	S57° 58' 09"W
C135	117.39	255.00	026°22'35"	116.36	N57° 57' 28"E
C136	431.46	635.00	038*55'49"	423.21	S64° 44′ 49″E
C137	54.98	35.00	090°00'00"	49.50	N38° 49' 22"W
C138	184.98	275.00	038*32'27"	181.52	S64° 33' 08"E
C139	290.06	430.00	038*38'59"	284.59	N25° 26' 42"E
C140	218.75	330.00	037°58'48"	214.77	S25° 06' 36"W
C141	53.95	57.50	053°45'25"	51.99	S71° 02' 24"E

GENERAL NOTES:

- 1. SUBDIVIDERS STATEMENT: SELLING A PORTION OF THIS ADDITION BY METES AND BOUNDS IS UNLAWFUL AND A VIOLATION OF THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL AND <u>CHAPTER 212, MUNICIPAL REGULATION OF SUBDIVISIONS AND PROPERTY DEVELOPMENT, OF THE TEXAS LOCAL GOVERNMENT CODE</u>, AND SHALL BE SUBJECT TO THE CITY OF ROCKWALL WITHHOLDING UTILITIES AND BUILDING PERMITS.
- 2. PUBLIC IMPROVEMENT STATEMENT: IT SHALL BE THE POLICY OF THE CITY OF ROCKWALL TO WITHOLD ISSUING BUILDINGS PERMITS UNTIL ALL STREETS, WATER, SEWER AND STORM DRAINAGE SYSTEMS HAVE BEEN ACCEPTED BY THE CITY. THE APPROVAL OF A SUBDIVISION PLAT BY THE CITY OF ROCKWALL DOES NOT CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE THAT ANY BUILDING WITHIN SUCH SUBDIVISION PLAT SHALL BE APPROVED, AUTHORIZED, OR PERMIT ISSUE, NOR SHALL SUCH APPROVAL CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE BY THE CITY OF ROCKWALL OF THE ADEQUACY AND AVAILABILITY FOR WATER AND SANITARY SEWER FOR PERSONAL USE AND FIRE PROTECTION WITHIN SUCH SUBDIVISION PLAT, AS REQUIRED UNDER THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL.
- 3. DRAINAGE AND DETENTION EASEMENTS: THE PROPERTY OWNER SHALL BE RESPONSIBLE FOR MAINTAINING, REPAIRING, AND REPLACING AND SHALL BEAR SOLE LIABILITY OF ALL SYSTEMS WITHIN THE DRAINAGE AND DETENTION EASEMENTS.
- 4. FIRE LANES: ALL FIRE LANES WILL BE CONSTRUCTED, MAINTAINED, REPAIRED AND REPLACED BY THE PROPERTY OWNER. FIRE LANES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE APPROVED CIVIL ENGINEERING PLANS FOR BOTH ON—SITE AND OFF—SITE FIRE LANE IMPROVEMENTS.
- 5. STREET APPURTENANCES: ALL DECORATIVE SIGNAGE, POSTS, OR LIGHTS INSTALLED IN PUBLIC RIGHT—OF—WAY SHALL BE INSTALLED, MAINTAINED, REPAIRED, AND REPLACED BY THE HOMEOWNER'S ASSOCIATION (HOA).
- 6. ALL LOT CORNERS MONUMENTED WITH A 1/2 INCH IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" (UNLESS OTHERWISE NOTED).
- 7. DETENTION POND IN LOT 2, BLOCK K TO BE MAINTAINED, REPAIRED, AND REPLACED BY HOA.

FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS, 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80
CITY OF ROCKWALL,
ROCKWALL COUNTY, TEXAS

P2025-XXX

July 16, 2025 SHEET 3 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:

Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924

Engin
Johnson V
704 Central Pa
Plano
Phone



LEGAL DESCRIPTION: 192.58 ACRES

BEING a tract of land situated in the W.W. FORD SURVEY, ABSTRACT NO. 80, Town of Rockwall, Rockwall County, Texas and being all of that tract of land described as Tract 1 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall County, Texas and being part of that tract of land described as Tract 2 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall, County, Texas and being all of that tract of land described in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5772, Page 219, Deed Records, Rockwall County, Texas and being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found in the southwest line of State Highway No. 205, a 120 foot right-of-way, for the common north corner of that tract of land described as Parcel 79 Part 2 in Deed to The State of Texas, as recorded in Document No. 20220000001602, Deed Records, Rockwall County, Texas and east corner of that tract of land described in Deed to Dr. Mohiudin Zeb, Nasreen Zeb, as recorded in Volume 1059, Page 14, Deed Records, Rockwall, County, Texas;

THENCE Southeasterly, with said southwest line, the following five (5) courses and distances:

South 44 degrees 43 minutes 30 seconds West, a distance of 11.14 feet to a TxDOT monument found for the POINT OF BEGINNING of the tract of land herein described

- South 40 degrees 17 minutes 02 seconds East, a distance of 248.25 feet to a TxDOT monument found for corner; South 45 degrees 53 minutes 03 seconds East, a distance of 143.27 feet to a TxDOT monument found for corner;
- North 44 degrees 06 minutes 57 seconds East, a distance of 34.82 feet to a TxDOT monument found for corner;
- South 45 degrees 48 minutes 12 seconds East, a distance of 251.74 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 40 degrees 46 minutes 30 seconds West, leaving said southwest line, a distance of 226.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 08 degrees 04 minutes 07 seconds East, a distance of 95.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 34 minutes 32 seconds East, a distance of 193.98 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 59 degrees 38 minutes 00 seconds East, a distance of 43.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 18 degrees 50 minutes 22 seconds East, a distance of 105.44 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 29 degrees 46 minutes 44 seconds West, a distance of 172.85 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 02 degrees 56 minutes 27 seconds West, a distance of 161.51 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 80 degrees 51 minutes 56 seconds West, a distance of 185.26 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 06 minutes 41 seconds West, a distance of 222.47 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 26 degrees 52 minutes 08 seconds West, a distance of 103.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 24 degrees 27 minutes 12 seconds West, a distance of 160.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 59 minutes 00 seconds East, a distance of 197.45 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 64 degrees 40 minutes 56 seconds West, a distance of 232.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 06 degrees 10 minutes 38 seconds West, a distance of 93.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 57 degrees 01 minutes 02 seconds East, a distance of 257.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 13 degrees 07 minutes 25 seconds East, a distance of 432.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 11 degrees 49 minutes 50 seconds West, a distance of 829.30 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 37 minutes 46 seconds East, a distance of 266.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 45 degrees 05 minutes 45 seconds West, a distance of 1,104.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 45 degrees 20 minutes 38 seconds West, with the southwest line of said Tract 1, a distance of 315.37 feet to a 1/2 inch iron rod with a yellow plastic cap found for the east corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE South 44 degrees 05 minutes 31 seconds West, leaving said southwest line, a distance of 690.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the south corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 32 degrees 39 minutes 25 seconds West, a distance of 680.55 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the west corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 62 degrees 15 minutes 39 seconds East, a distance of 110.73 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219:

THENCE North 61 degrees 56 minutes 23 seconds East, a distance of 43.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 45 degrees 09 minutes 15 seconds East, a distance of 393.74 feet to a 1/2 inch iron rod with a yellow plastic cap found in the southwest line of the above mentioned Tract 1;

THENCE North 45 degrees 15 minutes 38 seconds West, a distance of 598.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner at the beginning of a Boundary Line Agreement, as recorded in Volume 4715, Page 230 (Document No. 2006-00361312), Deed Records, Rockwall County, Texas;

THENCE Northwesterly, with said Boundary Line Agreement, the following six (6) courses and distances:

North 44 degrees 04 minutes 30 seconds West, a distance of 436.95 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 48 degrees 39 minutes 02 seconds West, a distance of 237.14 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 39 degrees 59 minutes 19 seconds West, a distance of 184.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner;

North 44 degrees 51 minutes 58 seconds West, a distance of 244.71 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner; South 44 degrees 53 minutes 18 seconds West, a distance of 13.39 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner in the west line of said Tract 1;

THENCE Northwesterly, with said west line, the following three (3) courses and distances:

North 45 degrees 16 minutes 15 seconds West, a distance of 259.63 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner the common south corner of that tract of land described in Deed to Bret A. Wilson and Leslie Wilson, as recorded in Volume 1327, Page 212, Deed Records, Rockwall, County, Texas and an exterior ell corner of said Tract 1;

North 44 degrees 44 minutes 29 seconds East, a distance of 467.61 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the common east corner of said Bret A. Wilson and Leslie Wilson tract and an interior ell corner of said Tract 1;

North 31 degrees 29 minutes 46 seconds West, passing at a distance of 486.24 feet a 1/2 inch iron rod found for the common north corner of said Bret A. Wilson and Leslie Wilson tract and east corner of that tract of land described in Deed to Bobby Dale Price and wife, Bretta Jean Price, as recorded in Volume 1028, Page 142, Deed Records, Rockwall County, Texas, and continuing in all for a total distance of 857.83 feet to a point in the southeast line of Farm to Market Road No. 548, a variable width right-of-way, from which point a 1/2 inch iron rod found bears South 31 degrees 29 minutes 46 seconds East, 0.80 feet, said point being at the beginning of a non-tangent curve to the left having a central angle of 01 degrees 12 minutes 54 seconds, a radius of 5,796.43 feet and a chord bearing and distance of North 45 degrees 17 minutes 02 seconds East, 122.92 feet;

THENCE Northeasterly, with said southeast line, the following three (3) courses and distances:

Northeasterly, with said curve to the left, an arc distance of 122.93 feet to a concrete pedestal monument found for corner;

North 44 degrees 52 minutes 16 seconds East, a distance of 304.20 feet to an "X" found in concrete for the common north corner of said Tract 1 and most westerly northwest corner of said Tract 2;

North 44 degrees 50 minutes 38 seconds East, passing at a distance of 375.47 feet a concrete pedestal monument found, and continuing in all for a total distance of 398.43 feet to a 1/2 inch iron rod found for the common west corner of that tract of land described in Deed to Cody A. Barrick and Carrie L. Barrick, as recorded in Volume 6167, Page 67, Deed Records, Rockwall County, Texas and most northerly northwest corner of said Trat 2;

THENCE South 45 degrees 15 minutes 03 seconds East, leaving said southeast line, a distance of 995.00 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common

south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 89 degrees 17 minutes 48 seconds East, a distance of 20.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 44 degrees 48 minutes 03 seconds East, a distance of 524.11 feet to a 1/2 inch iron rod found for the common east corner of said Cody A. Barrick and Carrie L. Barrick tract and south corner of that tract of land described in Deed to James Kessler and Angela Kessler, as recorded in Document No. 20180000020020, Deed Records, Rockwall County, Texas;

THENCE North 44 degrees 50 minutes 31 seconds East, a distance of 538.74 feet to a 1/2 inch iron rod found for the east corner of said James Kessler and Angela Kessler tract;

THENCE North 44 degrees 31 minutes 54 seconds East, a distance of 541.29 feet to a 1/2 inch iron rod found for the south corner of the above mentioned Dr. Mohiudin Zeb, Nasreen Zeb tract;

THENCE North 44 degrees 43 minutes 30 seconds East, a distance of 595.13 feet to the POINT OF BEGINNING and containing 192.580 acres of land, more or less.

OWNER'S CERTIFICATION:

NOW THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

STATE OF TEXAS \$
COUNTY OF ROCKWALL \$

I (we) the undersigned owner(s) of the land shown on this plat, and designated herein as the SOUTHSIDE HILLS—PH 1 subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever any streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the SOUTHSIDE HILLS—PH 1 subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following:

- 1. No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.
- 2. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of there respective system without the necessity of, at any time, procuring the permission of anyone.
- 3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision.
- 4. The developer and subdivision engineer shall bear total responsibility for storm drain improvements.
- 5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development
- 6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm sewers, and alleys all according to the specifications of the City of Rockwall; or

Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay the same out of the escrow deposit, should the developer and/or owner fail to refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which shall be fixed by the city council of the City of Rockwall.

I (we) further acknowledge that the dedications and/or exactions made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of exactions made herein.

Property Owner Signature

STATE OF TEXAS §
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this ___ day of _____, 2025.

Notary public in and for the State of Texas

STATE OF TEXAS §
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this ___ day of _____, 2025.

Notary public in and for the State of Texas

My Commission Expires

My Commission Expires

Owner/Applicant:
Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924

Engineer/Surveyor:
Johnson Volk Consulting, Inc.
704 Central Parkway East, Suite. 1200
Plano, Texas 75074
Phone: 972-201-3100
Contact: Tom Dayton, PE

SURVEYOR'S CERTIFICATE:

NOW, THEREFORE KNOW ALL MEN BY THESE PRESENTS::

THAT I, Ryan S. Reynolds, do hereby certify that I prepared this plat from an actual and accurate survey of the land, and that the corner monuments shown thereon were properly placed under my personal supervision.

RYAN S. REYNOLDS, R.P.L.S.

Texas Registered Professional Land Surveyor No. 6385.

APPROVED:

I hereby certify that the above and forgoing subdivision plat — being an addition to the City of Rockwall, Texas — was approved by the City Council of the City of Rockwall on ___ day of _____, 2025.

MAYOR OF THE CITY OF ROCKWALL

PLANNING AND ZONING COMMISSION CHAIRMAN

CITY SECRETARY

CITY ENGINEER

FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS , 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN
W.W. FORD SURVEY, ABSTRACT NO. 80
CITY OF ROCKWALL,
ROCKWALL COUNTY, TEXAS
P2025-XXX

July 16, 2025 SHEET 4 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10





DEVELOPMENT APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

TAFF	USE	ON	.y -


PLANNING & ZONING CASE NO.

<u>NOTE:</u> THE APPLICATION IS NOT CONSIDERED ACCEPTED BY THE CITY UNTIL THE PLANNING DIRECTOR AND CITY ENGINEER HAVE SIGNED BELOW.

DIRECTOR OF PLANNING:

CITY ENGINEER:

PLEASE CHECK THE	APPROPRIATE BOX BELOW TO	INDICATE THE TYPE OF	DEVELOPMENT REQ	UEST (SELECT ONLY	ONE BOX]:
☐ PRELIMINARY F FINAL PLAT (\$30.0 ☐ REPLAT (\$300.0 ☐ AMENDING OR ☐ PLAT REINSTAT SITE PLAN APPLIC ☐ SITE PLAN (\$250	(\$100.00 + \$15.00 ACRE) 1 PLAT (\$200.00 + \$15.00 ACRE) 1 00.00 + \$20.00 ACRE) 1 00 + \$20.00 ACRE) 1 MINOR PLAT (\$150.00) TEMENT REQUEST (\$100.00)	PING PLAN (\$100.00)	☐ SPECIFIC USE ☐ PD DEVELOP! OTHER APPLICA ☐ TREE REMOV. ☐ VARIANCE RE NOTES: □: IN DETERMINING THE PER ACRE AMOUNT. FE □: A \$1,000.00 FEE WI	NGE (\$200.00 + \$15.00 E PERMIT (\$200.00 + \$ MENT PLANS (\$200.00 TION FEES: AL (\$75.00) QUEST/SPECIAL EXO OR REQUESTS ON LESS TH/ LL BE ADDED TO THE AP	\$15.00 ACRE) 1 8 2
PROPERTY INFO	RMATION [PLEASE PRINT]				
ADDRESS	5565 Hwy FM 549	Rockwall, TX			
SUBDIVISION				LOT	BLOCK
GENERAL LOCATION	West of SH 205 &	South of FM 54	9		
ZONING. SITE PL	AN AND PLATTING INF	ORMATION (PLEASE	PRINT]		
CURRENT ZONING			CURRENT USE	۸۵	
PROPOSED ZONING			PROPOSED USE	Ag Single Far	nily
ACREAGE		LOTS [CURRENT]	. 0	-	DPOSED] 284 sf, 6 OS, 1 Lift Station 1 Park & 1 Amenity Center = 293 Lots Total
REGARD TO ITS A	PLATS: BY CHECKING THIS BOY APPROVAL PROCESS, AND FAILUE ENIAL OF YOUR CASE.	(YOU ACKNOWLEDGE TH RE TO ADDRESS ANY OF S	AT DUE TO THE PASSA TAFF'S COMMENTS BY T	GE OF <u>HB3167</u> THE CI THE DATE PROVIDED C	TY NO LONGER HAS FLEXIBILITY WITH IN THE DEVELOPMENT CALENDAR WILL
OWNER/APPLICA	ANT/AGENT INFORMAT	ION (PLEASE PRINT/CHE	CK THE PRIMARY CONT.	ACT/ORIGINAL SIGNAT	URES ARE REQUIRED]
■ OWNER	CCD - Rockwall LL		APPLICANT	Same	
CONTACT PERSON	Jason Wight		CONTACT PERSON		
ADDRESS			ADDRESS		
CITY, STATE & ZIP			CITY, STATE & ZIP		
PHONE			PHONE		
E-MAIL			E-MAIL		
NOTARY VERIFIC BEFORE ME, THE UNDER STATED THE INFORMATION	CATION [REQUIRED] ISIGNED AUTHORITY, ON THIS DA' ON ON THIS APPLICATION TO BE T	Y PERSONALLY APPEARED TRUE AND CERTIFIED THE R	Jason W	sight	[OWNER] THE UNDERSIGNED, WHO
NFORMATION CONTAINED	. TO COVER THE COST	FOF THIS APPLICATION, HAS THIS APPLICATION, I AGREE HE PUBLIC. THE CITY IS I HER REPRODUCTION IS ASSOC	BEEN PAID TO THE CITY (THAT THE CITY OF ROC ALSO AUTHORIZED AND	OF ROCKWALL ON THIS I KWALL (I.E. "CITY") IS AL PERMITTED TO DEPRO	JTHORIZED AND PERMITTED TO PROVIDE
	OWNER'S SIGNATURE	J WAS	2 / -	W. T.	May 27, 2026
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	selenda L	akai	MY COMMISSIO	ON EXPIRES 5-27-2006






City of Rockwall
Planning & Zoning Department
385 S. Goliad Street
Rockwall, Texas 75087
(P): (972) 771-7745
(W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.


2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS
SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

Owner/Applicant: Corson Cramer Development Dallas, Texas 75206 Phone: 214-734-5924


Engineer/Surveyor: Johnson Volk Consulting, Inc. 4925 Greenville Ave, Ste. 604 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE



TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033 704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100



- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.



KEY MAP

SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B; LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D; LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F; LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H; LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J; LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L; LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O; 192.58 ACRES OR 8,388,777.55 SF 284 SINGLE FAMILY LOTS, 6 OPEN SPACES, 1 LIFT STATION, 1 PARK & 1 AMENITY CENTER SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80 CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS

P2025-XXX

July 17, 2025 SHEET 2 OF 4

EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:
Corson Cramer Development 4925 Greenville Ave, Ste. 604 Dallas, Texas 75206 Phone: 214-734-5924



Line Table			
Line	Length	Direction	
LITE L1	2.73		
		S45° 07' 01"E	
L2	1.85	S45° 07' 01"E	
L3	14.32	N45° 12' 40"W	
L4	46.44	S59° 52′ 38″W	
L5	47.23	S60° 29′ 40″W	
L6	25.00	N45° 12' 40"W	
L7	108.02	N83° 14' 53"W	
L8	17.35	S14° 42' 23"E	
L9	55.15	S75° 51' 12"E	
L10	35.94	S17° 01' 57"W	
L14	56.80	N43° 55' 12"E	
L15	26.33	S86° 40' 44"W	
L16	23.00	S45° 42' 01"E	
L26	16.11	N45° 12' 40"W	
L27	14.32	N45° 12' 40"W	
L28	5.34	S45° 12' 40"E	
L29	11.19	S59° 52' 38"W	
L30	11.01	S59° 52' 38"W	
L31	11.64	S44° 47' 20"W	
L32	13.10	S44° 44' 25"E	
L33	11.69	S44° 47′ 20″W	
L34	13.46	S44° 54′ 48″E	
L35	10.73	S6° 06' 32"W	
L36	4.32	S6° 06' 32"W	
L37	15.99	N43° 45′ 48″E	
L38	21.17	S43° 55' 12"W	
L41	1.19	S60° 29' 40"W	
L42	1.19	S60° 29' 40"W	
L43	13.30	N83° 49' 22"W	
L44	137.50	N44° 52' 16"E	
L45	25.58	N44° 52' 16"E	
L50	10.73	N6° 06′ 32″E	
L52	57.83	N44° 05' 31"E	
L52	57.83	N44° 05' 31"E	
154	135.10	C45° 00' 15"W	

L54 | 135.19 | S45° 09' 15"W L55 | 5.43 | S45° 15' 38"E L56 | 73.77 | S48° 39' 02"E

	Line	Table
Line	Length	Direction
L57	45.30	S48° 39' 02"
L58	6.32	N44° 47′ 20″
L59	12.86	S83° 53' 28"
L60	17.88	N74° 44' 50"
L61	25.00	S45° 42' 01"I
L62	25.00	S45° 42' 01"I
L63	12.51	S45° 59' 00"
L64	51.74	N84° 36' 03"

Curve Table				
Length	Radius	Delta	Chord Length	Chord Bearing
165.95	330.00	028°48'47"	164.21	N30° 48' 17"W
165.93	330.00	028*48'35"	164.19	S30° 48' 11"E
219.10	330.00	038°02'24"	215.09	S64° 13′ 41″E
659.33	375.00	100°44'18"	577.63	N46° 22' 58"E
146.74	400.00	021°01'08"	145.92	S06° 31′ 23″W
625.58	930.00	038°32'27"	613.85	S64° 33' 08"E
45.20	325.00	007°58'09"	45.17	N79° 50' 17"W
55.91	35.00	091°31'18"	50.15	N30° 05' 33"W
117.86	670.00	010*04'44"	117.71	S88° 17' 15"E
44.48	35.00	072°48'42"	41.55	S81° 11' 41"W
185.25	225.00	047'10'23"	180.06	N17° 28' 40"W
551.69	830.00	038*05'02"	541.59	N25° 09' 03"E
81.74	225.00	020°48'54"	81.29	N04° 17' 55"W
358.73	540.00	038*03'46"	352.17	N25° 08' 25"E
166.08	250.00	038°03'46"	163.04	N25* 08' 25"E
156.70	250.00	035*54'47"	154.15	N62* 44' 44"E
68.53	250.00	015*42'20"	68.31	S52° 38′ 30″W
65.83	250.00	015°05'18"	65.64	N52° 19' 59"E
54.98	35.00	090°00'00"	49.50	S00° 12' 40"E
153.32	250.00	035*08'19"	150.93	N27° 38' 30"W
393.00	945.00	023°49'39"	390.17	S21° 59' 11"E
179.69	250.00	041°10'54"	175.85	N13° 18' 33"W
226.99	250.00	052*01'19"	219.27	S18° 43' 45"E
106.12	250.00	024°19'17"	105.33	N32° 34' 46"W
106.88	250.00	024*29'41"	106.07	S32° 39' 58"E
54.98	35.00	089*59'46"	49.50	S89° 54' 41"E
54.98	35.00	090°00'14"	49.50	N00° 05' 19"E
82.89	500.00	009*29'54"	82.79	S88° 34' 19"E
123.93	150.00	047*20'16"	120.44	N69° 39' 08"W
242.63	500.00	027*48'13"	240.26	S30° 01' 05"W
304.35	625.00	027*54'01"	301.35	N30° 03' 59"E
54.98	35.00	090°00'00"	49.50	S00° 59' 00"E
55.15	35.00	09016'59"	49.62	N00° 50' 31"W
358.57	325.00		340.66	S13° 34' 02"W
213.84	350.00	035°00'20"	210.53	N00° 32' 13"W
274.67	250.00	062°56'57"	261.06	S14° 30' 32"E
227.42	625.00	020°50'55"	226.17	S72° 49' 25"E
89.32	57.50	089°00'13"	80.61	N89° 42' 46"W
117.24	57.50	116°49'16"	97.96	S43° 11' 00"W
3.89	57.50	003*52'18"	3.88	N76° 28' 13"W
20.58	50.00	023*34'41"	20.43	S10° 45' 59"W
20.73	225.00	005*16'42"	20.72	N12° 42' 42"W
22.36	920.00	001°23'33"	22.36	S33° 12' 14"E
5.03	275.00	001°02'50"	5.03	N45° 18' 45"E
15.83	275.00	003°17'54"	15.83	S43° 05' 28"E
34.13	225.00	008*41'29"	34.10	N40° 23' 40"W
23.30	225.00	005°55'57"	23.29	S41° 56' 50"E
l				
60.63	50.00	069°28'27"	56.98	N71° 36' 56"E
60.63	50.00	069°28′27″	21.94	N24° 12' 21"E
	165.95 165.93 1219.10 659.33 146.74 625.58 45.20 55.91 117.86 44.48 185.25 551.69 81.74 358.73 166.08 156.70 68.53 65.83 65.83 54.98 179.69 226.99 106.12 106.12 106.88 54.98 123.93 1242.63 154.98 54.98 123.93 1242.63 54.98 123.93 1242.63	Length Radius 165.95 330.00 219.10 330.00 659.33 375.00 146.74 400.00 625.58 930.00 45.20 325.00 55.91 35.00 117.86 670.00 44.48 35.00 551.69 830.00 551.69 830.00 358.73 540.00 156.70 250.00 68.53 250.00 54.98 35.00 153.32 250.00 54.98 35.00 106.12 250.00 106.12 250.00 226.99 250.00 106.12 250.00 242.63 35.00 242.63 35.00 242.63 35.00 25.15 35.00 20.49 250.00 25.15 35.00 20.73 25.00 20.73 25.00 20.74 25.00	Beading Delta 165.95 330.00 028'48'37" 165.93 330.00 038'02'24" 659.33 375.00 100'44'18" 146.74 400.00 021'01'08" 625.58 930.00 038'32'27" 45.20 325.00 007'58'09" 55.91 35.00 091'31'18" 117.86 670.00 1010'04'44" 44.48 35.00 072'48'42" 185.25 225.00 047'10'23" 551.69 830.00 038'05'02" 81.74 225.00 047'10'23" 551.69 830.00 038'03'46" 166.08 250.00 038'03'46" 156.70 250.00 035'54'47" 68.53 250.00 015'05'18" 54.98 35.00 090'00'00" 153.32 250.00 035'08'19" 179.69 250.00 023'49'39" 179.69 250.00 024'19'17" 106.82 250.00 024'19'14"	LengthRadiusDeltaChength165.93330.00028'48'37"164.19165.93330.00038'02'24"215.09659.33375.00100'44'18"577.63146.74400.00021'01'08"145.92625.58930.00038'32'27"613.8545.20325.00007'58'09"45.1755.9135.0009'13'1'18"50.15117.86670.0010'0'4'4"117.7144.4835.00072'48'42"41.55185.25225.00047'10'23"180.06551.69830.00038'03'46"352.17166.08250.00038'03'46"163.04156.70250.00038'03'46"163.04156.70250.00035'54'47"154.1568.53250.00015'42'20"68.3154.9835.00015'05'18"65.6454.9835.00023'49'39"390.17179.69250.00023'49'39"390.17179.69250.00024'19'17"105.33106.12250.00024'19'17"105.33106.88250.00024'19'17"105.3354.9835.00090'00'14"49.5054.9835.00090'00'14"49.5054.9835.00090'00'14"49.5055.1535.00027'26'10"301.3554.9835.00090'00'14"49.5055.1535.00090'00'00"49.5055.1535.00

GENERAL NOTES:

- 1. ALL LOT CORNERS MONUMENTED WITH A 1/2" IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" UNLESS OTHERWISE NOTED.
- 2. ALL UTILITY EASEMENTS AND DRAINAGE EASEMENTS WITHIN THIS PLATTED PROPERTY ARE CREATED BY THIS PLAT, UNLESS OTHERWISE NOTED. ALL OPEN SPACE LOTS ARE UTILITY, DRAINAGE AND ACCESS EASEMENTS.
- 3. BASIS OF BEARING AND COORDINATES SHOWN HEREON REFER TO "TEXAS STATE PLANE COORDINATE SYSTEM, NORTH CENTRAL ZONE (4202), NORTH AMERICAN DATUM OF 1983 ON GRID COORDINATE VALUES.
- 4. LOCATION OF 1% ANNUAL FLOOD CHANCE SHOWN PER JOHNSON VOLK FLOOD STUDY DATED MARCH, 2025.
- 5. LOTS ADJACENT TO FLOODPLAIN SHALL HAVE A MINIMUM FINISHED FLOOR ELEVATION 2' ABOVE THE 100-YR WSEL.
- 6. OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.

GENERAL	NOTES:

- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.

Curve Table					
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing
C71	62.06	50.00	071 ° 07 ' 15"	58.16	N29° 14' 03"E
C72	28.13	50.00	032*14'23"	27.76	N22* 26' 46"W
C73	34.82	50.00	039*54'17"	34.12	N58° 31' 06"W
C74	34.86	805.00	002*28'52"	34.86	N07° 20' 58"E
C75	12.08	695.00	000*59'46"	12.08	N47° 23' 13"E
C76	63.68	50.00	072*58'29"	59.46	N02* 24' 55"E
C91	38.76	300.00	007°24'07"	38.73	N47° 43' 03"E
C92	38.76	300.00	007°24'07"	38.73	S47° 43' 03"W
C94	32.13	50.00	036 ° 49'16"	31.58	S68° 58' 57"E
C96	42.93	375.00	006°33'34"	42.91	N14° 45' 36"W
C97	18.99	375.00	002°54'03"	18.98	N10° 01' 48"W
C98	17.69	175.00	005°47'25"	17.68	N48° 52' 43"W
C99	12.43	275.00	002°35'24"	12.43	S15° 40' 15"W
C100	13.84	225.00	003°31'23"	13.83	S44° 13' 19"E
C101	0.77	275.00	000°09'40"	0.77	S45° 54' 10"E
C104	19.90	250.00	004°33'36"	19.89	N03° 49' 44"E
C105	33.50	565.00	003°23'49"	33.49	N07° 48' 26"E
C106	112.51	57.50	112°06'20"	95.40	N49° 56' 38"W
C107	23.49	50.00	026°54'50"	23.27	S34° 41' 22"W
C108	57.20	50.00	065°33'03"	54.13	S80° 55' 18"W
C109	23.87	50.00	027°21'04"	23.64	N52* 37' 38"W
C111	99.60	225.00	025°21'43"	98.79	S32° 03' 33"E
C112	3.59	275.00	000°44'55"	3.59	S06° 54' 26"W
C113	15.06	360.00	002°23'50"	15.06	S46° 24' 24"E
C114	14.48	360.00	0021819"	14.48	S82° 05' 43"E
C115	103.33	360.00	016*26'46"	102.98	S36° 59' 05"E
C116	28.52	50.00	032°40'34"	28.13	N53° 12' 07"W
C117	44.29	50.00	050°44'52"	42.85	N11° 29' 24"W
C118	11.84	205.00	003°18'30"	11.84	N16° 23' 08"W
C119	61.81	205.00	017°16'32"	61.58	N08° 19' 41"E
C120	17.85	395.00	002°35'24"	17.85	S15° 40' 15"W
C121	0.77	395.00	000°06'44"	0.77	S45° 55' 38"E
C128	19.31	480.00	0021819"	19.31	S82° 05' 43"E
C129	12.56	480.00	001°29'56"	12.56	S80° 11' 36"E
C130	28.85	105.00	015*44'35"	28.76	S52° 39' 37"W
C131	164.29	1280.00	007*21'14"	164.17	S27° 47' 25"E
C132	88.69	5866.43	000°51'59"	88.69	N45° 06' 38"E
C134	112.69	245.00	026°21'14"	111.70	S57° 58' 09"W
C135	117.39	255.00	026°22'35"	116.36	N57° 57' 28"E
C136	431.46	635.00	038*55'49"	423.21	S64° 44′ 49″E
C137	54.98	35.00	090°00'00"	49.50	N38° 49' 22"W
C138	184.98	275.00	038*32'27"	181.52	S64° 33' 08"E
C139	290.06	430.00	038*38'59"	284.59	N25° 26' 42"E
C140	218.75	330.00	037°58'48"	214.77	S25° 06' 36"W
C141	53.95	57.50	053°45'25"	51.99	S71° 02' 24"E

GENERAL NOTES:

- 1. SUBDIVIDERS STATEMENT: SELLING A PORTION OF THIS ADDITION BY METES AND BOUNDS IS UNLAWFUL AND A VIOLATION OF THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL AND <u>CHAPTER 212, MUNICIPAL REGULATION OF SUBDIVISIONS AND PROPERTY DEVELOPMENT, OF THE TEXAS LOCAL GOVERNMENT CODE</u>, AND SHALL BE SUBJECT TO THE CITY OF ROCKWALL WITHHOLDING UTILITIES AND BUILDING PERMITS.
- 2. PUBLIC IMPROVEMENT STATEMENT: IT SHALL BE THE POLICY OF THE CITY OF ROCKWALL TO WITHOLD ISSUING BUILDINGS PERMITS UNTIL ALL STREETS, WATER, SEWER AND STORM DRAINAGE SYSTEMS HAVE BEEN ACCEPTED BY THE CITY. THE APPROVAL OF A SUBDIVISION PLAT BY THE CITY OF ROCKWALL DOES NOT CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE THAT ANY BUILDING WITHIN SUCH SUBDIVISION PLAT SHALL BE APPROVED, AUTHORIZED, OR PERMIT ISSUE, NOR SHALL SUCH APPROVAL CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE BY THE CITY OF ROCKWALL OF THE ADEQUACY AND AVAILABILITY FOR WATER AND SANITARY SEWER FOR PERSONAL USE AND FIRE PROTECTION WITHIN SUCH SUBDIVISION PLAT, AS REQUIRED UNDER THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL.
- 3. DRAINAGE AND DETENTION EASEMENTS: THE PROPERTY OWNER SHALL BE RESPONSIBLE FOR MAINTAINING, REPAIRING, AND REPLACING AND SHALL BEAR SOLE LIABILITY OF ALL SYSTEMS WITHIN THE DRAINAGE AND DETENTION EASEMENTS.
- 4. FIRE LANES: ALL FIRE LANES WILL BE CONSTRUCTED, MAINTAINED, REPAIRED AND REPLACED BY THE PROPERTY OWNER. FIRE LANES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE APPROVED CIVIL ENGINEERING PLANS FOR BOTH ON—SITE AND OFF—SITE FIRE LANE IMPROVEMENTS.
- 5. STREET APPURTENANCES: ALL DECORATIVE SIGNAGE, POSTS, OR LIGHTS INSTALLED IN PUBLIC RIGHT—OF—WAY SHALL BE INSTALLED, MAINTAINED, REPAIRED, AND REPLACED BY THE HOMEOWNER'S ASSOCIATION (HOA).
- 6. ALL LOT CORNERS MONUMENTED WITH A 1/2 INCH IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" (UNLESS OTHERWISE NOTED).
- 7. DETENTION POND IN LOT 2, BLOCK K TO BE MAINTAINED, REPAIRED, AND REPLACED BY HOA.

FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS, 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80
CITY OF ROCKWALL,
ROCKWALL COUNTY, TEXAS

P2025-XXX

July 16, 2025 SHEET 3 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:

Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924

Engin
Johnson V
704 Central Pa
Plano
Phone



LEGAL DESCRIPTION: 192.58 ACRES

BEING a tract of land situated in the W.W. FORD SURVEY, ABSTRACT NO. 80, Town of Rockwall, Rockwall County, Texas and being all of that tract of land described as Tract 1 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall County, Texas and being part of that tract of land described as Tract 2 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall, County, Texas and being all of that tract of land described in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5772, Page 219, Deed Records, Rockwall County, Texas and being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found in the southwest line of State Highway No. 205, a 120 foot right-of-way, for the common north corner of that tract of land described as Parcel 79 Part 2 in Deed to The State of Texas, as recorded in Document No. 20220000001602, Deed Records, Rockwall County, Texas and east corner of that tract of land described in Deed to Dr. Mohiudin Zeb, Nasreen Zeb, as recorded in Volume 1059, Page 14, Deed Records, Rockwall, County, Texas;

THENCE Southeasterly, with said southwest line, the following five (5) courses and distances:

South 44 degrees 43 minutes 30 seconds West, a distance of 11.14 feet to a TxDOT monument found for the POINT OF BEGINNING of the tract of land herein described

- South 40 degrees 17 minutes 02 seconds East, a distance of 248.25 feet to a TxDOT monument found for corner; South 45 degrees 53 minutes 03 seconds East, a distance of 143.27 feet to a TxDOT monument found for corner;
- North 44 degrees 06 minutes 57 seconds East, a distance of 34.82 feet to a TxDOT monument found for corner;
- South 45 degrees 48 minutes 12 seconds East, a distance of 251.74 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 40 degrees 46 minutes 30 seconds West, leaving said southwest line, a distance of 226.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 08 degrees 04 minutes 07 seconds East, a distance of 95.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 34 minutes 32 seconds East, a distance of 193.98 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 59 degrees 38 minutes 00 seconds East, a distance of 43.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 18 degrees 50 minutes 22 seconds East, a distance of 105.44 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 29 degrees 46 minutes 44 seconds West, a distance of 172.85 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 02 degrees 56 minutes 27 seconds West, a distance of 161.51 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 80 degrees 51 minutes 56 seconds West, a distance of 185.26 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 06 minutes 41 seconds West, a distance of 222.47 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 26 degrees 52 minutes 08 seconds West, a distance of 103.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 24 degrees 27 minutes 12 seconds West, a distance of 160.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 59 minutes 00 seconds East, a distance of 197.45 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 64 degrees 40 minutes 56 seconds West, a distance of 232.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 06 degrees 10 minutes 38 seconds West, a distance of 93.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 57 degrees 01 minutes 02 seconds East, a distance of 257.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 13 degrees 07 minutes 25 seconds East, a distance of 432.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 11 degrees 49 minutes 50 seconds West, a distance of 829.30 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 37 minutes 46 seconds East, a distance of 266.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 45 degrees 05 minutes 45 seconds West, a distance of 1,104.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 45 degrees 20 minutes 38 seconds West, with the southwest line of said Tract 1, a distance of 315.37 feet to a 1/2 inch iron rod with a yellow plastic cap found for the east corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE South 44 degrees 05 minutes 31 seconds West, leaving said southwest line, a distance of 690.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the south corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 32 degrees 39 minutes 25 seconds West, a distance of 680.55 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the west corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 62 degrees 15 minutes 39 seconds East, a distance of 110.73 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219:

THENCE North 61 degrees 56 minutes 23 seconds East, a distance of 43.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 45 degrees 09 minutes 15 seconds East, a distance of 393.74 feet to a 1/2 inch iron rod with a yellow plastic cap found in the southwest line of the above mentioned Tract 1;

THENCE North 45 degrees 15 minutes 38 seconds West, a distance of 598.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner at the beginning of a Boundary Line Agreement, as recorded in Volume 4715, Page 230 (Document No. 2006-00361312), Deed Records, Rockwall County, Texas;

THENCE Northwesterly, with said Boundary Line Agreement, the following six (6) courses and distances:

North 44 degrees 04 minutes 30 seconds West, a distance of 436.95 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 48 degrees 39 minutes 02 seconds West, a distance of 237.14 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 39 degrees 59 minutes 19 seconds West, a distance of 184.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner;

North 44 degrees 51 minutes 58 seconds West, a distance of 244.71 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner; South 44 degrees 53 minutes 18 seconds West, a distance of 13.39 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner in the west line of said Tract 1;

THENCE Northwesterly, with said west line, the following three (3) courses and distances:

North 45 degrees 16 minutes 15 seconds West, a distance of 259.63 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner the common south corner of that tract of land described in Deed to Bret A. Wilson and Leslie Wilson, as recorded in Volume 1327, Page 212, Deed Records, Rockwall, County, Texas and an exterior ell corner of said Tract 1;

North 44 degrees 44 minutes 29 seconds East, a distance of 467.61 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the common east corner of said Bret A. Wilson and Leslie Wilson tract and an interior ell corner of said Tract 1;

North 31 degrees 29 minutes 46 seconds West, passing at a distance of 486.24 feet a 1/2 inch iron rod found for the common north corner of said Bret A. Wilson and Leslie Wilson tract and east corner of that tract of land described in Deed to Bobby Dale Price and wife, Bretta Jean Price, as recorded in Volume 1028, Page 142, Deed Records, Rockwall County, Texas, and continuing in all for a total distance of 857.83 feet to a point in the southeast line of Farm to Market Road No. 548, a variable width right-of-way, from which point a 1/2 inch iron rod found bears South 31 degrees 29 minutes 46 seconds East, 0.80 feet, said point being at the beginning of a non-tangent curve to the left having a central angle of 01 degrees 12 minutes 54 seconds, a radius of 5,796.43 feet and a chord bearing and distance of North 45 degrees 17 minutes 02 seconds East, 122.92 feet;

THENCE Northeasterly, with said southeast line, the following three (3) courses and distances:

Northeasterly, with said curve to the left, an arc distance of 122.93 feet to a concrete pedestal monument found for corner;

North 44 degrees 52 minutes 16 seconds East, a distance of 304.20 feet to an "X" found in concrete for the common north corner of said Tract 1 and most westerly northwest corner of said Tract 2;

North 44 degrees 50 minutes 38 seconds East, passing at a distance of 375.47 feet a concrete pedestal monument found, and continuing in all for a total distance of 398.43 feet to a 1/2 inch iron rod found for the common west corner of that tract of land described in Deed to Cody A. Barrick and Carrie L. Barrick, as recorded in Volume 6167, Page 67, Deed Records, Rockwall County, Texas and most northerly northwest corner of said Trat 2;

THENCE South 45 degrees 15 minutes 03 seconds East, leaving said southeast line, a distance of 995.00 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common

south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 89 degrees 17 minutes 48 seconds East, a distance of 20.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 44 degrees 48 minutes 03 seconds East, a distance of 524.11 feet to a 1/2 inch iron rod found for the common east corner of said Cody A. Barrick and Carrie L. Barrick tract and south corner of that tract of land described in Deed to James Kessler and Angela Kessler, as recorded in Document No. 20180000020020, Deed Records, Rockwall County, Texas;

THENCE North 44 degrees 50 minutes 31 seconds East, a distance of 538.74 feet to a 1/2 inch iron rod found for the east corner of said James Kessler and Angela Kessler tract;

THENCE North 44 degrees 31 minutes 54 seconds East, a distance of 541.29 feet to a 1/2 inch iron rod found for the south corner of the above mentioned Dr. Mohiudin Zeb, Nasreen Zeb tract;

THENCE North 44 degrees 43 minutes 30 seconds East, a distance of 595.13 feet to the POINT OF BEGINNING and containing 192.580 acres of land, more or less.

OWNER'S CERTIFICATION:

NOW THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

STATE OF TEXAS \$
COUNTY OF ROCKWALL \$

I (we) the undersigned owner(s) of the land shown on this plat, and designated herein as the SOUTHSIDE HILLS—PH 1 subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever any streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the SOUTHSIDE HILLS—PH 1 subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following:

- 1. No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.
- 2. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of there respective system without the necessity of, at any time, procuring the permission of anyone.
- 3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision.
- 4. The developer and subdivision engineer shall bear total responsibility for storm drain improvements.
- 5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development
- 6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm sewers, and alleys all according to the specifications of the City of Rockwall; or

Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay the same out of the escrow deposit, should the developer and/or owner fail to refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which shall be fixed by the city council of the City of Rockwall.

I (we) further acknowledge that the dedications and/or exactions made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of exactions made herein.

Property Owner Signature

STATE OF TEXAS §
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this ___ day of _____, 2025.

Notary public in and for the State of Texas

STATE OF TEXAS §
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this ___ day of _____, 2025.

Notary public in and for the State of Texas

My Commission Expires

My Commission Expires

Owner/Applicant:
Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924

Engineer/Surveyor:
Johnson Volk Consulting, Inc.
704 Central Parkway East, Suite. 1200
Plano, Texas 75074
Phone: 972-201-3100
Contact: Tom Dayton, PE

SURVEYOR'S CERTIFICATE:

NOW, THEREFORE KNOW ALL MEN BY THESE PRESENTS::

THAT I, Ryan S. Reynolds, do hereby certify that I prepared this plat from an actual and accurate survey of the land, and that the corner monuments shown thereon were properly placed under my personal supervision.

RYAN S. REYNOLDS, R.P.L.S.

Texas Registered Professional Land Surveyor No. 6385.

APPROVED:

I hereby certify that the above and forgoing subdivision plat — being an addition to the City of Rockwall, Texas — was approved by the City Council of the City of Rockwall on ___ day of _____, 2025.

MAYOR OF THE CITY OF ROCKWALL

PLANNING AND ZONING COMMISSION CHAIRMAN

CITY SECRETARY

CITY ENGINEER


FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS , 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN
W.W. FORD SURVEY, ABSTRACT NO. 80
CITY OF ROCKWALL,
ROCKWALL COUNTY, TEXAS
P2025-XXX

July 16, 2025 SHEET 4 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10



PROJECT COMMENTS



DATE: 8/22/2025

PROJECT NUMBER: P2025-028

PROJECT NAME: Final Plat for Southside Hills PH 1

SITE ADDRESS/LOCATIONS: 5565 South Farm to Market 549, Rockwall, TX, 75032

CASE CAPTION: Discuss and consider a request by Brian Cramer of CCD – Rockwall, LLC for the approval of a Final Plat for Phase 1 of the

Southside Hills Subdivision consisting of 284 single-family residential lots on a 262.94-acre tract of land identified as Tracts 17-13, 17-14, 17-15, 17-16, & 40-8 of the W. W. Ford Survey, Abstract No. 80, City of Rockwall, Rockwall County, Texas, zoned Planned Development District 99 (PD-99) for Single-Family 10 (SF-10) and limited General Retail (GR) District land uses, located on the east

side of SH-205 [S. Goliad Street] south of the intersection of SH-205 and FM-549, and take any action necessary.

DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
PLANNING	Henry Lee	08/22/2025	Needs Review	

08/22/2025: Please address the following comments (M= Mandatory Comments; I = Informational Comments)

- I.1 This is a request for the approval of a Final Plat for Phase 1 of the Southside Hills Subdivision consisting of 284 single-family residential lots on a 262.94-acre tract of land identified as Tracts 17-13, 17-14, 17-15, 17-16, & 40-8 of the W. W. Ford Survey, Abstract No. 80, City of Rockwall, Rockwall County, Texas, zoned Planned Development District 99 (PD-99) for Single-Family 10 (SF-10) and limited General Retail (GR) District land uses, located on the east side of SH-205 [S. Goliad Street] south of the intersection of SH-205 and FM-549.
- 1.2 For guestions or comments concerning this case please contact Henry Lee in the Planning Department at (972) 772-6434 or email hlee@rockwall.com.
- M.3 For reference, include the case number (P2025-028) in the lower right-hand corner of all pages on future submittals. (Chapter 38.7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)
- M.4 Please add the lot callout and square footage for Lot 14, Block D. (Chapter 38.7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)
- M.5 Please label the City Limit line. (Chapter 38.7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)
- M.6 There appears to be only one (1) needed signature for the Owner's Dedication. If this is the case, then only one (1) notary is required. A notary for the surveyor's seal is not required, as the seal serves this purpose. (Chapter 38.7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)
- M.7 Keystone lots are required to have a side yard setback equal to the front yard setback on the lot they back to. Please correct the plat to reflect this. (Chapter 38.7, Subdivision and Platting Procedures, of the Municipal Code of Ordinances)
- I.8 Staff has identified the aforementioned items necessary to continue the submittal process. Please make all revisions and corrections and return to staff as soon as possible for a subsequent review prior to approval.
- 1.9 The projected meeting dates for this case are as follows:

Planning and Zoning Commission: August 26, 2025 & September 9, 2025

Parks Board: September 3, 2025 City Council: September 15, 2025

- I.10 Please note that once the Final Plat has been approved by the Planning and Zoning Commission and City Council, the case will be considered to be conditionally approved pending all of staff's comments from all City Departments and any applicable conditions of approval contained in staff's case memo are addressed prior to the subdivision plat being filed.
- I.11 All meetings will be held at 6:00 PM in the City Council Chambers at 385 S. Goliad Street, Rockwall, Texas 75087. Please note that the applicant or a representative will need to be present for the case to be considered by the planning and zoning commission or city council.

DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT
ENGINEERING	Madelyn Price	08/22/2025	Approved w/ Comments

08/22/2025: 1. Need to label the 10' utility easement along every frontage

2. Floodplain and erosion hazard setback to be within a drainage easement with an additional 20' outside.

REVIEWER

- 3. 10' U.E.
- 4. Are these parking space lines? remove from plat. Not approved.
- 5. List pond 100yr WSEL. Need bearings and distances for detention easement too.
- 6. There is not an easement here.
- 7. Need to add 10' access easement for City and NTMWD only
- 8. Where is C142?

DELAKTIVIENT	INCUICATION	DATE OF REVIEW	STATUS OF TRUSTECT	
BUILDING	Craig Foshee	08/21/2025	Approved	
No Comments				
DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
FIRE	Ariana Kistner	08/18/2025	Approved	
No Comments				
DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
GIS	Lance Singleton	08/18/2025	Approved w/ Comments	

DATE OF REVIEW

STATUS OF PROJECT

08/18/2025: Please change Rock Wren Court to Rock Wren Dr since it crosses another roadway. Typically a Court (Ct)or cul-de-sac is not interrupted by a through roadway.

Also please submit Cad (.dwg) of lot lines and street centerlines so addressing can begin.


DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT	
POLICE	Chris Cleveland	08/18/2025	Approved	
No Comments				

DEPARTMENT	REVIEWER	DATE OF REVIEW	STATUS OF PROJECT
PARKS	Travis Sales	08/18/2025	Approved w/ Comments

08/18/2025: Park Land Dedication Fee

Cash in Lieu of Land: \$996.38 x 284 lots = \$\$282,971.92 Pro Rata Equipment: \$851.45 x 284 lots = \$241,811.80

Total Fees: \$1847.33 x 284 lots = \$524,641.72




2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

Corson Cramer Development Dallas, Texas 75206 Phone: 214-734-5924


Engineer/Surveyor: Johnson Volk Consulting, Inc. 4925 Greenville Ave, Ste. 604 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE



TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033 704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100



- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.



KEY MAP

SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B; LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D; LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F; LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H; LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J; LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L; LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O; 192.58 ACRES OR 8,388,777.55 SF 284 SINGLE FAMILY LOTS, 6 OPEN SPACES, 1 LIFT STATION, 1 PARK & 1 AMENITY CENTER SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80 CITY OF ROCKWALL,

ROCKWALL COUNTY, TEXAS P2025-XXX

July 17, 2025 SHEET 2 OF 4

EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:
Corson Cramer Development 4925 Greenville Ave, Ste. 604 Dallas, Texas 75206 Phone: 214-734-5924



	line	Table
Line	Length	Direction
LITE L1	2.73	
		S45° 07' 01"E
L2	1.85	S45° 07' 01"E
L3	14.32	N45° 12' 40"W
L4	46.44	S59° 52′ 38″W
L5	47.23	S60° 29′ 40″W
L6	25.00	N45° 12' 40"W
L7	108.02	N83° 14' 53"W
L8	17.35	S14° 42' 23"E
L9	55.15	S75° 51' 12"E
L10	35.94	S17° 01' 57"W
L14	56.80	N43° 55' 12"E
L15	26.33	S86° 40' 44"W
L16	23.00	S45° 42' 01"E
L26	16.11	N45° 12' 40"W
L27	14.32	N45° 12' 40"W
L28	5.34	S45° 12' 40"E
L29	11.19	S59° 52' 38"W
L30	11.01	S59° 52' 38"W
L31	11.64	S44° 47' 20"W
L32	13.10	S44° 44' 25"E
L33	11.69	S44° 47′ 20″W
L34	13.46	S44° 54′ 48″E
L35	10.73	S6° 06' 32"W
L36	4.32	S6° 06' 32"W
L37	15.99	N43° 45′ 48″E
L38	21.17	S43° 55' 12"W
L41	1.19	S60° 29' 40"W
L42	1.19	S60° 29' 40"W
L43	13.30	N83° 49' 22"W
L44	137.50	N44° 52' 16"E
L45	25.58	N44° 52' 16"E
L50	10.73	N6° 06′ 32″E
L52	57.83	N44° 05' 31"E
L52	57.83	N44° 05' 31"E
154	135.10	C45° 00' 15"W

L54 | 135.19 | S45° 09' 15"W L55 | 5.43 | S45° 15' 38"E L56 | 73.77 | S48° 39' 02"E

_			
		Line	Table
Γ	Line	Length	Direction
	L57	45.30	S48° 39' 02"
Γ	L58	6.32	N44° 47′ 20″
Γ	L59	12.86	S83° 53' 28"
	L60	17.88	N74° 44' 50"
	L61	25.00	S45° 42′ 01″
	L62	25.00	S45° 42' 01"
	L63	12.51	S45° 59' 00"
	L64	51.74	N84° 36' 03"

	Curve Table				
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing
C7	165.95	330.00	028°48'47"	164.21	N30° 48' 17"W
C8	165.93	330.00	028*48'35"	164.19	S30° 48' 11"E
С9	219.10	330.00	038°02'24"	215.09	S64° 13′ 41″E
C10	659.33	375.00	100°44'18"	577.63	N46° 22' 58"E
C11	146.74	400.00	021°01'08"	145.92	S06° 31' 23"W
C18	625.58	930.00	038*32'27"	613.85	S64° 33' 08"E
C19	45.20	325.00	007*58'09"	45.17	N79° 50' 17"W
C20	55.91	35.00	091*31'18"	50.15	N30° 05' 33"W
C21	117.86	670.00	010°04'44"	117.71	S88° 17' 15"E
C22	44.48	35.00	072°48'42"	41.55	S81° 11' 41"W
C23	185.25	225.00	047*10'23"	180.06	N17° 28' 40"W
C24	551.69	830.00	038°05'02"	541.59	N25° 09' 03"E
C25	81.74	225.00	020°48'54"	81.29	NO4° 17' 55"W
C26	358.73	540.00	038°03'46"	352.17	N25° 08' 25"E
C27	166.08	250.00	038°03'46"	163.04	N25° 08' 25"E
C28	156.70	250.00	035*54'47"	154.15	N62° 44' 44"E
C29	68.53	250.00	015*42'20"	68.31	S52° 38′ 30″W
C30	65.83	250.00	015*05'18"	65.64	N52° 19' 59"E
C31	54.98	35.00	090°00'00"	49.50	S00° 12' 40"E
C32	153.32	250.00	035*08'19"	150.93	N27° 38′ 30″W
C33	393.00	945.00	023°49'39"	390.17	S21° 59' 11"E
C34	179.69	250.00	041°10'54"	175.85	N13° 18' 33"W
C35	226.99	250.00	052*01'19"	219.27	S18° 43' 45"E
C36	106.12	250.00	024°19'17"	105.33	N32° 34′ 46″W
C37	106.88	250.00	024*29'41"	106.07	S32° 39' 58"E
C38	54.98	35.00	089*59'46"	49.50	S89° 54' 41"E
C39	54.98	35.00	090°00'14"	49.50	N00° 05' 19"E
C40	82.89	500.00	009°29'54"	82.79	S88° 34' 19"E
C41	123.93	150.00	047*20'16"	120.44	N69° 39' 08"W
C42	242.63	500.00	027*48'13"	240.26	S30° 01' 05"W
C43	304.35	625.00	027*54'01"	301.35	N30° 03' 59"E
C44	54.98	35.00	090°00'00"	49.50	S00° 59' 00"E
C45	55.15	35.00	09016'59"	49.62	N00° 50' 31"W
C46	358.57	325.00	063°12'51"	340.66	S13° 34' 02"W
C47	213.84	350.00	035°00'20"	210.53	N00° 32' 13"W
C48	274.67	250.00	062°56'57"	261.06	S14° 30′ 32″E
C49	227.42	625.00	020°50'55"	226.17	S72° 49' 25"E
C53	89.32	57.50	089°00'13"	80.61	N89° 42' 46"W
C54	117.24	57.50	116°49'16"	97.96	S43° 11' 00"W
C55	3.89	57.50	003*52'18"	3.88	N76° 28' 13"W
C56	20.58	50.00	023*34'41"	20.43	S10° 45' 59"W
C57	20.73	225.00	00516'42"	20.72	N12° 42' 42"W
C58	22.36	920.00	001°23'33"	22.36	S33° 12' 14"E
C59	5.03	275.00	001°02'50"	5.03	N45° 18' 45"E
C60	15.83	275.00	003°17'54"	15.83	S43° 05' 28"E
C62	34.13	225.00	008*41'29"	34.10	N40° 23' 40"W
C64	23.30	225.00	005°55'57"	23.29	S41° 56' 50"E
C68	60.63	50.00	069°28'27"	56.98	N71° 36' 56"E
C69	22.12	50.00	025°20'43"	21.94	N24° 12' 21"E
C70	12.09	50.00	013°51'11"	12.06	N71° 43' 17"E

C76	63.68	50.00	072*58'29"	59.46	N02° 24' 55"E
C91	38.76	300.00	007*24'07"	38.73	N47° 43' 03"E
C92	38.76	300.00	007*24'07"	38.73	S47° 43' 03"W
C94	32.13	50.00	036*49'16"	31.58	S68° 58' 57"E
C96	42.93	375.00	006°33'34"	42.91	N14° 45' 36"W
C97	18.99	375.00	002°54'03"	18.98	N10° 01' 48"W
C98	17.69	175.00	005*47'25"	17.68	N48° 52' 43"W
C99	12.43	275.00	002°35'24"	12.43	S15° 40' 15"W
C100	13.84	225.00	003*31'23"	13.83	S44° 13' 19"E
C101	0.77	275.00	000°09'40"	0.77	S45° 54' 10"E
C104	19.90	250.00	004°33'36"	19.89	N03° 49' 44"E
C105	33.50	565.00	003°23'49"	33.49	N07° 48' 26"E
C106	112.51	57.50	112°06'20"	95.40	N49° 56' 38"W
C107	23.49	50.00	026°54'50"	23.27	S34° 41' 22"W
C108	57.20	50.00	065*33'03"	54.13	S80° 55' 18"W
C109	23.87	50.00	027*21'04"	23.64	N52° 37' 38"W
C111	99.60	225.00	025*21'43"	98.79	S32° 03' 33"E
C112	3.59	275.00	000°44'55"	3.59	S06° 54' 26"W
C113	15.06	360.00	002°23'50"	15.06	S46° 24' 24"E
C114	14.48	360.00	002*18'19"	14.48	S82° 05' 43"E
C115	103.33	360.00	016*26'46"	102.98	S36° 59' 05"E
C116	28.52	50.00	032°40'34"	28.13	N53° 12' 07"W
C117	44.29	50.00	050°44'52"	42.85	N11° 29' 24"W
C118	11.84	205.00	003°18'30"	11.84	N16° 23' 08"W
C119	61.81	205.00	017°16'32"	61.58	N08° 19' 41"E
C120	17.85	395.00	002°35'24"	17.85	S15° 40' 15"W
C121	0.77	395.00	000°06'44"	0.77	S45° 55' 38"E
C128	19.31	480.00	002*18'19"	19.31	S82° 05' 43"E
C129	12.56	480.00	001°29'56"	12.56	S80° 11' 36"E
C130	28.85	105.00	015*44'35"	28.76	S52° 39' 37"W
C131	164.29	1280.00	007°21'14"	164.17	S27° 47' 25"E
C132	88.69	5866.43	000°51'59"	88.69	N45° 06' 38"E
C134	112.69	245.00	026°21'14"	111.70	S57° 58' 09"W
C135	117.39	255.00	026°22'35"	116.36	N57° 57' 28"E
C136	431.46	635.00	038*55'49"	423.21	S64° 44′ 49″E
C137	54.98	35.00	090°00'00"	49.50	N38° 49' 22"W
C138	184.98	275.00	038°32'27"	181.52	S64° 33' 08"E
C139	290.06	430.00	038*38'59"	284.59	N25° 26′ 42″E
C140	218.75	330.00	037*58'48"	214.77	S25° 06' 36"W
C141	53.95	57.50	053°45'25"	51.99	S71° 02' 24"E

Curve Table

C71 | 62.06 | 50.00 | 071°07'15" | 58.16 | N29° 14' 03"E

C72 | 28.13 | 50.00 | 032°14'23" | 27.76 | N22° 26' 46"W

C73 | 34.82 | 50.00 | 039°54'17" | 34.12 | N58° 31' 06"W

C74 | 34.86 | 805.00 | 002°28'52" | 34.86 | N07° 20' 58"E

C75 | 12.08 | 695.00 | 000°59'46" | 12.08 | N47° 23' 13"E

Chord Chord Bearing

Length

Curve Length Radius

Where is C142?

GENERAL NOTES:

- 1. ALL LOT CORNERS MONUMENTED WITH A 1/2" IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" UNLESS OTHERWISE NOTED.
- 2. ALL UTILITY EASEMENTS AND DRAINAGE EASEMENTS WITHIN THIS PLATTED PROPERTY ARE CREATED BY THIS PLAT, UNLESS OTHERWISE NOTED. ALL OPEN SPACE LOTS ARE UTILITY, DRAINAGE AND ACCESS EASEMENTS.
- 3. BASIS OF BEARING AND COORDINATES SHOWN HEREON REFER TO "TEXAS STATE PLANE COORDINATE SYSTEM, NORTH CENTRAL ZONE (4202), NORTH AMERICAN DATUM OF 1983 ON GRID COORDINATE VALUES.
- 4. LOCATION OF 1% ANNUAL FLOOD CHANCE SHOWN PER JOHNSON VOLK FLOOD STUDY DATED MARCH, 2025.
- 5. LOTS ADJACENT TO FLOODPLAIN SHALL HAVE A MINIMUM FINISHED FLOOR ELEVATION 2' ABOVE THE 100-YR WSEL.
- 6. OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.

GENERAL NOTES:

- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

Owner/Applicant: Corson Cramer Development 4925 Greenville Ave, Ste. 604 Dallas, Texas 75206 Phone: 214-734-5924

Engineer/Surveyor: Johnson Volk Consulting, Inc. 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE

GENERAL NOTES:

- 1. SUBDIVIDERS STATEMENT: SELLING A PORTION OF THIS ADDITION BY METES AND BOUNDS IS UNLAWFUL AND A VIOLATION OF THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL AND CHAPTER 212, MUNICIPAL REGULATION OF SUBDIVISIONS AND PROPERTY DEVELOPMENT, OF THE TEXAS LOCAL GOVERNMENT CODE, AND SHALL BE SUBJECT TO THE CITY OF ROCKWALL WITHHOLDING UTILITIES AND BUILDING PERMITS.
- 2. PUBLIC IMPROVEMENT STATEMENT: IT SHALL BE THE POLICY OF THE CITY OF ROCKWALL TO WITHHOLD ISSUING BUILDINGS PERMITS UNTIL ALL STREETS, WATER, SEWER AND STORM DRAINAGE SYSTEMS HAVE BEEN ACCEPTED BY THE CITY. THE APPROVAL OF A SUBDIVISION PLAT BY THE CITY OF ROCKWALL DOES NOT CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE THAT ANY BUILDING WITHIN SUCH SUBDIVISION PLAT SHALL BE APPROVED, AUTHORIZED, OR PERMIT ISSUE, NOR SHALL SUCH APPROVAL CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE BY THE CITY OF ROCKWALL OF THE ADEQUACY AND AVAILABILITY FOR WATER AND SANITARY SEWER FOR PERSONAL USE AND FIRE PROTECTION WITHIN SUCH SUBDIVISION PLAT, AS REQUIRED UNDER THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL.
- 3. DRAINAGE AND DETENTION EASEMENTS: THE PROPERTY OWNER SHALL BE RESPONSIBLE FOR MAINTAINING, REPAIRING, AND REPLACING AND SHALL BEAR SOLE LIABILITY OF ALL SYSTEMS WITHIN THE DRAINAGE AND DETENTION EASEMENTS.
- 4. FIRE LANES: ALL FIRE LANES WILL BE CONSTRUCTED, MAINTAINED, REPAIRED AND REPLACED BY THE PROPERTY OWNER. FIRE LANES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE APPROVED CIVIL ENGINEERING PLANS FOR BOTH ON-SITE AND OFF-SITE FIRE LANE IMPROVEMENTS.
- 5. STREET APPURTENANCES: ALL DECORATIVE SIGNAGE, POSTS, OR LIGHTS INSTALLED IN PUBLIC RIGHT-OF-WAY SHALL BE INSTALLED, MAINTAINED, REPAIRED, AND REPLACED BY THE HOMEOWNER'S ASSOCIATION (HOA).
- 6. ALL LOT CORNERS MONUMENTED WITH A 1/2 INCH IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" (UNLESS OTHERWISE NOTED).
- 7. DETENTION POND IN LOT 2, BLOCK K TO BE MAINTAINED, REPAIRED, AND REPLACED BY HOA.

FINAL PLAT **SOUTHSIDE HILLS-PH 1**

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B; LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D; LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F; LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H; LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J; LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L; LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O; 192.58 ACRES OR 8,388,777.55 SF 284 SINGLE FAMILY LOTS, 6 OPEN SPACES, 1 LIFT STATION, 1 PARK & 1 AMENITY CENTER SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80 CITY OF ROCKWALL **ROCKWALL COUNTY, TEXAS**

P2025-XXX

July 16, 2025 SHEET 3 OF 4

EXIST. ZONING: PD-99 LAND USE: SF-10 & C





DEVELOPMENT APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

TAFF	USE	ON	.y -


PLANNING & ZONING CASE NO.

<u>NOTE:</u> THE APPLICATION IS NOT CONSIDERED ACCEPTED BY THE CITY UNTIL THE PLANNING DIRECTOR AND CITY ENGINEER HAVE SIGNED BELOW.

DIRECTOR OF PLANNING:

CITY ENGINEER:

PLEASE CHECK THE	APPROPRIATE BOX BELOW TO	INDICATE THE TYPE OF	DEVELOPMENT REQ	UEST (SELECT ONLY	ONE BOX]:
☐ PRELIMINARY F FINAL PLAT (\$30.0 ☐ REPLAT (\$300.0 ☐ AMENDING OR ☐ PLAT REINSTAT SITE PLAN APPLIC ☐ SITE PLAN (\$250	(\$100.00 + \$15.00 ACRE) 1 PLAT (\$200.00 + \$15.00 ACRE) 1 00.00 + \$20.00 ACRE) 1 00 + \$20.00 ACRE) 1 MINOR PLAT (\$150.00) TEMENT REQUEST (\$100.00)	PING PLAN (\$100.00)	☐ SPECIFIC USE ☐ PD DEVELOP! OTHER APPLICA ☐ TREE REMOV. ☐ VARIANCE RE NOTES: □: IN DETERMINING THE PER ACRE AMOUNT. FE □: A \$1,000.00 FEE WI	NGE (\$200.00 + \$15.00 E PERMIT (\$200.00 + \$ MENT PLANS (\$200.00 TION FEES: AL (\$75.00) QUEST/SPECIAL EXO OR REQUESTS ON LESS TH/ LL BE ADDED TO THE AP	\$15.00 ACRE) 1 8 2
PROPERTY INFO	RMATION [PLEASE PRINT]				
ADDRESS	5565 Hwy FM 549	Rockwall, TX			
SUBDIVISION				LOT	BLOCK
GENERAL LOCATION	West of SH 205 &	South of FM 54	9		
ZONING. SITE PL	AN AND PLATTING INF	ORMATION (PLEASE	PRINT]		
CURRENT ZONING			CURRENT USE	۸۵	
PROPOSED ZONING			PROPOSED USE	Ag Single Far	nily
ACREAGE		LOTS [CURRENT]	. 0	-	DPOSED] 284 sf, 6 OS, 1 Lift Station 1 Park & 1 Amenity Center = 293 Lots Total
REGARD TO ITS A	PLATS: BY CHECKING THIS BOY APPROVAL PROCESS, AND FAILUE ENIAL OF YOUR CASE.	(YOU ACKNOWLEDGE TH RE TO ADDRESS ANY OF S	AT DUE TO THE PASSA TAFF'S COMMENTS BY T	GE OF <u>HB3167</u> THE CI THE DATE PROVIDED C	TY NO LONGER HAS FLEXIBILITY WITH IN THE DEVELOPMENT CALENDAR WILL
OWNER/APPLICA	ANT/AGENT INFORMAT	ION (PLEASE PRINT/CHE	CK THE PRIMARY CONT.	ACT/ORIGINAL SIGNAT	URES ARE REQUIRED]
■ OWNER	CCD - Rockwall LL		APPLICANT	Same	
CONTACT PERSON	Jason Wight		CONTACT PERSON		
ADDRESS			ADDRESS		
CITY, STATE & ZIP			CITY, STATE & ZIP		
PHONE			PHONE		
E-MAIL			E-MAIL		
NOTARY VERIFIC BEFORE ME, THE UNDER STATED THE INFORMATION	CATION [REQUIRED] ISIGNED AUTHORITY, ON THIS DA' ON ON THIS APPLICATION TO BE T	Y PERSONALLY APPEARED TRUE AND CERTIFIED THE R	Jason W	sight	[OWNER] THE UNDERSIGNED, WHO
NFORMATION CONTAINED	. TO COVER THE COST	FOF THIS APPLICATION, HAS THIS APPLICATION, I AGREE HE PUBLIC. THE CITY IS I HER REPRODUCTION IS ASSOC	BEEN PAID TO THE CITY (THAT THE CITY OF ROC ALSO AUTHORIZED AND	OF ROCKWALL ON THIS I KWALL (I.E. "CITY") IS AL PERMITTED TO DEPRO	JTHORIZED AND PERMITTED TO PROVIDE
	OWNER'S SIGNATURE	J WAS	2 / -	W. T.	May 27, 2026
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	selenda L	akai	MY COMMISSIO	ON EXPIRES 5-27-2006






City of Rockwall
Planning & Zoning Department
385 S. Goliad Street
Rockwall, Texas 75087
(P): (972) 771-7745
(W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.


2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS
SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

Owner/Applicant: Corson Cramer Development Dallas, Texas 75206 Phone: 214-734-5924


Engineer/Surveyor: Johnson Volk Consulting, Inc. 4925 Greenville Ave, Ste. 604 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE



TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033 704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100



- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.



KEY MAP

SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B; LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D; LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F; LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H; LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J; LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L; LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O; 192.58 ACRES OR 8,388,777.55 SF 284 SINGLE FAMILY LOTS, 6 OPEN SPACES, 1 LIFT STATION, 1 PARK & 1 AMENITY CENTER SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80 CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS

P2025-XXX

July 17, 2025 SHEET 2 OF 4

EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:
Corson Cramer Development 4925 Greenville Ave, Ste. 604 Dallas, Texas 75206 Phone: 214-734-5924



	line	Table
Line	Length	Direction
LITE L1	2.73	
		S45° 07' 01"E
L2	1.85	S45° 07' 01"E
L3	14.32	N45° 12' 40"W
L4	46.44	S59° 52′ 38″W
L5	47.23	S60° 29′ 40″W
L6	25.00	N45° 12' 40"W
L7	108.02	N83° 14' 53"W
L8	17.35	S14° 42' 23"E
L9	55.15	S75° 51' 12"E
L10	35.94	S17° 01' 57"W
L14	56.80	N43° 55' 12"E
L15	26.33	S86° 40' 44"W
L16	23.00	S45° 42' 01"E
L26	16.11	N45° 12' 40"W
L27	14.32	N45° 12' 40"W
L28	5.34	S45° 12' 40"E
L29	11.19	S59° 52' 38"W
L30	11.01	S59° 52' 38"W
L31	11.64	S44° 47' 20"W
L32	13.10	S44° 44' 25"E
L33	11.69	S44° 47′ 20″W
L34	13.46	S44° 54′ 48″E
L35	10.73	S6° 06' 32"W
L36	4.32	S6° 06' 32"W
L37	15.99	N43° 45′ 48″E
L38	21.17	S43° 55' 12"W
L41	1.19	S60° 29' 40"W
L42	1.19	S60° 29' 40"W
L43	13.30	N83° 49' 22"W
L44	137.50	N44° 52' 16"E
L45	25.58	N44° 52' 16"E
L50	10.73	N6° 06′ 32″E
L52	57.83	N44° 05' 31"E
L52	57.83	N44° 05' 31"E
154	135.10	C45° 00' 15"W

L54 | 135.19 | S45° 09' 15"W L55 | 5.43 | S45° 15' 38"E L56 | 73.77 | S48° 39' 02"E

	Line	Table
Line	Length	Direction
L57	45.30	S48° 39' 02"
L58	6.32	N44° 47′ 20″
L59	12.86	S83° 53' 28"
L60	17.88	N74° 44' 50"
L61	25.00	S45° 42' 01"I
L62	25.00	S45° 42' 01"I
L63	12.51	S45° 59' 00"
L64	51.74	N84° 36' 03"

Curve Table					
Length	Radius	Delta	Chord Length	Chord Bearing	
165.95	330.00	028°48'47"	164.21	N30° 48' 17"W	
165.93	330.00	028*48'35"	164.19	S30° 48' 11"E	
219.10	330.00	038°02'24"	215.09	S64° 13′ 41″E	
659.33	375.00	100°44'18"	577.63	N46° 22' 58"E	
146.74	400.00	021°01'08"	145.92	S06° 31′ 23″W	
625.58	930.00	038°32'27"	613.85	S64° 33' 08"E	
45.20	325.00	007°58'09"	45.17	N79° 50' 17"W	
55.91	35.00	091°31'18"	50.15	N30° 05' 33"W	
117.86	670.00	010*04'44"	117.71	S88° 17' 15"E	
44.48	35.00	072°48'42"	41.55	S81° 11' 41"W	
185.25	225.00	047'10'23"	180.06	N17° 28' 40"W	
551.69	830.00	038*05'02"	541.59	N25° 09' 03"E	
81.74	225.00	020°48'54"	81.29	N04° 17' 55"W	
358.73	540.00	038*03'46"	352.17	N25° 08' 25"E	
166.08	250.00	038°03'46"	163.04	N25* 08' 25"E	
156.70	250.00	035*54'47"	154.15	N62* 44' 44"E	
68.53	250.00	015*42'20"	68.31	S52° 38′ 30″W	
65.83	250.00	015°05'18"	65.64	N52° 19' 59"E	
54.98	35.00	090°00'00"	49.50	S00° 12' 40"E	
153.32	250.00	035*08'19"	150.93	N27° 38' 30"W	
393.00	945.00	023°49'39"	390.17	S21° 59' 11"E	
179.69	250.00	041°10'54"	175.85	N13° 18' 33"W	
226.99	250.00	052*01'19"	219.27	S18° 43' 45"E	
106.12	250.00	024°19'17"	105.33	N32° 34' 46"W	
106.88	250.00	024*29'41"	106.07	S32° 39' 58"E	
54.98	35.00	089*59'46"	49.50	S89° 54' 41"E	
54.98	35.00	090°00'14"	49.50	N00° 05' 19"E	
82.89	500.00	009*29'54"	82.79	S88° 34' 19"E	
123.93	150.00	047*20'16"	120.44	N69° 39' 08"W	
242.63	500.00	027*48'13"	240.26	S30° 01' 05"W	
304.35	625.00	027*54'01"	301.35	N30° 03' 59"E	
54.98	35.00	090°00'00"	49.50	S00° 59' 00"E	
55.15	35.00	09016'59"	49.62	N00° 50' 31"W	
358.57	325.00		340.66	S13° 34' 02"W	
213.84	350.00	035°00'20"	210.53	N00° 32' 13"W	
274.67	250.00	062°56'57"	261.06	S14° 30' 32"E	
227.42	625.00	020°50'55"	226.17	S72° 49' 25"E	
89.32	57.50	089°00'13"	80.61	N89° 42' 46"W	
117.24	57.50	116°49'16"	97.96	S43° 11' 00"W	
3.89	57.50	003*52'18"	3.88	N76° 28' 13"W	
20.58	50.00	023*34'41"	20.43	S10° 45' 59"W	
20.73	225.00	005*16'42"	20.72	N12° 42' 42"W	
22.36	920.00	001°23'33"	22.36	S33° 12' 14"E	
5.03	275.00	001°02'50"	5.03	N45° 18' 45"E	
15.83	275.00	003°17'54"	15.83	S43° 05' 28"E	
34.13	225.00	008*41'29"	34.10	N40° 23' 40"W	
23.30	225.00	005°55'57"	23.29	S41° 56' 50"E	
l					
60.63	50.00	069°28'27"	56.98	N71° 36' 56"E	
60.63	50.00	069°28′27″	21.94	N24° 12' 21"E	
	165.95 165.93 1219.10 659.33 146.74 625.58 45.20 55.91 117.86 44.48 185.25 551.69 81.74 358.73 166.08 156.70 68.53 65.83 65.83 54.98 179.69 226.99 106.12 106.12 106.88 54.98 123.93 1242.63 154.98 54.98 123.93 1242.63 54.98 123.93 1242.63	Length Radius 165.95 330.00 219.10 330.00 659.33 375.00 146.74 400.00 625.58 930.00 45.20 325.00 55.91 35.00 117.86 670.00 44.48 35.00 551.69 830.00 551.69 830.00 358.73 540.00 156.70 250.00 68.53 250.00 54.98 35.00 153.32 250.00 54.98 35.00 106.12 250.00 106.12 250.00 226.99 250.00 106.12 250.00 242.63 35.00 242.63 35.00 242.63 35.00 25.15 35.00 20.49 250.00 25.15 35.00 20.73 25.00 20.73 25.00 20.74 25.00	Beading Delta 165.95 330.00 028'48'37" 165.93 330.00 038'02'24" 659.33 375.00 100'44'18" 146.74 400.00 021'01'08" 625.58 930.00 038'32'27" 45.20 325.00 007'58'09" 55.91 35.00 091'31'18" 117.86 670.00 1010'04'44" 44.48 35.00 072'48'42" 185.25 225.00 047'10'23" 551.69 830.00 038'05'02" 81.74 225.00 047'10'23" 551.69 830.00 038'03'46" 166.08 250.00 038'03'46" 156.70 250.00 035'54'47" 68.53 250.00 015'05'18" 54.98 35.00 090'00'00" 153.32 250.00 035'08'19" 179.69 250.00 023'49'39" 179.69 250.00 024'19'17" 106.82 250.00 024'19'14"	LengthRadiusDeltaChength165.93330.00028'48'37"164.19165.93330.00038'02'24"215.09659.33375.00100'44'18"577.63146.74400.00021'01'08"145.92625.58930.00038'32'27"613.8545.20325.00007'58'09"45.1755.9135.0009'13'1'18"50.15117.86670.0010'0'4'4"117.7144.4835.00072'48'42"41.55185.25225.00047'10'23"180.06551.69830.00038'03'46"352.17166.08250.00038'03'46"163.04156.70250.00038'03'46"163.04156.70250.00035'54'47"154.1568.53250.00015'42'20"68.3154.9835.00015'05'18"65.6454.9835.00023'49'39"390.17179.69250.00023'49'39"390.17179.69250.00024'19'17"105.33106.12250.00024'19'17"105.33106.88250.00024'19'17"105.3354.9835.00090'00'14"49.5054.9835.00090'00'14"49.5054.9835.00090'00'14"49.5055.1535.00027'26'10"301.3554.9835.00090'00'14"49.5055.1535.00090'00'00"49.5055.1535.00	

GENERAL NOTES:

- 1. ALL LOT CORNERS MONUMENTED WITH A 1/2" IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" UNLESS OTHERWISE NOTED.
- 2. ALL UTILITY EASEMENTS AND DRAINAGE EASEMENTS WITHIN THIS PLATTED PROPERTY ARE CREATED BY THIS PLAT, UNLESS OTHERWISE NOTED. ALL OPEN SPACE LOTS ARE UTILITY, DRAINAGE AND ACCESS EASEMENTS.
- 3. BASIS OF BEARING AND COORDINATES SHOWN HEREON REFER TO "TEXAS STATE PLANE COORDINATE SYSTEM, NORTH CENTRAL ZONE (4202), NORTH AMERICAN DATUM OF 1983 ON GRID COORDINATE VALUES.
- 4. LOCATION OF 1% ANNUAL FLOOD CHANCE SHOWN PER JOHNSON VOLK FLOOD STUDY DATED MARCH, 2025.
- 5. LOTS ADJACENT TO FLOODPLAIN SHALL HAVE A MINIMUM FINISHED FLOOR ELEVATION 2' ABOVE THE 100-YR WSEL.
- 6. OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.

GENERAL	NOTES:

- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.

Curve Table						
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing	
C71	62.06	50.00	071 ° 07 ' 15"	58.16	N29° 14' 03"E	
C72	28.13	50.00	032*14'23"	27.76	N22* 26' 46"W	
C73	34.82	50.00	039*54'17"	34.12	N58° 31' 06"W	
C74	34.86	805.00	002*28'52"	34.86	N07° 20' 58"E	
C75	12.08	695.00	000*59'46"	12.08	N47° 23' 13"E	
C76	63.68	50.00	072*58'29"	59.46	N02* 24' 55"E	
C91	38.76	300.00	007°24'07"	38.73	N47° 43' 03"E	
C92	38.76	300.00	007°24'07"	38.73	S47° 43' 03"W	
C94	32.13	50.00	036 ° 49'16"	31.58	S68° 58' 57"E	
C96	42.93	375.00	006°33'34"	42.91	N14° 45' 36"W	
C97	18.99	375.00	002°54'03"	18.98	N10° 01' 48"W	
C98	17.69	175.00	005°47'25"	17.68	N48° 52' 43"W	
C99	12.43	275.00	002°35'24"	12.43	S15° 40' 15"W	
C100	13.84	225.00	003°31'23"	13.83	S44° 13' 19"E	
C101	0.77	275.00	000°09'40"	0.77	S45° 54' 10"E	
C104	19.90	250.00	004°33'36"	19.89	N03° 49' 44"E	
C105	33.50	565.00	003°23'49"	33.49	N07° 48' 26"E	
C106	112.51	57.50	112°06'20"	95.40	N49° 56' 38"W	
C107	23.49	50.00	026°54'50"	23.27	S34° 41' 22"W	
C108	57.20	50.00	065°33'03"	54.13	S80° 55' 18"W	
C109	23.87	50.00	027°21'04"	23.64	N52* 37' 38"W	
C111	99.60	225.00	025°21'43"	98.79	S32° 03' 33"E	
C112	3.59	275.00	000°44'55"	3.59	S06° 54' 26"W	
C113	15.06	360.00	002°23'50"	15.06	S46° 24' 24"E	
C114	14.48	360.00	0021819"	14.48	S82° 05' 43"E	
C115	103.33	360.00	016*26'46"	102.98	S36° 59' 05"E	
C116	28.52	50.00	032°40'34"	28.13	N53° 12' 07"W	
C117	44.29	50.00	050°44'52"	42.85	N11° 29' 24"W	
C118	11.84	205.00	003°18'30"	11.84	N16° 23' 08"W	
C119	61.81	205.00	017°16'32"	61.58	N08° 19' 41"E	
C120	17.85	395.00	002°35'24"	17.85	S15° 40' 15"W	
C121	0.77	395.00	000°06'44"	0.77	S45° 55' 38"E	
C128	19.31	480.00	0021819"	19.31	S82° 05' 43"E	
C129	12.56	480.00	001°29'56"	12.56	S80° 11' 36"E	
C130	28.85	105.00	015*44'35"	28.76	S52° 39' 37"W	
C131	164.29	1280.00	007*21'14"	164.17	S27° 47' 25"E	
C132	88.69	5866.43	000°51'59"	88.69	N45° 06' 38"E	
C134	112.69	245.00	026°21'14"	111.70	S57° 58' 09"W	
C135	117.39	255.00	026°22'35"	116.36	N57° 57' 28"E	
C136	431.46	635.00	038*55'49"	423.21	S64° 44′ 49″E	
C137	54.98	35.00	090°00'00"	49.50	N38° 49' 22"W	
C138	184.98	275.00	038*32'27"	181.52	S64° 33' 08"E	
C139	290.06	430.00	038*38'59"	284.59	N25° 26' 42"E	
C140	218.75	330.00	037°58'48"	214.77	S25° 06' 36"W	
C141	53.95	57.50	053°45'25"	51.99	S71° 02' 24"E	

GENERAL NOTES:

- 1. SUBDIVIDERS STATEMENT: SELLING A PORTION OF THIS ADDITION BY METES AND BOUNDS IS UNLAWFUL AND A VIOLATION OF THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL AND <u>CHAPTER 212, MUNICIPAL REGULATION OF SUBDIVISIONS AND PROPERTY DEVELOPMENT, OF THE TEXAS LOCAL GOVERNMENT CODE</u>, AND SHALL BE SUBJECT TO THE CITY OF ROCKWALL WITHHOLDING UTILITIES AND BUILDING PERMITS.
- 2. PUBLIC IMPROVEMENT STATEMENT: IT SHALL BE THE POLICY OF THE CITY OF ROCKWALL TO WITHOLD ISSUING BUILDINGS PERMITS UNTIL ALL STREETS, WATER, SEWER AND STORM DRAINAGE SYSTEMS HAVE BEEN ACCEPTED BY THE CITY. THE APPROVAL OF A SUBDIVISION PLAT BY THE CITY OF ROCKWALL DOES NOT CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE THAT ANY BUILDING WITHIN SUCH SUBDIVISION PLAT SHALL BE APPROVED, AUTHORIZED, OR PERMIT ISSUE, NOR SHALL SUCH APPROVAL CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE BY THE CITY OF ROCKWALL OF THE ADEQUACY AND AVAILABILITY FOR WATER AND SANITARY SEWER FOR PERSONAL USE AND FIRE PROTECTION WITHIN SUCH SUBDIVISION PLAT, AS REQUIRED UNDER THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL.
- 3. DRAINAGE AND DETENTION EASEMENTS: THE PROPERTY OWNER SHALL BE RESPONSIBLE FOR MAINTAINING, REPAIRING, AND REPLACING AND SHALL BEAR SOLE LIABILITY OF ALL SYSTEMS WITHIN THE DRAINAGE AND DETENTION EASEMENTS.
- 4. FIRE LANES: ALL FIRE LANES WILL BE CONSTRUCTED, MAINTAINED, REPAIRED AND REPLACED BY THE PROPERTY OWNER. FIRE LANES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE APPROVED CIVIL ENGINEERING PLANS FOR BOTH ON—SITE AND OFF—SITE FIRE LANE IMPROVEMENTS.
- 5. STREET APPURTENANCES: ALL DECORATIVE SIGNAGE, POSTS, OR LIGHTS INSTALLED IN PUBLIC RIGHT—OF—WAY SHALL BE INSTALLED, MAINTAINED, REPAIRED, AND REPLACED BY THE HOMEOWNER'S ASSOCIATION (HOA).
- 6. ALL LOT CORNERS MONUMENTED WITH A 1/2 INCH IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" (UNLESS OTHERWISE NOTED).
- 7. DETENTION POND IN LOT 2, BLOCK K TO BE MAINTAINED, REPAIRED, AND REPLACED BY HOA.

FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS, 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80
CITY OF ROCKWALL,
ROCKWALL COUNTY, TEXAS

P2025-XXX

July 16, 2025 SHEET 3 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:

Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924

Engin
Johnson V
704 Central Pa
Plano
Phone



LEGAL DESCRIPTION: 192.58 ACRES

BEING a tract of land situated in the W.W. FORD SURVEY, ABSTRACT NO. 80, Town of Rockwall, Rockwall County, Texas and being all of that tract of land described as Tract 1 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall County, Texas and being part of that tract of land described as Tract 2 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall, County, Texas and being all of that tract of land described in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5772, Page 219, Deed Records, Rockwall County, Texas and being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found in the southwest line of State Highway No. 205, a 120 foot right-of-way, for the common north corner of that tract of land described as Parcel 79 Part 2 in Deed to The State of Texas, as recorded in Document No. 20220000001602, Deed Records, Rockwall County, Texas and east corner of that tract of land described in Deed to Dr. Mohiudin Zeb, Nasreen Zeb, as recorded in Volume 1059, Page 14, Deed Records, Rockwall, County, Texas;

THENCE Southeasterly, with said southwest line, the following five (5) courses and distances:

South 44 degrees 43 minutes 30 seconds West, a distance of 11.14 feet to a TxDOT monument found for the POINT OF BEGINNING of the tract of land herein described

- South 40 degrees 17 minutes 02 seconds East, a distance of 248.25 feet to a TxDOT monument found for corner; South 45 degrees 53 minutes 03 seconds East, a distance of 143.27 feet to a TxDOT monument found for corner;
- North 44 degrees 06 minutes 57 seconds East, a distance of 34.82 feet to a TxDOT monument found for corner;
- South 45 degrees 48 minutes 12 seconds East, a distance of 251.74 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 40 degrees 46 minutes 30 seconds West, leaving said southwest line, a distance of 226.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 08 degrees 04 minutes 07 seconds East, a distance of 95.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 34 minutes 32 seconds East, a distance of 193.98 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 59 degrees 38 minutes 00 seconds East, a distance of 43.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 18 degrees 50 minutes 22 seconds East, a distance of 105.44 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 29 degrees 46 minutes 44 seconds West, a distance of 172.85 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 02 degrees 56 minutes 27 seconds West, a distance of 161.51 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 80 degrees 51 minutes 56 seconds West, a distance of 185.26 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 06 minutes 41 seconds West, a distance of 222.47 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 26 degrees 52 minutes 08 seconds West, a distance of 103.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 24 degrees 27 minutes 12 seconds West, a distance of 160.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 59 minutes 00 seconds East, a distance of 197.45 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 64 degrees 40 minutes 56 seconds West, a distance of 232.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 06 degrees 10 minutes 38 seconds West, a distance of 93.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 57 degrees 01 minutes 02 seconds East, a distance of 257.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 13 degrees 07 minutes 25 seconds East, a distance of 432.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 11 degrees 49 minutes 50 seconds West, a distance of 829.30 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 37 minutes 46 seconds East, a distance of 266.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 45 degrees 05 minutes 45 seconds West, a distance of 1,104.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 45 degrees 20 minutes 38 seconds West, with the southwest line of said Tract 1, a distance of 315.37 feet to a 1/2 inch iron rod with a yellow plastic cap found for the east corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE South 44 degrees 05 minutes 31 seconds West, leaving said southwest line, a distance of 690.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the south corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 32 degrees 39 minutes 25 seconds West, a distance of 680.55 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the west corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 62 degrees 15 minutes 39 seconds East, a distance of 110.73 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219:

THENCE North 61 degrees 56 minutes 23 seconds East, a distance of 43.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 45 degrees 09 minutes 15 seconds East, a distance of 393.74 feet to a 1/2 inch iron rod with a yellow plastic cap found in the southwest line of the above mentioned Tract 1;

THENCE North 45 degrees 15 minutes 38 seconds West, a distance of 598.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner at the beginning of a Boundary Line Agreement, as recorded in Volume 4715, Page 230 (Document No. 2006-00361312), Deed Records, Rockwall County, Texas;

THENCE Northwesterly, with said Boundary Line Agreement, the following six (6) courses and distances:

North 44 degrees 04 minutes 30 seconds West, a distance of 436.95 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 48 degrees 39 minutes 02 seconds West, a distance of 237.14 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 39 degrees 59 minutes 19 seconds West, a distance of 184.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner;

North 44 degrees 51 minutes 58 seconds West, a distance of 244.71 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner; South 44 degrees 53 minutes 18 seconds West, a distance of 13.39 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner in the west line of said Tract 1;

THENCE Northwesterly, with said west line, the following three (3) courses and distances:

North 45 degrees 16 minutes 15 seconds West, a distance of 259.63 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner the common south corner of that tract of land described in Deed to Bret A. Wilson and Leslie Wilson, as recorded in Volume 1327, Page 212, Deed Records, Rockwall, County, Texas and an exterior ell corner of said Tract 1;

North 44 degrees 44 minutes 29 seconds East, a distance of 467.61 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the common east corner of said Bret A. Wilson and Leslie Wilson tract and an interior ell corner of said Tract 1;

North 31 degrees 29 minutes 46 seconds West, passing at a distance of 486.24 feet a 1/2 inch iron rod found for the common north corner of said Bret A. Wilson and Leslie Wilson tract and east corner of that tract of land described in Deed to Bobby Dale Price and wife, Bretta Jean Price, as recorded in Volume 1028, Page 142, Deed Records, Rockwall County, Texas, and continuing in all for a total distance of 857.83 feet to a point in the southeast line of Farm to Market Road No. 548, a variable width right-of-way, from which point a 1/2 inch iron rod found bears South 31 degrees 29 minutes 46 seconds East, 0.80 feet, said point being at the beginning of a non-tangent curve to the left having a central angle of 01 degrees 12 minutes 54 seconds, a radius of 5,796.43 feet and a chord bearing and distance of North 45 degrees 17 minutes 02 seconds East, 122.92 feet;

THENCE Northeasterly, with said southeast line, the following three (3) courses and distances:

Northeasterly, with said curve to the left, an arc distance of 122.93 feet to a concrete pedestal monument found for corner;

North 44 degrees 52 minutes 16 seconds East, a distance of 304.20 feet to an "X" found in concrete for the common north corner of said Tract 1 and most westerly northwest corner of said Tract 2;

North 44 degrees 50 minutes 38 seconds East, passing at a distance of 375.47 feet a concrete pedestal monument found, and continuing in all for a total distance of 398.43 feet to a 1/2 inch iron rod found for the common west corner of that tract of land described in Deed to Cody A. Barrick and Carrie L. Barrick, as recorded in Volume 6167, Page 67, Deed Records, Rockwall County, Texas and most northerly northwest corner of said Trat 2;

THENCE South 45 degrees 15 minutes 03 seconds East, leaving said southeast line, a distance of 995.00 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common

south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 89 degrees 17 minutes 48 seconds East, a distance of 20.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 44 degrees 48 minutes 03 seconds East, a distance of 524.11 feet to a 1/2 inch iron rod found for the common east corner of said Cody A. Barrick and Carrie L. Barrick tract and south corner of that tract of land described in Deed to James Kessler and Angela Kessler, as recorded in Document No. 20180000020020, Deed Records, Rockwall County, Texas;

THENCE North 44 degrees 50 minutes 31 seconds East, a distance of 538.74 feet to a 1/2 inch iron rod found for the east corner of said James Kessler and Angela Kessler tract;

THENCE North 44 degrees 31 minutes 54 seconds East, a distance of 541.29 feet to a 1/2 inch iron rod found for the south corner of the above mentioned Dr. Mohiudin Zeb, Nasreen Zeb tract;

THENCE North 44 degrees 43 minutes 30 seconds East, a distance of 595.13 feet to the POINT OF BEGINNING and containing 192.580 acres of land, more or less.

OWNER'S CERTIFICATION:

NOW THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

STATE OF TEXAS \$
COUNTY OF ROCKWALL \$

I (we) the undersigned owner(s) of the land shown on this plat, and designated herein as the SOUTHSIDE HILLS—PH 1 subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever any streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the SOUTHSIDE HILLS—PH 1 subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following:

- 1. No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.
- 2. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of there respective system without the necessity of, at any time, procuring the permission of anyone.
- 3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision.
- 4. The developer and subdivision engineer shall bear total responsibility for storm drain improvements.
- 5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development
- 6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm sewers, and alleys all according to the specifications of the City of Rockwall; or

Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay the same out of the escrow deposit, should the developer and/or owner fail to refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which shall be fixed by the city council of the City of Rockwall.

I (we) further acknowledge that the dedications and/or exactions made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of exactions made herein.

Property Owner Signature

STATE OF TEXAS §
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this ___ day of _____, 2025.

Notary public in and for the State of Texas

STATE OF TEXAS §
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this ___ day of _____, 2025.

Notary public in and for the State of Texas

My Commission Expires

My Commission Expires

Owner/Applicant:
Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924

Johnson Volk Consulting, Inc. 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE

Engineer/Surveyor:

SURVEYOR'S CERTIFICATE:

NOW, THEREFORE KNOW ALL MEN BY THESE PRESENTS::

THAT I, Ryan S. Reynolds, do hereby certify that I prepared this plat from an actual and accurate survey of the land, and that the corner monuments shown thereon were properly placed under my personal supervision.

RYAN S. REYNOLDS, R.P.L.S.

Texas Registered Professional Land Surveyor No. 6385.

APPROVED:

I hereby certify that the above and forgoing subdivision plat — being an addition to the City of Rockwall, Texas — was approved by the City Council of the City of Rockwall on ___ day of _____, 2025.

MAYOR OF THE CITY OF ROCKWALL

PLANNING AND ZONING COMMISSION CHAIRMAN


CITY ENGINEER

FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS , 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN
W.W. FORD SURVEY, ABSTRACT NO. 80
CITY OF ROCKWALL,
ROCKWALL COUNTY, TEXAS
P2025-XXX

July 16, 2025 SHEET 4 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10





TO: Planning and Zoning Commission

DATE: September 9, 2025

APPLICANT: Brian Cramer; CCD – Rockwall LLC

CASE NUMBER: P2025-028; Final Plat for Phase 1 of the Southside Hills Subdivision

SUMMARY

Consider a request by Brian Cramer of CCD – Rockwall, LLC for the approval of a <u>Final Plat</u> for Phase 1 of the Southside Hills Subdivision consisting of 284 single-family residential lots on a 262.94-acre tract of land identified as Tracts 17-13, 17-14, 17-15, 17-16, & 40-8 of the W. W. Ford Survey, Abstract No. 80, City of Rockwall, Rockwall County, Texas, zoned Planned Development District 99 (PD-99) for Single-Family 10 (SF-10) and limited General Retail (GR) District land uses, located on the east side of SH-205 [S. Goliad Street] south of the intersection of SH-205 and FM-549, and take any action necessary.

PLAT INFORMATION

- ☑ <u>Purpose</u>. The applicant is requesting the approval of a <u>Final Plat</u> for a 262.94-acre tract of land (i.e. Tracts 17-13, 17-14, 17-15, 17-16, & 40-8 of the W. W. Ford Survey, Abstract No. 80) for the purpose of establishing Phase 1 of the Southside Hills Subdivision, which will consist of 284 single-family residential lots, six (6) open space lots, one (1) lift station, and one (1) public park (i.e. Lots 1-73, Block A; Lots 1-18, Block B; Lots 1-8, Block C; Lots 1-14, Block D; Lots 1-23, Block E; Lots 1-23, Block F; Lots 1-19, Block G; Lots 1-12, Block H; Lots 1-26; Block I; Lots 1-21, Block J; Lots 1-2, Block K; Lots 1-21, Block L; Lots 1-11. Block M; Lots 1-21, Block O, Southside Hills Phase 1 Subdivision). Staff should note that in conjunction with the final plat, the applicant has submitted a PD Site Plan [Case No SP2025-036].
- Background. The subject property is a 264.51-acre tract of land that was annexed into the City on November 4, 2010 by Ordinance No. 10-27 [Case No. A2010-001]. At the time of annexation, the subject property was zoned as an Agricultural (AG) District. According to the Rockwall Central Appraisal District (RCAD), at that time there was an existing 8,567 SF single-family home, a 1,568 SF mobile home, a 61,200 SF metal building, and various other commercial buildings situated on the property. On December 18, 2021, the applicant -- Brian Cramer of Corson Cramer Development -submitted an application requesting to change the zoning [Case No. Z2021-057] of the subject property from an Agricultural (AG) District to a Planned Development District for Single-Family 10 (SF-10) and limited Commercial (C) District land uses, which was ultimately withdrawn. Following this submittal, the applicant submitted a subsequent application on May 20, 2022. This application was requesting to change the zoning [Case No. Z2022-028] of the subject property from an Agricultural (AG) District to a Planned Development District for Single-Family 10 (SF-10) and limited Commercial (C) District land uses. The applicant also withdrew this request on June 20, 2022. The applicant submitted a third and final zoning request [Case No. Z2022-039] to change the zoning on the subject property from Agricultural (AG) District to a Planned Development District for Single-Family 10 (SF-10) and limited Commercial (C) District land uses on August 19, 2022. This case was approved by the City Council on October 3, 2022 through the adoption of Ordinance No. 22-51, which established Planned Development District 99 (PD-99). On January 21, 2025, the City Council approved a preliminary plat [Case No. P2024-042] and master plat [Case No. P2024-043] that established the preliminary lot layout and the phasing lines for the proposed subdivision and commercial areas associated with Planned Development District 99 (PD-99).
- ☑ Parks Board. Per the zoning ordinance for Planned Development District 99 (PD-99) [Ordinance No. 22-51], the Southside Hills Subdivision is not required to pay pro-rate equipment fees or cash-in-lieu of land fees; however, a fully amenitized 11.60-acre park must be developed and dedicated to the City of Rockwall. Normally the park improvements would be approved at the time of Master Plat; however, at the January 7, 2025 Parks Board meeting, the Board agreed to delay the approval of the park improvements until the PD Site Plan. That being said, as part of the Tree Mitigation.

Settlement Agreement [Case No. MIS2025-008], the City Council approved the amenities that shall be provided in the park. On September 8, 2025, the Parks Board approved the proposed amenity locations.

- ☑ <u>Conformance to the Subdivision Ordinance</u>. The surveyor has completed the majority of the technical revisions requested by staff, and this plat -- conforming to the requirements for plats as stipulated by the Subdivision Ordinance in the Municipal Code of Ordinances -- is recommended for conditional approval pending the completion of final technical modifications, submittal requirements, and conformance to the items listed in the Conditions of Approval section of this case memo.
- ☑ <u>Conditions of Approval</u>. Conditional approval of this <u>Final Plat</u> by the City Council shall constitute approval subject to the conditions stipulated in the Conditions of Approval section below.

CONDITIONS OF APPROVAL

If City Council chooses to approve of a <u>Final Plat</u> for Phase 1 of the Southside Hills Subdivision, staff would propose the following conditions of approval:

- (1) All technical comments from City Staff (i.e. Engineering, Planning and Fire Department) shall be addressed prior to release of the civil engineering plans; and,
- (2) The development shall adhere to the Parks Board recommendations as outlined above in this case memo; and,
- (3) Any construction resulting from the approval of this <u>Final Plat</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.



DEVELOPMENT APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

TAFF	USE	ON	.y -


PLANNING & ZONING CASE NO.

<u>NOTE:</u> THE APPLICATION IS NOT CONSIDERED ACCEPTED BY THE CITY UNTIL THE PLANNING DIRECTOR AND CITY ENGINEER HAVE SIGNED BELOW.

DIRECTOR OF PLANNING:

CITY ENGINEER:

PLEASE CHECK THE	APPROPRIATE BOX BELOW TO	INDICATE THE TYPE OF	DEVELOPMENT REQ	UEST (SELECT ONLY	ONE BOX]:
☐ PRELIMINARY F FINAL PLAT (\$30.0 ☐ REPLAT (\$300.0 ☐ AMENDING OR ☐ PLAT REINSTAT SITE PLAN APPLIC ☐ SITE PLAN (\$250	(\$100.00 + \$15.00 ACRE) 1 PLAT (\$200.00 + \$15.00 ACRE) 1 00.00 + \$20.00 ACRE) 1 00 + \$20.00 ACRE) 1 MINOR PLAT (\$150.00) TEMENT REQUEST (\$100.00)	PING PLAN (\$100.00)	☐ SPECIFIC USE ☐ PD DEVELOP! OTHER APPLICA ☐ TREE REMOV. ☐ VARIANCE RE NOTES: □: IN DETERMINING THE PER ACRE AMOUNT. FE □: A \$1,000.00 FEE WI	NGE (\$200.00 + \$15.00 E PERMIT (\$200.00 + \$ MENT PLANS (\$200.00 TION FEES: AL (\$75.00) QUEST/SPECIAL EXO OR REQUESTS ON LESS TH/ LL BE ADDED TO THE AP	\$15.00 ACRE) 1 8 2
PROPERTY INFO	RMATION [PLEASE PRINT]				
ADDRESS	5565 Hwy FM 549	Rockwall, TX			
SUBDIVISION				LOT	BLOCK
GENERAL LOCATION	West of SH 205 &	South of FM 54	9		
ZONING. SITE PL	AN AND PLATTING INF	ORMATION (PLEASE	PRINT]		
CURRENT ZONING			CURRENT USE	۸۵	
PROPOSED ZONING			PROPOSED USE	Ag Single Far	nily
ACREAGE		LOTS [CURRENT]	. 0	-	DPOSED] 284 sf, 6 OS, 1 Lift Station 1 Park & 1 Amenity Center = 293 Lots Total
REGARD TO ITS A	PLATS: BY CHECKING THIS BOY APPROVAL PROCESS, AND FAILUE ENIAL OF YOUR CASE.	(YOU ACKNOWLEDGE TH RE TO ADDRESS ANY OF S	AT DUE TO THE PASSA TAFF'S COMMENTS BY T	GE OF <u>HB3167</u> THE CI THE DATE PROVIDED C	TY NO LONGER HAS FLEXIBILITY WITH IN THE DEVELOPMENT CALENDAR WILL
OWNER/APPLICA	ANT/AGENT INFORMAT	ION (PLEASE PRINT/CHE	CK THE PRIMARY CONT.	ACT/ORIGINAL SIGNAT	URES ARE REQUIRED]
■ OWNER	CCD - Rockwall LL		APPLICANT	Same	
CONTACT PERSON	Jason Wight		CONTACT PERSON		
ADDRESS			ADDRESS		
CITY, STATE & ZIP			CITY, STATE & ZIP		
PHONE			PHONE		
E-MAIL			E-MAIL		
NOTARY VERIFIC BEFORE ME, THE UNDER STATED THE INFORMATION	CATION [REQUIRED] ISIGNED AUTHORITY, ON THIS DA' ON ON THIS APPLICATION TO BE T	Y PERSONALLY APPEARED TRUE AND CERTIFIED THE R	Jason W	sight	[OWNER] THE UNDERSIGNED, WHO
NFORMATION CONTAINED	. TO COVER THE COST	FOF THIS APPLICATION, HAS THIS APPLICATION, I AGREE HE PUBLIC. THE CITY IS I HER REPRODUCTION IS ASSOC	BEEN PAID TO THE CITY (THAT THE CITY OF ROC ALSO AUTHORIZED AND	OF ROCKWALL ON THIS I KWALL (I.E. "CITY") IS AL PERMITTED TO DEPRO	JTHORIZED AND PERMITTED TO PROVIDE
	OWNER'S SIGNATURE	J WAS	2 / -	W. T.	May 27, 2026
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	selenda L	akai	MY COMMISSIO	ON EXPIRES 5-27-2006






City of Rockwall
Planning & Zoning Department
385 S. Goliad Street
Rockwall, Texas 75087
(P): (972) 771-7745
(W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY

THE HOA.


2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS
SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

Owner/Applicant: Corson Cramer Development Dallas, Texas 75206


Phone: 214-734-5924

Engineer/Surveyor: Johnson Volk Consulting, Inc. 4925 Greenville Ave, Ste. 604 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE

JOHNSON VOLK TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033 704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100



- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.



KEY MAP

SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B; LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D; LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F; LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H; LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J; LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L; LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O; 192.58 ACRES OR 8,388,777.55 SF 284 SINGLE FAMILY LOTS, 6 OPEN SPACES, 1 LIFT STATION, 1 PARK & 1 AMENITY CENTER SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80 CITY OF ROCKWALL,

ROCKWALL COUNTY, TEXAS P2025-028

August 26, 2025 SHEET 2 OF 4

EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:
Corson Cramer Development 4925 Greenville Ave, Ste. 604 Dallas, Texas 75206 Phone: 214-734-5924



	Line	Table
Line	Length	Direction
L1	2.73	S45° 07' 01"E
L2	1.85	S45° 07' 01"E
L3	14.32	N45° 12' 40"W
L4	46.44	S59° 52′ 38″W
L5	47.23	S60° 29' 40"W
L6	25.00	N45° 12' 40"W
L7	108.02	N83° 14' 53"W
L8	17.35	S14° 42' 23"E
L9	55.15	S75° 51' 12"E
L10	35.94	S17° 01' 57"W
L14	56.80	N43° 55' 12"E
L15	26.33	S86° 40' 44"W
L16	23.00	S45° 42' 01"E
L26	16.11	N45° 12' 40"W
L27	14.32	N45° 12' 40"W
L28	5.34	S45° 12' 40"E
L29	11.19	S59° 52′ 38″W
L30	11.01	S59° 52' 38"W
L31	11.64	S44° 47' 20"W
L32	13.10	S44° 44' 25"E
L33	11.69	S44° 47' 20"W
L34	13.46	S44° 54' 48"E
L35	14.58	S6° 06' 32"W
L36	4.32	S6° 06' 32"W
L37	15.99	N43° 45′ 48″E
L38	21.17	S43° 55' 12"W
L41	1.19	S60° 29' 40"W
L42	1.19	S60° 29' 40"W
L43	13.30	N83° 49' 22"W
L44	137.50	N44° 52' 16"E
L45	25.58	N44* 52' 16"E
L50	14.58	N6° 06' 32"E
L52	57.83	N44° 05' 31"E
L54	135.19	S45° 09' 15"W
	1	i l

5.43 S45° 15' 38"E

L56 73.77 S48* 39' 02"E L57 45.30 S48* 39' 02"E

	Line	Table
Line	Length	Direction
L58	6.32	N44° 47′ 20″
L59	12.86	S83° 53′ 28″
L60	17.88	N74° 44' 50"
L61	25.00	S45° 42' 01"
L62	25.00	S45° 42' 01"
L63	12.51	S45° 59' 00"
L64	51.74	N84° 36' 03"
L111	141.52	S87° 59' 11"I
L112	84.68	N87° 19' 41"
L113	201.09	N0° 54' 58"E

		C	Curve Tal	ole	
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing
C7	165.95	330.00	028*48'47"	164.21	N30° 48' 17"W
C8	165.93	330.00	028*48'35"	164.19	S30° 48' 11"E
С9	219.10	330.00	038*02'24"	215.09	S64° 13' 41"E
C10	659.33	375.00	100*44'18"	577.63	N46° 22' 58"E
C11	146.74	400.00	021°01'08"	145.92	S06° 31' 23"W
C18	625.58	930.00	038*32'27"	613.85	S64° 33' 08"E
C19	45.20	325.00	007*58'09"	45.17	N79° 50' 17"W
C20	55.91	35.00	091°31'18"	50.15	N30° 05' 33"W
C21	117.86	670.00	010°04'44"	117.71	S88° 17' 15"E
C22	44.48	35.00	072*48'42"	41.55	S81° 11' 41"W
C23	185.25	225.00	04710'23"	180.06	N17° 28' 40"W
C24	551.69	830.00	038*05'02"	541.59	N25° 09' 03"E
C25	81.74	225.00	020°48'54"	81.29	N04° 17' 55"W
C26	358.73	540.00	038°03'46"	352.17	N25° 08' 25"E
C27	166.08	250.00	038°03'46"	163.04	N25° 08' 25"E
C28	156.70	250.00	035*54'47"	154.15	N62° 44' 44"E
C29	68.53	250.00	015*42'20"	68.31	S52* 38' 30"W
C30	65.83	250.00	015*05'18"	65.64	N52* 19' 59"E
C31	54.98	35.00	090°00'00"	49.50	S00° 12' 40"E
C32	153.32	250.00	035°08'19"	150.93	N27° 38′ 30″W
C33	393.00	945.00	023°49'39"	390.17	S21° 59' 11"E
C34	179.69	250.00	041°10'54"	175.85	N13° 18' 33"W
C35	226.99	250.00	052*01'19"	219.27	S18° 43' 45"E
C36	106.12	250.00	024°19'17"	105.33	N32° 34' 46"W
C37	106.88	250.00	024°29'41"	106.07	S32° 39' 58"E
C38	54.98	35.00	089°59'46"	49.50	S89° 54' 41"E
C39	54.98	35.00	090°00'14"	49.50	N00° 05' 19"E
C40	82.89	500.00	009°29'54"	82.79	S88° 34' 19"E
C41	123.93	150.00	047°20'16"	120.44	N69° 39' 08"W
C42	242.63	500.00	027°48'13"	240.26	S30° 01' 05"W
C43	304.35	625.00	027°54'01"	301.35	N30° 03' 59"E
C44	54.98	35.00	090°00'00"	49.50	S00° 59' 00"E
C45	55.15	35.00	090"16'59"	49.62	N00° 50′ 31″W
C46	358.57	325.00	063°12'51"	340.66	S13° 34' 02"W
C47	213.84	350.00	035*00'20"	210.53	N00° 32' 13"W
C48	274.67	250.00	062°56'57"	261.06	S14° 30' 32"E
C49	227.42	625.00	020*50'55"	226.17	S72° 49' 25"E
C53	89.32	57.50	089°00'13"	80.61	N89° 42′ 46″W
C54	117.24	57.50	116*49'16"	97.96	S43° 11' 00"W
C55	3.89	57.50	003*52'18"	3.88	N76° 28' 13"W
C56	20.58	50.00	023°34'41"	20.43	S10° 45' 59"W
C57	20.73	225.00	005°16'42"	20.72	N12° 42' 42"W
C58	22.36	920.00	001°23'33"	22.36	S33° 12' 14"E
C59	5.03	275.00	001°02'50"	5.03	N45° 18' 45"E
C60	15.83	275.00	0010230	15.83	S43° 05' 28"E
C62	34.13	225.00	0031734	34.10	N40° 23' 40"W
	23.30	225.00	005*55'57"		
C64 C68	60.63	50.00	069°28'27"	56.98	S41° 56′ 50″E N71° 36′ 56″E
C69	22.12	50.00	069 28 27	21.94	N24° 12' 21"E
C70	12.09	50.00	013°51'11"	12.06	N71° 43′ 17″E

Curve Table

Curve Table					
Curve #	Length	Radius	Delta	Chord Length	Chord Bearin
C71	62.06	50.00	071°07'15"	58.16	N29° 14' 03"E
C72	28.13	50.00	032°14'23"	27.76	N22° 26′ 46″W
C73	34.82	50.00	039*54'17"	34.12	N58° 31' 06"W
C74	34.86	805.00	002*28'52"	34.86	N07° 20' 58"E
C75	12.08	695.00	000*59'46"	12.08	N47° 23' 13"E
C76	63.68	50.00	072*58'29"	59.46	N02° 24' 55"E
C91	38.76	300.00	007°24'07"	38.73	N47° 43′ 03″E
C92	38.76	300.00	007°24'07"	38.73	S47° 43' 03"W
C94	32.13	50.00	036°49'16"	31.58	S68° 58' 57"E
C96	42.93	375.00	006*33'34"	42.91	N14° 45' 36"W
C97	18.99	375.00	002*54'03"	18.98	N10° 01' 48"W
C98	17.69	175.00	005*47'25"	17.68	N48° 52' 43"V
C99	12.43	275.00	002°35'24"	12.43	S15° 40' 15"W
C100	13.84	225.00	003°31'23"	13.83	S44° 13′ 19″E
C101	0.77	275.00	000°09'40"	0.77	S45° 54' 10"E
C104	19.90	250.00	004°33'36"	19.89	N03° 49' 44"E
C105	33.50	565.00	003°23'49"	33.49	N07° 48' 26"E
C106	112.51	57.50	112*06'20"	95.40	N49° 56' 38"V
C107	23.49	50.00	026°54'50"	23.27	S34° 41' 22"W
C108	57.20	50.00	065°33'03"	54.13	S80° 55' 18"W
C109	23.87	50.00	027°21'04"	23.64	N52° 37' 38"V
C111	99.60	225.00	025°21'43"	98.79	S32° 03' 33"E
C112	3.59	275.00	000°44'55"	3.59	S06° 54' 26"V
C113	15.06	360.00	002°23'50"	15.06	S46° 24' 24"E
C114	14.48	360.00	002°18'19"	14.48	S82° 05' 43"E
C115	103.33	360.00	016°26'46"	102.98	S36° 59' 05"E
C116	28.52	50.00	032*40'34"	28.13	N53° 12' 07"W
C117	44.29	50.00	050°44'52"	42.85	N11° 29' 24"W
C118	11.84	205.00	003°18'30"	11.84	N16° 23' 08"W
C119	61.81	205.00	017*16'32"	61.58	N08° 19' 41"E
C120	17.85	395.00	002°35'24"	17.85	S15° 40' 15"W
C121	0.77	395.00	000°06'44"	0.77	S45° 55' 38"E
C128	19.31	480.00	002°18'19"	19.31	S82° 05' 43"E
C129	12.56	480.00	001°29'56"	12.56	S80° 11' 36"E
C130	28.85	105.00	015°44'35"	28.76	S52° 39' 37"V
C131	164.29	1280.00		164.17	S27° 47' 25"E
C132	88.69	5866.43		88.69	N45° 06' 38"E
C134	112.69	245.00	026°21'14"	111.70	S57° 58' 09"W
C135	117.39	255.00	026°22'35"	116.36	N57° 57' 28"E
C136	431.46	635.00	038*55'49"	423.21	S64° 44' 49"E
C137	54.98	35.00	090°00'00"	49.50	N38° 49' 22"V
C138	184.98	275.00	038*32'27"	181.52	S64° 33' 08"E
C138	290.06	430.00	038'38'59"	284.59	N25° 26' 42"E
C140	218.75	330.00	036 36 39	214.77	S25° 06' 36"V
C140	53.95	57.50	053°45'25"	51.99	
					S71° 02' 24"E
C142	132.32		131°50'46"	104.99	
C143	33.40	28.55	067°01'28"	31.53	N34° 25' 42"E
C144	85.80	326.97	015°02'07"	85.56	N89° 45' 57"E
C145	66.82	44.93	085°12'22"	60.83	S40° 06′ 49″E
C146	13.84	571.82	001°23'13"	13.84	S03° 10' 59"W

	Curve Table						
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing		
C147	27.53	23.33	067°37'30"	25.96	S29° 56′ 10″E		
C148	160.61	406.94	022°36'46"	159.56	S75° 03' 18"E		
C149	159.70	115.65	079°07'03"	147.31	S46° 48' 10"E		
C150	124.92	521.28	013°43'50"	124.62	S05° 26' 03"E		
C151	102.22	129.00	045*23'55"	99.56	S24° 07' 50"W		
C152	151.68	702.82	012°21'54"	151.38	S53° 00' 45"W		
C153	52.21	520.57	005°44'47"	52.19	S56° 19' 18"W		
C154	33.77	20.87	092*43'21"	30.20	S07° 05' 14"W		
C155	50.01	37.48	076*26'17"	46.38	S01° 03' 18"E		
C156	130.12	121.51	061°21'29"	123.99	N75° 06' 32"W		
C157	227.35	1633.78	007*58'22"	227.16	N31° 24' 55"W		
C158	41.82	24.91	096*10'00"	37.08	N75° 30' 44"W		
C159	53.02	40.06	075°49'56"	49.23	N85° 40' 47"W		
C160	49.97	193.87	014°46'10"	49.84	N40° 22' 44"W		
C161	138.59	276.72	028*41'46"	137.15	N47° 20' 32"W		
C162	26.05	26.14	057°05'28"	24.98	N33° 08' 41"W		
C165	30.63	21.76	080°37'32"	28.16	N47° 00' 55"E		

GENERAL NOTES:

- 1. SUBDIVIDERS STATEMENT: SELLING A PORTION OF THIS ADDITION BY METES AND BOUNDS IS UNLAWFUL AND A VIOLATION OF THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL AND <u>CHAPTER 212</u>, <u>MUNICIPAL REGULATION OF SUBDIVISIONS AND PROPERTY DEVELOPMENT.</u>

 <u>OF THE TEXAS LOCAL GOVERNMENT CODE</u>, AND SHALL BE SUBJECT TO THE CITY OF ROCKWALL WITHHOLDING UTILITIES AND BUILDING PERMITS.
- 2. PUBLIC IMPROVEMENT STATEMENT: IT SHALL BE THE POLICY OF THE CITY OF ROCKWALL TO WITHHOLD ISSUING BUILDINGS PERMITS UNTIL ALL STREETS, WATER, SEWER AND STORM DRAINAGE SYSTEMS HAVE BEEN ACCEPTED BY THE CITY. THE APPROVAL OF A SUBDIVISION PLAT BY THE CITY OF ROCKWALL DOES NOT CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE THAT ANY BUILDING WITHIN SUCH SUBDIVISION PLAT SHALL BE APPROVED, AUTHORIZED, OR PERMIT ISSUE, NOR SHALL SUCH APPROVAL CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE BY THE CITY OF ROCKWALL OF THE ADEQUACY AND AVAILABILITY FOR WATER AND SANITARY SEWER FOR PERSONAL USE AND FIRE PROTECTION WITHIN SUCH SUBDIVISION PLAT, AS REQUIRED UNDER THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL.
- 3. DRAINAGE AND DETENTION EASEMENTS: THE PROPERTY OWNER SHALL BE RESPONSIBLE FOR MAINTAINING, REPAIRING, AND REPLACING AND SHALL BEAR SOLE LIABILITY OF ALL SYSTEMS WITHIN THE DRAINAGE AND DETENTION EASEMENTS.
- 4. FIRE LANES: ALL FIRE LANES WILL BE CONSTRUCTED, MAINTAINED, REPAIRED AND REPLACED BY THE PROPERTY OWNER. FIRE LANES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE APPROVED CIVIL ENGINEERING PLANS FOR BOTH ON—SITE AND OFF—SITE FIRE LANE IMPROVEMENTS.
- 5. STREET APPURTENANCES: ALL DECORATIVE SIGNAGE, POSTS, OR LIGHTS INSTALLED IN PUBLIC RIGHT—OF—WAY SHALL BE INSTALLED, MAINTAINED, REPAIRED, AND REPLACED BY THE HOMEOWNER'S ASSOCIATION (HOA).
- 6. ALL LOT CORNERS MONUMENTED WITH A 1/2 INCH IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" (UNLESS OTHERWISE NOTED).
- 7. DETENTION POND IN LOT 2, BLOCK K TO BE MAINTAINED, REPAIRED, AND REPLACED BY HOA.

FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS , 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80
CITY OF ROCKWALL,
ROCKWALL COUNTY, TEXAS

P2025-028

August 26, 2025 SHEET 3 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10 & C

JOHNSON VOLK
CONSULTING
TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033

704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100

GENERAL NOTES:

1. ALL LOT CORNERS MONUMENTED WITH A 1/2" IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" UNLESS OTHERWISE NOTED.

2. ALL UTILITY EASEMENTS AND DRAINAGE EASEMENTS WITHIN THIS PLATTED PROPERTY ARE CREATED BY THIS PLAT, UNLESS OTHERWISE NOTED. ALL OPEN SPACE LOTS ARE UTILITY, DRAINAGE AND ACCESS EASEMENTS.

3. BASIS OF BEARING AND COORDINATES SHOWN HEREON REFER TO "TEXAS STATE PLANE COORDINATE SYSTEM, NORTH CENTRAL ZONE (4202), NORTH AMERICAN DATUM OF 1983 ON GRID COORDINATE VALUES.

4. LOCATION OF 1% ANNUAL FLOOD CHANCE SHOWN PER JOHNSON VOLK FLOOD STUDY DATED MARCH, 2025.

 LOTS ADJACENT TO FLOODPLAIN SHALL HAVE A MINIMUM FINISHED FLOOR ELEVATION 2' ABOVE THE 100-YR WSEL.

6. OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.

GENERAL NOTES:

1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY

2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

Owner/Applicant:
Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924

LEGAL DESCRIPTION: 192.58 ACRES

BEING a tract of land situated in the W.W. FORD SURVEY, ABSTRACT NO. 80, Town of Rockwall, Rockwall County, Texas and being all of that tract of land described as Tract 1 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall County, Texas and being part of that tract of land described as Tract 2 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall, County, Texas and being all of that tract of land described in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5772, Page 219, Deed Records, Rockwall County, Texas and being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found in the southwest line of State Highway No. 205, a 120 foot right-of-way, for the common north corner of that tract of land described as Parcel 79 Part 2 in Deed to The State of Texas, as recorded in Document No. 20220000001602, Deed Records, Rockwall County, Texas and east corner of that tract of land described in Deed to Dr. Mohiudin Zeb, Nasreen Zeb, as recorded in Volume 1059, Page 14, Deed Records, Rockwall, County, Texas;

THENCE Southeasterly, with said southwest line, the following five (5) courses and distances:

South 44 degrees 43 minutes 30 seconds West, a distance of 11.14 feet to a TxDOT monument found for the POINT OF BEGINNING of the tract of land herein described:

- South 40 degrees 17 minutes 02 seconds East, a distance of 248.25 feet to a TxDOT monument found for corner; South 45 degrees 53 minutes 03 seconds East, a distance of 143.27 feet to a TxDOT monument found for corner;
- North 44 degrees 06 minutes 57 seconds East, a distance of 34.82 feet to a TxDOT monument found for corner;
- South 45 degrees 48 minutes 12 seconds East, a distance of 251.74 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 40 degrees 46 minutes 30 seconds West, leaving said southwest line, a distance of 226.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 08 degrees 04 minutes 07 seconds East, a distance of 95.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 34 minutes 32 seconds East, a distance of 193.98 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 59 degrees 38 minutes 00 seconds East, a distance of 43.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 18 degrees 50 minutes 22 seconds East, a distance of 105.44 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 29 degrees 46 minutes 44 seconds West, a distance of 172.85 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 02 degrees 56 minutes 27 seconds West, a distance of 161.51 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 80 degrees 51 minutes 56 seconds West, a distance of 185.26 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 06 minutes 41 seconds West, a distance of 222.47 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 26 degrees 52 minutes 08 seconds West, a distance of 103.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 24 degrees 27 minutes 12 seconds West, a distance of 160.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 59 minutes 00 seconds East, a distance of 197.45 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 64 degrees 40 minutes 56 seconds West, a distance of 232.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 06 degrees 10 minutes 38 seconds West, a distance of 93.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 57 degrees 01 minutes 02 seconds East, a distance of 257.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 13 degrees 07 minutes 25 seconds East, a distance of 432.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 11 degrees 49 minutes 50 seconds West, a distance of 829.30 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 37 minutes 46 seconds East, a distance of 266.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 45 degrees 05 minutes 45 seconds West, a distance of 1,104.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 45 degrees 20 minutes 38 seconds West, with the southwest line of said Tract 1, a distance of 315.37 feet to a 1/2 inch iron rod with a yellow plastic cap found for the east corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE South 44 degrees 05 minutes 31 seconds West, leaving said southwest line, a distance of 690.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the south corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 32 degrees 39 minutes 25 seconds West, a distance of 680.55 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the west corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 62 degrees 15 minutes 39 seconds East, a distance of 110.73 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 61 degrees 56 minutes 23 seconds East, a distance of 43.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall

THENCE North 45 degrees 09 minutes 15 seconds East, a distance of 393.74 feet to a 1/2 inch iron rod with a yellow plastic cap found in the southwest line of the above mentioned Tract 1;

THENCE North 45 degrees 15 minutes 38 seconds West, a distance of 598.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner at the beginning of a Boundary Line Agreement, as recorded in Volume 4715, Page 230 (Document No. 2006-00361312), Deed Records, Rockwall County, Texas;

THENCE Northwesterly, with said Boundary Line Agreement, the following six (6) courses and distances:

North 44 degrees 04 minutes 30 seconds West, a distance of 436.95 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 48 degrees 39 minutes 02 seconds West, a distance of 237.14 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 39 degrees 59 minutes 19 seconds West, a distance of 184.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner;

North 44 degrees 51 minutes 58 seconds West, a distance of 244.71 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner; South 44 degrees 53 minutes 18 seconds West, a distance of 13.39 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner in the west line of said Tract 1;

THENCE Northwesterly, with said west line, the following three (3) courses and distances:

Highgate, Ltd. tract recorded in Volume 5572, Page 219;

North 45 degrees 16 minutes 15 seconds West, a distance of 259.63 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner the common south corner of that tract of land described in Deed to Bret A. Wilson and Leslie Wilson, as recorded in Volume 1327, Page 212, Deed Records, Rockwall, County, Texas and an exterior ell corner of said Tract 1;

North 44 degrees 44 minutes 29 seconds East, a distance of 467.61 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the common east corner of said Bret A. Wilson and Leslie Wilson tract and an interior ell corner of said Tract 1;

North 31 degrees 29 minutes 46 seconds West, passing at a distance of 486.24 feet a 1/2 inch iron rod found for the common north corner of said Bret A. Wilson and Leslie Wilson tract and east corner of that tract of land described in Deed to Bobby Dale Price and wife, Bretta Jean Price, as recorded in Volume 1028, Page 142, Deed Records, Rockwall County, Texas, and continuing in all for a total distance of 857.83 feet to a point in the southeast line of Farm to Market Road No. 548, a variable width right-of-way, from which point a 1/2 inch iron rod found bears South 31 degrees 29 minutes 46 seconds East, 0.80 feet, said point being at the beginning of a non-tangent curve to the left having a central angle of 01 degrees 12 minutes 54 seconds, a radius of 5,796.43 feet and a chord bearing and distance of North 45 degrees 17 minutes 02 seconds East, 122.92 feet;

THENCE Northeasterly, with said southeast line, the following three (3) courses and distances:

Northeasterly, with said curve to the left, an arc distance of 122.93 feet to a concrete pedestal monument found for corner;

North 44 degrees 52 minutes 16 seconds East, a distance of 304.20 feet to an "X" found in concrete for the common north corner of said Tract 1 and most westerly northwest corner of said Tract 2;

North 44 degrees 50 minutes 38 seconds East, passing at a distance of 375.47 feet a concrete pedestal monument found, and continuing in all for a total distance of 398.43 feet to a 1/2 inch iron rod found for the common west corner of that tract of land described in Deed to Cody A. Barrick and Carrie L. Barrick, as recorded in Volume 6167, Page 67, Deed Records, Rockwall County, Texas and most northerly northwest corner of said Trat 2;

THENCE South 45 degrees 15 minutes 03 seconds East, leaving said southeast line, a distance of 995.00 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common

south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 89 degrees 17 minutes 48 seconds East, a distance of 20.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 44 degrees 48 minutes 03 seconds East, a distance of 524.11 feet to a 1/2 inch iron rod found for the common east corner of said Cody A. Barrick and Carrie L. Barrick tract and south corner of that tract of land described in Deed to James Kessler and Angela Kessler, as recorded in Document No. 20180000020020, Deed Records, Rockwall County, Texas;

THENCE North 44 degrees 50 minutes 31 seconds East, a distance of 538.74 feet to a 1/2 inch iron rod found for the east corner of said James Kessler and Angela Kessler tract;

THENCE North 44 degrees 31 minutes 54 seconds East, a distance of 541.29 feet to a 1/2 inch iron rod found for the south corner of the above mentioned Dr. Mohiudin Zeb, Nasreen Zeb tract;

THENCE North 44 degrees 43 minutes 30 seconds East, a distance of 595.13 feet to the POINT OF BEGINNING and containing 192.580 acres of land, more or less.

OWNER'S CERTIFICATION:

NOW THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

STATE OF TEXAS \$
COUNTY OF ROCKWALL \$

I (we) the undersigned owner(s) of the land shown on this plat, and designated herein as the SOUTHSIDE HILLS—PH 1 subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever any streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the SOUTHSIDE HILLS—PH 1 subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following:

- 1. No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.
- 2. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of there respective system without the necessity of, at any time, procuring the permission of anyone.
- 3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision.
- 4. The developer and subdivision engineer shall bear total responsibility for storm drain improvements.
- 5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development
- 6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm sewers, and alleys all according to the specifications of the City of Rockwall; or

Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay the same out of the escrow deposit, should the developer and/or owner fail to refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which shall be fixed by the city council of the City of Rockwall.

I (we) further acknowledge that the dedications and/or exactions made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of exactions made herein.

Property Owner Signature

STATE OF TEXAS §
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this ___ day of _____, 2025.

Notary public in and for the State of Texas

My Commission Expires

SURVEYOR'S CERTIFICATE:

NOW, THEREFORE KNOW ALL MEN BY THESE PRESENTS::

THAT I, Ryan S. Reynolds, do hereby certify that I prepared this plat from an actual and accurate survey of the land, and that the corner monuments shown thereon were properly placed under my personal supervision.

RYAN S. REYNOLDS, R.P.L.S.

Texas Registered Professional Land Surveyor No. 6385.

APPROVED:

I hereby certify that the above and forgoing subdivision plat —— being an addition to the City of Rockwall, Texas —— was approved by the City Council of the City of Rockwall on ____ day of _____, 2025.

MAYOR OF THE CITY OF ROCKWALL

PLANNING AND ZONING COMMISSION CHAIRMAN

CITY SECRETARY

CITY ENGINEER

FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS , 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN
W.W. FORD SURVEY, ABSTRACT NO. 80

CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS

P2025-028

August 26, 2025 SHEET 4 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10

JOHNSON VOLK
CONSULTING
TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033

704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100

Owner/Applicant:
Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924

385 S. GOLIAD STREET • ROCKWALL, TX 75087 PHONE: (972) 771-7745 • EMAIL: PLANNING@ROCKWALL.COM

TO: Mayor and City Council

DATE: September 15, 2025

APPLICANT: Brian Cramer; CCD – Rockwall LLC

CASE NUMBER: P2025-028; Final Plat for Phase 1 of the Southside Hills Subdivision

SUMMARY

Consider a request by Brian Cramer of CCD – Rockwall, LLC for the approval of a <u>Final Plat</u> for Phase 1 of the Southside Hills Subdivision consisting of 284 single-family residential lots on a 262.94-acre tract of land identified as Tracts 17-13, 17-14, 17-15, 17-16, & 40-8 of the W. W. Ford Survey, Abstract No. 80, City of Rockwall, Rockwall County, Texas, zoned Planned Development District 99 (PD-99) for Single-Family 10 (SF-10) and limited General Retail (GR) District land uses, located on the east side of SH-205 [S. Goliad Street] south of the intersection of SH-205 and FM-549, and take any action necessary.

PLAT INFORMATION

- ☑ <u>Purpose</u>. The applicant is requesting the approval of a <u>Final Plat</u> for a 262.94-acre tract of land (i.e. Tracts 17-13, 17-14, 17-15, 17-16, & 40-8 of the W. W. Ford Survey, Abstract No. 80) for the purpose of establishing Phase 1 of the Southside Hills Subdivision, which will consist of 284 single-family residential lots, six (6) open space lots, one (1) lift station, and one (1) public park (i.e. Lots 1-73, Block A; Lots 1-18, Block B; Lots 1-8, Block C; Lots 1-14, Block D; Lots 1-23, Block E; Lots 1-23, Block F; Lots 1-19, Block G; Lots 1-12, Block H; Lots 1-26; Block I; Lots 1-21, Block J; Lots 1-2, Block K; Lots 1-21, Block L; Lots 1-11. Block M; Lots 1-21, Block O, Southside Hills Phase 1 Subdivision). Staff should note that in conjunction with the final plat, the applicant has submitted a PD Site Plan [Case No SP2025-036].
- Background. The subject property is a 264.51-acre tract of land that was annexed into the City on November 4, 2010 by Ordinance No. 10-27 [Case No. A2010-001]. At the time of annexation, the subject property was zoned as an Agricultural (AG) District. According to the Rockwall Central Appraisal District (RCAD), at that time there was an existing 8,567 SF single-family home, a 1,568 SF mobile home, a 61,200 SF metal building, and various other commercial buildings situated on the property. On December 18, 2021, the applicant -- Brian Cramer of Corson Cramer Development -submitted an application requesting to change the zoning [Case No. Z2021-057] of the subject property from an Agricultural (AG) District to a Planned Development District for Single-Family 10 (SF-10) and limited Commercial (C) District land uses, which was ultimately withdrawn. Following this submittal, the applicant submitted a subsequent application on May 20, 2022. This application was requesting to change the zoning [Case No. Z2022-028] of the subject property from an Agricultural (AG) District to a Planned Development District for Single-Family 10 (SF-10) and limited Commercial (C) District land uses. The applicant also withdrew this request on June 20, 2022. The applicant submitted a third and final zoning request [Case No. Z2022-039] to change the zoning on the subject property from Agricultural (AG) District to a Planned Development District for Single-Family 10 (SF-10) and limited Commercial (C) District land uses on August 19, 2022. This case was approved by the City Council on October 3, 2022 through the adoption of Ordinance No. 22-51, which established Planned Development District 99 (PD-99). On January 21, 2025, the City Council approved a preliminary plat [Case No. P2024-042] and master plat [Case No. P2024-043] that established the preliminary lot layout and the phasing lines for the proposed subdivision and commercial areas associated with Planned Development District 99 (PD-99).
- ☑ Parks Board. Per the zoning ordinance for Planned Development District 99 (PD-99) [Ordinance No. 22-51], the Southside Hills Subdivision is not required to pay pro-rate equipment fees or cash-in-lieu of land fees; however, a fully amenitized 11.60-acre park must be developed and dedicated to the City of Rockwall. Normally the park improvements would be approved at the time of Master Plat; however, at the January 7, 2025 Parks Board meeting, the Board agreed to delay the approval of the park improvements until the PD Site Plan. That being said, as part of the Tree Mitigation.

Settlement Agreement [Case No. MIS2025-008], the City Council approved the amenities that shall be provided in the park. On September 8, 2025, the Parks Board approved the proposed amenity locations.

- ☑ <u>Conformance to the Subdivision Ordinance</u>. The surveyor has completed the majority of the technical revisions requested by staff, and this plat -- conforming to the requirements for plats as stipulated by the Subdivision Ordinance in the Municipal Code of Ordinances -- is recommended for conditional approval pending the completion of final technical modifications, submittal requirements, and conformance to the items listed in the Conditions of Approval section of this case memo.
- ☑ <u>Conditions of Approval</u>. Conditional approval of this <u>Final Plat</u> by the City Council shall constitute approval subject to the conditions stipulated in the Conditions of Approval section below.

CONDITIONS OF APPROVAL

If City Council chooses to approve of a <u>Final Plat</u> for Phase 1 of the Southside Hills Subdivision, staff would propose the following conditions of approval:

- (1) All technical comments from City Staff (i.e. Engineering, Planning and Fire Department) shall be addressed prior to release of the civil engineering plans; and,
- (2) The development shall adhere to the Parks Board recommendations as outlined above in this case memo; and,
- (3) Any construction resulting from the approval of this <u>Final Plat</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.

PLANNING AND ZONING COMMISSION

On September 9, 2025, the Planning and Zoning Commission approved a motion to recommend approval of the final plat by a vote of 7-0.



DEVELOPMENT APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

TAFF	USE	ON	.y -


PLANNING & ZONING CASE NO.

<u>NOTE:</u> THE APPLICATION IS NOT CONSIDERED ACCEPTED BY THE CITY UNTIL THE PLANNING DIRECTOR AND CITY ENGINEER HAVE SIGNED BELOW.

DIRECTOR OF PLANNING:

CITY ENGINEER:

PLEASE CHECK THE	APPROPRIATE BOX BELOW TO	INDICATE THE TYPE OF	DEVELOPMENT REQ	UEST (SELECT ONLY	ONE BOX]:	
☐ PRELIMINARY F FINAL PLAT (\$30.0 ☐ REPLAT (\$300.0 ☐ AMENDING OR ☐ PLAT REINSTAT SITE PLAN APPLIC ☐ SITE PLAN (\$250	(\$100.00 + \$15.00 ACRE) 1 PLAT (\$200.00 + \$15.00 ACRE) 1 00.00 + \$20.00 ACRE) 1 00 + \$20.00 ACRE) 1 MINOR PLAT (\$150.00) TEMENT REQUEST (\$100.00)	PING PLAN (\$100.00)	ZONING APPLICATION FEES: ☐ ZONING CHANGE (\$200.00 + \$15.00 ACRE) ☐ SPECIFIC USE PERMIT (\$200.00 + \$15.00 ACRE) ☐ PD DEVELOPMENT PLANS (\$200.00 + \$15.00 ACRE) ☐ OTHER APPLICATION FEES: ☐ TREE REMOVAL (\$75.00) ☐ VARIANCE REQUEST/SPECIAL EXCEPTIONS (\$100.00) ☐ VARIANCE REQUEST/SPECIAL EXCEPTIONS (\$100.00) ☐ NOTES: ☐ IN DETERMINING THE FEE, PLEASE USE THE EXACT ACREAGE WHEN MULTIPLYING BY THE PER ACRE AMOUNT. FOR REQUESTS ON LESS THAN ONE ACRE, ROUND UP TO ONE (1) ACRE. ☐ A \$1,000.00 FEE WILL BE ADDED TO THE APPLICATION FEE FOR ANY REQUEST THAT INVOLVES CONSTRUCTION WITHOUT OR NOT IN COMPLIANCE TO AN APPROVED BUILDING PERMIT.			
PROPERTY INFO	RMATION [PLEASE PRINT]					
ADDRESS	5565 Hwy FM 549	Rockwall, TX				
SUBDIVISION				LOT	BLOCK	
GENERAL LOCATION	West of SH 205 &	South of FM 54	9			
ZONING. SITE PL	AN AND PLATTING INF	ORMATION (PLEASE	PRINT]			
CURRENT ZONING			CURRENT USE	۸۵		
PROPOSED ZONING			PROPOSED USE	Ag Single Far	nily	
ACREAGE		LOTS [CURRENT]	. 0	-	DPOSED] 284 sf, 6 OS, 1 Lift Station 1 Park & 1 Amenity Center = 293 Lots Total	
REGARD TO ITS A	PLATS: BY CHECKING THIS BOY APPROVAL PROCESS, AND FAILUE ENIAL OF YOUR CASE.	(YOU ACKNOWLEDGE TH RE TO ADDRESS ANY OF S	AT DUE TO THE PASSA TAFF'S COMMENTS BY T	GE OF <u>HB3167</u> THE CI THE DATE PROVIDED C	TY NO LONGER HAS FLEXIBILITY WITH IN THE DEVELOPMENT CALENDAR WILL	
OWNER/APPLICA	ANT/AGENT INFORMAT	ION (PLEASE PRINT/CHE	CK THE PRIMARY CONT.	ACT/ORIGINAL SIGNAT	URES ARE REQUIRED]	
■ OWNER	CCD - Rockwall LL		APPLICANT	Same		
CONTACT PERSON	Jason Wight		CONTACT PERSON			
ADDRESS			ADDRESS			
CITY, STATE & ZIP			CITY, STATE & ZIP			
PHONE			PHONE			
E-MAIL			E-MAIL			
NOTARY VERIFIC BEFORE ME, THE UNDER STATED THE INFORMATION	CATION [REQUIRED] ISIGNED AUTHORITY, ON THIS DA' ON ON THIS APPLICATION TO BE T	Y PERSONALLY APPEARED TRUE AND CERTIFIED THE R	Jason W	sight	[OWNER] THE UNDERSIGNED, WHO	
NFORMATION CONTAINED	. TO COVER THE COST	FOF THIS APPLICATION, HAS THIS APPLICATION, I AGREE HE PUBLIC. THE CITY IS I HER REPRODUCTION IS ASSOC	BEEN PAID TO THE CITY (THAT THE CITY OF ROC ALSO AUTHORIZED AND	OF ROCKWALL ON THIS I KWALL (I.E. "CITY") IS AL PERMITTED TO DEPRO	JTHORIZED AND PERMITTED TO PROVIDE	
	OWNER'S SIGNATURE	J WAS	2 / -	W. T.	May 27, 2026	
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	selenda L	akai	MY COMMISSIO	ON EXPIRES 5-27-2006	






City of Rockwall
Planning & Zoning Department
385 S. Goliad Street
Rockwall, Texas 75087
(P): (972) 771-7745
(W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY

THE HOA.


2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS
SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

Owner/Applicant: Corson Cramer Development Dallas, Texas 75206


Phone: 214-734-5924

Engineer/Surveyor: Johnson Volk Consulting, Inc. 4925 Greenville Ave, Ste. 604 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE

JOHNSON VOLK TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033 704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100



- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.



KEY MAP

SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B; LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D; LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F; LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H; LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J; LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L; LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O; 192.58 ACRES OR 8,388,777.55 SF 284 SINGLE FAMILY LOTS, 6 OPEN SPACES, 1 LIFT STATION, 1 PARK & 1 AMENITY CENTER SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80 CITY OF ROCKWALL,

ROCKWALL COUNTY, TEXAS P2025-028

August 26, 2025 SHEET 2 OF 4

EXIST. ZONING: PD-99 LAND USE: SF-10 & C

Owner/Applicant:
Corson Cramer Development 4925 Greenville Ave, Ste. 604 Dallas, Texas 75206 Phone: 214-734-5924



	Line	Table
Line	Length	Direction
L1	2.73	S45° 07' 01"E
L2	1.85	S45° 07' 01"E
L3	14.32	N45° 12' 40"W
L4	46.44	S59° 52′ 38″W
L5	47.23	S60° 29' 40"W
L6	25.00	N45° 12' 40"W
L7	108.02	N83° 14' 53"W
L8	17.35	S14° 42' 23"E
L9	55.15	S75° 51' 12"E
L10	35.94	S17° 01' 57"W
L14	56.80	N43° 55' 12"E
L15	26.33	S86° 40' 44"W
L16	23.00	S45° 42' 01"E
L26	16.11	N45° 12' 40"W
L27	14.32	N45° 12' 40"W
L28	5.34	S45° 12' 40"E
L29	11.19	S59° 52′ 38″W
L30	11.01	S59° 52' 38"W
L31	11.64	S44° 47' 20"W
L32	13.10	S44° 44' 25"E
L33	11.69	S44° 47' 20"W
L34	13.46	S44° 54' 48"E
L35	14.58	S6° 06' 32"W
L36	4.32	S6° 06' 32"W
L37	15.99	N43° 45′ 48″E
L38	21.17	S43° 55' 12"W
L41	1.19	S60° 29' 40"W
L42	1.19	S60° 29' 40"W
L43	13.30	N83° 49' 22"W
L44	137.50	N44° 52' 16"E
L45	25.58	N44* 52' 16"E
L50	14.58	N6° 06' 32"E
L52	57.83	N44° 05' 31"E
L54	135.19	S45° 09' 15"W
	1	i l

5.43 S45° 15' 38"E

L56 | 73.77 | S48° 39' 02"E L57 | 45.30 | S48° 39' 02"E

GENERAL NOTES:

	Line	Table
Line	Length	Direction
L58	6.32	N44° 47′ 20″
L59	12.86	S83° 53′ 28″
L60	17.88	N74° 44' 50"
L61	25.00	S45° 42' 01"
L62	25.00	S45° 42' 01"
L63	12.51	S45° 59' 00"
L64	51.74	N84° 36' 03"
L111	141.52	S87° 59' 11"I
L112	84.68	N87° 19' 41"
L113	201.09	N0° 54' 58"E

		C	Curve Tal	ole	
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing
C7	165.95	330.00	028*48'47"	164.21	N30° 48' 17"W
C8	165.93	330.00	028*48'35"	164.19	S30° 48' 11"E
С9	219.10	330.00	038*02'24"	215.09	S64° 13′ 41″E
C10	659.33	375.00	100*44'18"	577.63	N46° 22' 58"E
C11	146.74	400.00	021°01'08"	145.92	S06° 31' 23"W
C18	625.58	930.00	038*32'27"	613.85	S64° 33' 08"E
C19	45.20	325.00	007*58'09"	45.17	N79° 50' 17"W
C20	55.91	35.00	091°31'18"	50.15	N30° 05' 33"W
C21	117.86	670.00	010°04'44"	117.71	S88° 17' 15"E
C22	44.48	35.00	072*48'42"	41.55	S81° 11' 41"W
C23	185.25	225.00	04710'23"	180.06	N17° 28' 40"W
C24	551.69	830.00	038*05'02"	541.59	N25° 09' 03"E
C25	81.74	225.00	020°48'54"	81.29	N04° 17' 55"W
C26	358.73	540.00	038°03'46"	352.17	N25° 08' 25"E
C27	166.08	250.00	038°03'46"	163.04	N25° 08' 25"E
C28	156.70	250.00	035*54'47"	154.15	N62° 44' 44"E
C29	68.53	250.00	015*42'20"	68.31	S52* 38' 30"W
C30	65.83	250.00	015*05'18"	65.64	N52* 19' 59"E
C31	54.98	35.00	090°00'00"	49.50	S00° 12' 40"E
C32	153.32	250.00	035°08'19"	150.93	N27° 38′ 30″W
C33	393.00	945.00	023°49'39"	390.17	S21° 59' 11"E
C34	179.69	250.00	041°10'54"	175.85	N13° 18' 33"W
C35	226.99	250.00	052*01'19"	219.27	S18° 43' 45"E
C36	106.12	250.00	024°19'17"	105.33	N32° 34' 46"W
C37	106.88	250.00	024°29'41"	106.07	S32° 39' 58"E
C38	54.98	35.00	089°59'46"	49.50	S89° 54' 41"E
C39	54.98	35.00	090°00'14"	49.50	N00° 05' 19"E
C40	82.89	500.00	009°29'54"	82.79	S88° 34' 19"E
C41	123.93	150.00	047°20'16"	120.44	N69° 39' 08"W
C42	242.63	500.00	027°48'13"	240.26	S30° 01' 05"W
C43	304.35	625.00	027°54'01"	301.35	N30° 03' 59"E
C44	54.98	35.00	090°00'00"	49.50	S00° 59' 00"E
C45	55.15	35.00	090"16'59"	49.62	N00° 50′ 31″W
C46	358.57	325.00	063°12'51"	340.66	S13° 34' 02"W
C47	213.84	350.00	035*00'20"	210.53	N00° 32' 13"W
C48	274.67	250.00	062°56'57"	261.06	S14° 30' 32"E
C49	227.42	625.00	020*50'55"	226.17	S72° 49' 25"E
C53	89.32	57.50	089°00'13"	80.61	N89° 42′ 46″W
C54	117.24	57.50	116*49'16"	97.96	S43° 11' 00"W
C55	3.89	57.50	003*52'18"	3.88	N76° 28' 13"W
C56	20.58	50.00	023°34'41"	20.43	S10° 45' 59"W
C57	20.73	225.00	005°16'42"	20.72	N12° 42' 42"W
C58	22.36	920.00	001°23'33"	22.36	S33° 12' 14"E
C59	5.03	275.00	001°02'50"	5.03	N45° 18' 45"E
C60	15.83	275.00	0010230	15.83	S43° 05' 28"E
C62	34.13	225.00	0031734	34.10	N40° 23' 40"W
	23.30	225.00	005*55'57"		
C64 C68	60.63	50.00	069°28'27"	56.98	S41° 56′ 50″E N71° 36′ 56″E
C69	22.12	50.00	069 28 27	21.94	N24° 12' 21"E
C70	12.09	50.00	013°51'11"	12.06	N71° 43′ 17″E

Curve Table

Curve Table					
Curve #	Length	Radius	Delta	Chord Length	Chord Bearin
C71	62.06	50.00	071 ° 07 ' 15"	58.16	N29° 14' 03"E
C72	28.13	50.00	032°14'23"	27.76	N22° 26′ 46″W
C73	34.82	50.00	039*54'17"	34.12	N58° 31' 06"W
C74	34.86	805.00	002*28'52"	34.86	N07° 20' 58"E
C75	12.08	695.00	000*59'46"	12.08	N47° 23' 13"E
C76	63.68	50.00	072 ° 58'29"	59.46	N02° 24' 55"E
C91	38.76	300.00	007*24'07"	38.73	N47° 43′ 03″E
C92	38.76	300.00	007°24'07"	38.73	S47° 43' 03"W
C94	32.13	50.00	036°49'16"	31.58	S68° 58' 57"E
C96	42.93	375.00	006*33'34"	42.91	N14° 45' 36"W
C97	18.99	375.00	002*54'03"	18.98	N10° 01' 48"W
C98	17.69	175.00	005*47'25"	17.68	N48° 52' 43"V
C99	12.43	275.00	002*35'24"	12.43	S15° 40' 15"W
C100	13.84	225.00	003°31'23"	13.83	S44° 13′ 19″E
C101	0.77	275.00	000°09'40"	0.77	S45° 54' 10"E
C104	19.90	250.00	004*33'36"	19.89	N03° 49' 44"E
C105	33.50	565.00	003°23'49"	33.49	N07° 48' 26"E
C106	112.51	57.50	112 ° 06'20"	95.40	N49° 56' 38"V
C107	23.49	50.00	026*54'50"	23.27	S34° 41' 22"W
C108	57.20	50.00	065°33'03"	54.13	S80° 55' 18"W
C109	23.87	50.00	027°21'04"	23.64	N52° 37' 38"V
C111	99.60	225.00	025*21'43"	98.79	S32° 03' 33"E
C112	3.59	275.00	000°44'55"	3.59	S06° 54' 26"V
C113	15.06	360.00	002°23'50"	15.06	S46° 24' 24"E
C114	14.48	360.00	002°18'19"	14.48	S82° 05' 43"E
C115	103.33	360.00	016°26'46"	102.98	S36° 59' 05"E
C116	28.52	50.00	032*40'34"	28.13	N53° 12' 07"W
C117	44.29	50.00	050°44'52"	42.85	N11° 29' 24"W
C118	11.84	205.00	003"18'30"	11.84	N16° 23' 08"W
C119	61.81	205.00	017*16'32"	61.58	N08° 19' 41"E
C120	17.85	395.00	002*35'24"	17.85	S15° 40' 15"W
C121	0.77	395.00	000°06'44"	0.77	S45° 55' 38"E
C128	19.31	480.00	002°18'19"	19.31	S82° 05' 43"E
C129	12.56	480.00	001°29'56"	12.56	S80° 11' 36"E
C130	28.85	105.00	015°44'35"	28.76	S52° 39' 37"V
C131	164.29	1280.00		164.17	S27° 47' 25"E
C132	88.69	5866.43		88.69	N45° 06' 38"E
C134	112.69	245.00	026°21'14"	111.70	S57° 58' 09"V
C135	117.39	255.00	026°22'35"	116.36	N57° 57' 28"E
C136	431.46	635.00	038*55'49"	423.21	S64° 44' 49"E
C137	54.98	35.00	090°00'00"	49.50	N38° 49' 22"V
C138	184.98	275.00	038°32'27"	181.52	S64° 33' 08"E
C138	290.06	430.00	038'38'59"	284.59	N25° 26' 42"E
C139	218.75	330.00	036 36 39	214.77	S25° 06' 36"V
C140	53.95	57.50		51.99	
			053°45'25"		S71° 02' 24"E
C142	132.32	57.50	131°50'46"	104.99	
C143	33.40	28.55	067°01'28"	31.53	N34° 25' 42"E
C144	85.80	326.97	015°02'07"	85.56	N89° 45' 57"E
C145	66.82	44.93	08512'22"	60.83	S40° 06′ 49″E
C146	13.84	571.82	001°23'13"	13.84	S03° 10' 59"W

	Curve Table						
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing		
C147	27.53	23.33	067°37'30"	25.96	S29° 56′ 10″E		
C148	160.61	406.94	022°36'46"	159.56	S75° 03' 18"E		
C149	159.70	115.65	079°07'03"	147.31	S46° 48' 10"E		
C150	124.92	521.28	013°43'50"	124.62	S05° 26' 03"E		
C151	102.22	129.00	045*23'55"	99.56	S24° 07' 50"W		
C152	151.68	702.82	012°21'54"	151.38	S53° 00' 45"W		
C153	52.21	520.57	005°44'47"	52.19	S56° 19' 18"W		
C154	33.77	20.87	092*43'21"	30.20	S07° 05' 14"W		
C155	50.01	37.48	076*26'17"	46.38	S01° 03' 18"E		
C156	130.12	121.51	061°21'29"	123.99	N75° 06' 32"W		
C157	227.35	1633.78	007*58'22"	227.16	N31° 24' 55"W		
C158	41.82	24.91	096*10'00"	37.08	N75° 30' 44"W		
C159	53.02	40.06	075°49'56"	49.23	N85° 40' 47"W		
C160	49.97	193.87	014°46'10"	49.84	N40° 22' 44"W		
C161	138.59	276.72	028*41'46"	137.15	N47° 20' 32"W		
C162	26.05	26.14	057°05'28"	24.98	N33° 08' 41"W		
C165	30.63	21.76	080°37'32"	28.16	N47° 00' 55"E		

GENERAL NOTES:

- 1. SUBDIVIDERS STATEMENT: SELLING A PORTION OF THIS ADDITION BY METES AND BOUNDS IS UNLAWFUL AND A VIOLATION OF THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL AND CHAPTER 212. MUNICIPAL REGULATION OF SUBDIVISIONS AND PROPERTY DEVELOPMENT, OF THE TEXAS LOCAL GOVERNMENT CODE, AND SHALL BE SUBJECT TO THE CITY OF ROCKWALL WITHHOLDING UTILITIES AND BUILDING PERMITS.
- 2. PUBLIC IMPROVEMENT STATEMENT: IT SHALL BE THE POLICY OF THE CITY OF ROCKWALL TO WITHHOLD ISSUING BUILDINGS PERMITS UNTIL ALL STREETS, WATER, SEWER AND STORM DRAINAGE SYSTEMS HAVE BEEN ACCEPTED BY THE CITY. THE APPROVAL OF A SUBDIVISION PLAT BY THE CITY OF ROCKWALL DOES NOT CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE THAT ANY BUILDING WITHIN SUCH SUBDIVISION PLAT SHALL BE APPROVED, AUTHORIZED, OR PERMIT ISSUE, NOR SHALL SUCH APPROVAL CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE BY THE CITY OF ROCKWALL OF THE ADEQUACY AND AVAILABILITY FOR WATER AND SANITARY SEWER FOR PERSONAL USE AND FIRE PROTECTION WITHIN SUCH SUBDIVISION PLAT, AS REQUIRED UNDER THE SUBDIVISION ORDINANCE OF THE CITY OF
- 3. DRAINAGE AND DETENTION EASEMENTS: THE PROPERTY OWNER SHALL BE RESPONSIBLE FOR MAINTAINING, REPAIRING, AND REPLACING AND SHALL BEAR SOLE LIABILITY OF ALL SYSTEMS WITHIN THE DRAINAGE AND DETENTION EASEMENTS.
- 4. FIRE LANES: ALL FIRE LANES WILL BE CONSTRUCTED, MAINTAINED, REPAIRED AND REPLACED BY THE PROPERTY OWNER. FIRE LANES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE APPROVED CIVIL ENGINEERING PLANS FOR BOTH ON-SITE AND OFF-SITE FIRE LANE IMPROVEMENTS.
- 5. STREET APPURTENANCES: ALL DECORATIVE SIGNAGE, POSTS, OR LIGHTS INSTALLED IN PUBLIC RIGHT-OF-WAY SHALL BE INSTALLED, MAINTAINED, REPAIRED, AND REPLACED BY THE HOMEOWNER'S
- 6. ALL LOT CORNERS MONUMENTED WITH A 1/2 INCH IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" (UNLESS OTHERWISE NOTED).
- 7. DETENTION POND IN LOT 2, BLOCK K TO BE MAINTAINED, REPAIRED, AND REPLACED BY HOA.

FINAL PLAT **SOUTHSIDE HILLS-PH 1**

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B; LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D; LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F; LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H; LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J; LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L; LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O; 192.58 ACRES OR 8,388,777.55 SF 284 SINGLE FAMILY LOTS, 6 OPEN SPACES, 1 LIFT STATION, 1 PARK & 1 AMENITY CENTER SITUATED WITHIN

W.W. FORD SURVEY, ABSTRACT NO. 80 CITY OF ROCKWALL ROCKWALL COUNTY, TEXAS

P2025-028

August 26, 2025 SHEET 3 OF 4

EXIST. ZONING: PD-99 LAND USE: SF-10 & C

JOHNSON VOLK TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033 704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100

- 1. PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY
- 2. FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE

GENERAL NOTES:

Owner/Applicant: Corson Cramer Development 4925 Greenville Ave, Ste. 604 Dallas, Texas 75206 Phone: 214-734-5924

Engineer/Surveyor: Johnson Volk Consulting, Inc. 704 Central Parkway East, Suite. 1200 Plano, Texas 75074 Phone: 972-201-3100 Contact: Tom Dayton, PE

ELEVATION 2' ABOVE THE 100-YR WSEL. 6. OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.

FLOOD STUDY DATED MARCH, 2025.

1. ALL LOT CORNERS MONUMENTED WITH A 1/2" IRON ROD WITH A YELLOW

2. ALL UTILITY EASEMENTS AND DRAINAGE EASEMENTS WITHIN THIS PLATTED

3. BASIS OF BEARING AND COORDINATES SHOWN HEREON REFER TO "TEXAS

4. LOCATION OF 1% ANNUAL FLOOD CHANCE SHOWN PER JOHNSON VOLK

5. LOTS ADJACENT TO FLOODPLAIN SHALL HAVE A MINIMUM FINISHED FLOOR

PROPERTY ARE CREATED BY THIS PLAT, UNLESS OTHERWISE NOTED. ALL OPEN

STATE PLANE COORDINATE SYSTEM, NORTH CENTRAL ZONE (4202), NORTH

PLASTIC CAP STAMPED "JVC" UNLESS OTHERWISE NOTED.

SPACE LOTS ARE UTILITY, DRAINAGE AND ACCESS EASEMENTS.

AMERICAN DATUM OF 1983 ON GRID COORDINATE VALUES.

LEGAL DESCRIPTION: 192.58 ACRES

BEING a tract of land situated in the W.W. FORD SURVEY, ABSTRACT NO. 80, Town of Rockwall, Rockwall County, Texas and being all of that tract of land described as Tract 1 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall County, Texas and being part of that tract of land described as Tract 2 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall, County, Texas and being all of that tract of land described in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5772, Page 219, Deed Records, Rockwall County, Texas and being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found in the southwest line of State Highway No. 205, a 120 foot right-of-way, for the common north corner of that tract of land described as Parcel 79 Part 2 in Deed to The State of Texas, as recorded in Document No. 20220000001602, Deed Records, Rockwall County, Texas and east corner of that tract of land described in Deed to Dr. Mohiudin Zeb, Nasreen Zeb, as recorded in Volume 1059, Page 14, Deed Records, Rockwall, County, Texas;

THENCE Southeasterly, with said southwest line, the following five (5) courses and distances:

South 44 degrees 43 minutes 30 seconds West, a distance of 11.14 feet to a TxDOT monument found for the POINT OF BEGINNING of the tract of land herein described:

- South 40 degrees 17 minutes 02 seconds East, a distance of 248.25 feet to a TxDOT monument found for corner; South 45 degrees 53 minutes 03 seconds East, a distance of 143.27 feet to a TxDOT monument found for corner;
- North 44 degrees 06 minutes 57 seconds East, a distance of 34.82 feet to a TxDOT monument found for corner;
- South 45 degrees 48 minutes 12 seconds East, a distance of 251.74 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 40 degrees 46 minutes 30 seconds West, leaving said southwest line, a distance of 226.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 08 degrees 04 minutes 07 seconds East, a distance of 95.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 34 minutes 32 seconds East, a distance of 193.98 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 59 degrees 38 minutes 00 seconds East, a distance of 43.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 18 degrees 50 minutes 22 seconds East, a distance of 105.44 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 29 degrees 46 minutes 44 seconds West, a distance of 172.85 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 02 degrees 56 minutes 27 seconds West, a distance of 161.51 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 80 degrees 51 minutes 56 seconds West, a distance of 185.26 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 06 minutes 41 seconds West, a distance of 222.47 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 26 degrees 52 minutes 08 seconds West, a distance of 103.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 24 degrees 27 minutes 12 seconds West, a distance of 160.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 59 minutes 00 seconds East, a distance of 197.45 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 64 degrees 40 minutes 56 seconds West, a distance of 232.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 06 degrees 10 minutes 38 seconds West, a distance of 93.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 57 degrees 01 minutes 02 seconds East, a distance of 257.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 13 degrees 07 minutes 25 seconds East, a distance of 432.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 11 degrees 49 minutes 50 seconds West, a distance of 829.30 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 37 minutes 46 seconds East, a distance of 266.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 45 degrees 05 minutes 45 seconds West, a distance of 1,104.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 45 degrees 20 minutes 38 seconds West, with the southwest line of said Tract 1, a distance of 315.37 feet to a 1/2 inch iron rod with a yellow plastic cap found for the east corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE South 44 degrees 05 minutes 31 seconds West, leaving said southwest line, a distance of 690.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the south corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 32 degrees 39 minutes 25 seconds West, a distance of 680.55 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the west corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 62 degrees 15 minutes 39 seconds East, a distance of 110.73 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 61 degrees 56 minutes 23 seconds East, a distance of 43.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall

THENCE North 45 degrees 09 minutes 15 seconds East, a distance of 393.74 feet to a 1/2 inch iron rod with a yellow plastic cap found in the southwest line of the above mentioned Tract 1;

THENCE North 45 degrees 15 minutes 38 seconds West, a distance of 598.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner at the beginning of a Boundary Line Agreement, as recorded in Volume 4715, Page 230 (Document No. 2006-00361312), Deed Records, Rockwall County, Texas;

THENCE Northwesterly, with said Boundary Line Agreement, the following six (6) courses and distances:

North 44 degrees 04 minutes 30 seconds West, a distance of 436.95 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 48 degrees 39 minutes 02 seconds West, a distance of 237.14 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;

North 39 degrees 59 minutes 19 seconds West, a distance of 184.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner;

North 44 degrees 51 minutes 58 seconds West, a distance of 244.71 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner; South 44 degrees 53 minutes 18 seconds West, a distance of 13.39 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner in the west line of said Tract 1;

THENCE Northwesterly, with said west line, the following three (3) courses and distances:

Highgate, Ltd. tract recorded in Volume 5572, Page 219;

North 45 degrees 16 minutes 15 seconds West, a distance of 259.63 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner the common south corner of that tract of land described in Deed to Bret A. Wilson and Leslie Wilson, as recorded in Volume 1327, Page 212, Deed Records, Rockwall, County, Texas and an exterior ell corner of said Tract 1;

North 44 degrees 44 minutes 29 seconds East, a distance of 467.61 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the common east corner of said Bret A. Wilson and Leslie Wilson tract and an interior ell corner of said Tract 1;

North 31 degrees 29 minutes 46 seconds West, passing at a distance of 486.24 feet a 1/2 inch iron rod found for the common north corner of said Bret A. Wilson and Leslie Wilson tract and east corner of that tract of land described in Deed to Bobby Dale Price and wife, Bretta Jean Price, as recorded in Volume 1028, Page 142, Deed Records, Rockwall County, Texas, and continuing in all for a total distance of 857.83 feet to a point in the southeast line of Farm to Market Road No. 548, a variable width right-of-way, from which point a 1/2 inch iron rod found bears South 31 degrees 29 minutes 46 seconds East, 0.80 feet, said point being at the beginning of a non-tangent curve to the left having a central angle of 01 degrees 12 minutes 54 seconds, a radius of 5,796.43 feet and a chord bearing and distance of North 45 degrees 17 minutes 02 seconds East, 122.92 feet;

THENCE Northeasterly, with said southeast line, the following three (3) courses and distances:

Northeasterly, with said curve to the left, an arc distance of 122.93 feet to a concrete pedestal monument found for corner;

North 44 degrees 52 minutes 16 seconds East, a distance of 304.20 feet to an "X" found in concrete for the common north corner of said Tract 1 and most westerly northwest corner of said Tract 2;

North 44 degrees 50 minutes 38 seconds East, passing at a distance of 375.47 feet a concrete pedestal monument found, and continuing in all for a total distance of 398.43 feet to a 1/2 inch iron rod found for the common west corner of that tract of land described in Deed to Cody A. Barrick and Carrie L. Barrick, as recorded in Volume 6167, Page 67, Deed Records, Rockwall County, Texas and most northerly northwest corner of said Trat 2;

THENCE South 45 degrees 15 minutes 03 seconds East, leaving said southeast line, a distance of 995.00 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common

south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 89 degrees 17 minutes 48 seconds East, a distance of 20.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 44 degrees 48 minutes 03 seconds East, a distance of 524.11 feet to a 1/2 inch iron rod found for the common east corner of said Cody A. Barrick and Carrie L. Barrick tract and south corner of that tract of land described in Deed to James Kessler and Angela Kessler, as recorded in Document No. 20180000020020, Deed Records, Rockwall County, Texas;

THENCE North 44 degrees 50 minutes 31 seconds East, a distance of 538.74 feet to a 1/2 inch iron rod found for the east corner of said James Kessler and Angela Kessler tract;

THENCE North 44 degrees 31 minutes 54 seconds East, a distance of 541.29 feet to a 1/2 inch iron rod found for the south corner of the above mentioned Dr. Mohiudin Zeb, Nasreen Zeb tract;

THENCE North 44 degrees 43 minutes 30 seconds East, a distance of 595.13 feet to the POINT OF BEGINNING and containing 192.580 acres of land, more or less.

OWNER'S CERTIFICATION:

NOW THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

STATE OF TEXAS \$
COUNTY OF ROCKWALL \$

I (we) the undersigned owner(s) of the land shown on this plat, and designated herein as the SOUTHSIDE HILLS—PH 1 subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever any streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the SOUTHSIDE HILLS—PH 1 subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following:

- 1. No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.
- 2. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of there respective system without the necessity of, at any time, procuring the permission of anyone.
- 3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision.
- 4. The developer and subdivision engineer shall bear total responsibility for storm drain improvements.
- 5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development
- 6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm sewers, and alleys all according to the specifications of the City of Rockwall; or

Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay the same out of the escrow deposit, should the developer and/or owner fail to refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which shall be fixed by the city council of the City of Rockwall.

I (we) further acknowledge that the dedications and/or exactions made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of exactions made herein.

Property Owner Signature

STATE OF TEXAS §
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this ___ day of _____, 2025.

Notary public in and for the State of Texas

My Commission Expires

SURVEYOR'S CERTIFICATE:

NOW, THEREFORE KNOW ALL MEN BY THESE PRESENTS::

THAT I, Ryan S. Reynolds, do hereby certify that I prepared this plat from an actual and accurate survey of the land, and that the corner monuments shown thereon were properly placed under my personal supervision.

RYAN S. REYNOLDS, R.P.L.S.

Texas Registered Professional Land Surveyor No. 6385.

APPROVED:

I hereby certify that the above and forgoing subdivision plat — being an addition to the City of Rockwall, Texas — was approved by the City Council of the City of Rockwall on ____ day of _____, 2025.

MAYOR OF THE CITY OF ROCKWALL

PLANNING AND ZONING COMMISSION CHAIRMAN

CITY SECRETARY

CITY ENGINEER

FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;
192.58 ACRES OR 8,388,777.55 SF
284 SINGLE FAMILY LOTS , 6 OPEN SPACES,
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER
SITUATED WITHIN
W.W. FORD SURVEY, ABSTRACT NO. 80
CITY OF ROCKWALL,

ROCKWALL COUNTY, TEXAS

P2025-028

August 26, 2025 SHEET 4 OF 4 EXIST. ZONING: PD-99 LAND USE: SF-10

JOHNSON VOLK
CONSULTING
TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033
704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100

Owner/Applicant:
Corson Cramer Development
4925 Greenville Ave, Ste. 604
Dallas, Texas 75206
Phone: 214-734-5924



DATE: October 2, 2025

TO: Jason Wight

CCD – Rockwall LLC 8222 Douglas Avenue Dallas, TX 75225

FROM: Henry Lee, AICP

City of Rockwall Planning and Zoning Department

385 S. Goliad Street Rockwall, TX 75087

SUBJECT: P2025-028; Final Plat for Phase 1 of the Southside Hills Subdivision

Jason Wight:

This letter serves to notify you that the above referenced platting case that you submitted for consideration by the City of Rockwall was approved by the City Council on September 15, 2025. The following is a record of all recommendations, voting records and conditions of approval:

Staff Recommendations

- (1) All technical comments from the Engineering, Planning and Fire Departments shall be addressed prior to the filing of this plat; and,
- (2) The development shall adhere to the Parks Board recommendations as outlined above in this case memo; and,
- (3) Any construction resulting from the approval of this <u>Final Plat</u> shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.

Planning and Zoning Commission

On September 9, 2025, the Planning and Zoning Commission approved a motion to recommend approval of the final plat by a vote of 7-0.

City Council

On September 15, 2025, the City Council approved a motion to approve the final plat by a vote of 7-0.

Prior to submitting the required materials for filing, please send or submit a physical or digital copy of the plat to allow staff to ensure that all outstanding comments have been addressed. Once staff has verified all comments have been addressed you will be required to submit -- at a minimum -- the following:

- (1) One (1) set(s) of mylar copies of the plat.
- (2) One (1) tax certificate for each property being platted that demonstrates that the current years taxes have been paid.
- (3) A check for the filing fees (See below) made out to the Rockwall County Clerk's Office.

FILING FEES:

Mylars: \$49.00 per page for the 1st set only (*No charge for additional sets*).

Tax Certificates: \$29.00 for the 1st certificate and \$4.00 for each additional certificate.

Please note that the filling fee amount above is only an estimate and that filling fees are subject to change based on the requirements of the *Rockwall County Clerk's Office*.

All plats must be submitted to the City with the required filing fees and tax certificates a minimum of 180-days from the approval date. Failure to adhere to this deadline, will result in the plat being expired in accordance with the requirements of Chapter 38, *Subdivisions*, of the Municipal Code of Ordinances. Should you have any questions or concerns regarding your plat or the platting process, please feel free to contact me a (972) 772-6434.

Sincerely,

Henry Lee AICP, Senior Planner

City of Rockwall Planning and Zoning Department