




City of Rockwall

Planning & Zoning Department 385 S. Goliad Street Rockwall, Texas 75032 (P): (972) 771-7745 (W): www.rockwall.com The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





LEGAL DESCRIPTION

BEING, a tract of land situated in the J. Strickland Survey, Abstract No. 187 in the City of Rockwall, Rockwall County, Texas, being out of Tract 1, as described in Clerks File No. 20130000498889 in the Deed Records of Rockwall County, Texas and a 39.298 acre tract, as described in Clerks File No. 20130000498882 in said Deed Records and being more particularly described as follows:

BEGINNING, at an "x" cut set at the northwest corner of Breezy Hill Phase 4, an addition to the City of Rockwall, Texas, as described in Cab. I, Pgs. 155-156, in the Plat Records of Rockwall County, Texas, also being in the east line of a 31.012 acre tract, as described in Doc. No. 2012-474555, in said Deed Records same being in the west line of said Tract 1;

THENCE, North 00° 06'14" East, along the west line of said Tract 1 and the east line of said 31.012 acre tract, for a distance 1109.66 feet, to a $\frac{5}{8}$ inch iron rod found the northwest corner of said Tract 1 and the northeast corner of said 31.012 acre tract;

THENCE, South 88° 00'26" East, along the north line of said Tract 1, for a distance of 755.13 feet, to a 1/2 inch iron rod found;

THENCE, South 89° 39'37" East, continuing along said north line, for a distance of 274.64 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, South 00° 20'10" West, departing said north line, for a distance of 125.00 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, South 89° 39'50" East, for a distance of 1.14 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, South 00° 20'10" West, for a distance of 175.00 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, South 89° 39'50" East, for a distance of 642.40 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, South 00° 21'41" West, for a distance of 553.78 feet, to a $\frac{1}{2}$ inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.", being on a curve to the right, having a radius of 1550.00 feet, a central angle of 12° 23'27" and a tangent of 168.26 feet;

THENCE, along said curve at 36.22 feet, passing the northwest corner of a 6.705 acre tract, as described in Clerks File No. 20150000004156, in said Deed Records, at 56.23 feet, passing the southwest corner of said 6.705 acre tract and at 72.50 feet, passing a north line of said 39.298 acre tract, for a total arc distance of 335.20 feet Chord Bearing South 06° 31'54" West - 334.55 feet), to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.", in the north line of a 25.598 acre tract, as described in Clerks File No. 2015000004838, in said Deed Records and being in the south line of said 39.298 acre tract;

THENCE, North 77° 16'23" West, continuing along said north and south lines, for a distance of 181.76 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.", at the northwest corner of said 25.598 acre tract also being the southwest corner of said 39.298 acre tract same being in the east line of a 10.758 acre tract, as described in Clerks File No. 20150000004156, in said Deed Records;

THENCE, North 09° 26'51" East, along the east line of said 10.758 acre tract, for a distance of 235.35 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, South 89° 39'50" East, continuing along said east line, for a distance of 125.11 feet, to a $\frac{1}{2}$ inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.", on a non-tangent curve to the left, having a radius of 1500.00 feet, a central angle of 00° 57'20", and a tangent of 12.51 feet;

THENCE, continuing along said east line and with said curve to the left for an arc distance of 25.01 feet (Chard Bearing North 02° 11'51" East - 25.01 feet), to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.", at the northeast corner of said 10.758 acre tract;

THENCE, North 89° 39'50" West, along the north line of said 10.758 acre tract, for a distance of 788.48 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, North 00° 20'10" East, continuing along said north line of said 10.758 acre tract, for a distance of 126.71 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.", on a non-tangent curve to the right, having a radius of 275.00 feet, a central angle of 60° 02'01", and a tangent of 158.88 feet;

THENCE, continuing along said north line and with said curve to the right for an arc distance of 288.14 feet (Chard Bearing North 53° 15'32" West - 275.14 feet), to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, North 89° 39'50" West, continuing along said north line, for a distance of 161.39 feet, to a $\frac{1}{2}$ inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.", at the northwest corner of said 10.758 acre tract;

THENCE, South 00° 13'32" West, along the west line of said 10.758 acre tract, for a distance of 546.82 feet, to a 1/2 inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.", in the north line of said Breezy Hill Phase 4, being on a curve to the left, having a radius of 1252.00 feet, a central angle of 09° 07'03", and a tangent of 99.83 feet;

THENCE, along the north line of said Breezy Hill Phase 4 and with said curve to the left for an arc distance of 199.23 feet (Chord Bearing North 82° 57'10" West - 199.02 feet), to a 1/2 inch iron found with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, North 00° 06'14" East, continuing along said north line, for a distance of 36.78 feet, to a $\frac{1}{2}$ inch iron rod set with a yellow cap stamped "Corwin Eng. Inc.";

THENCE, North 89° 53'46" West, continuing along said north line, for a distance of 250.00 feet, to the POINT OF BEGINNING and containing 31.254 acres of land.

SURVEYOR CERTIFICATE

I, WARREN L. CORWIN, do hereby certify that the plat shown hereon accurately represents the results of an on-the-ground survey made under my direction and supervision and all corners are as shown thereon and there are no encroachments, conflicts, protrusions or visible utilities on the ground except as shown and said plat has been prepared in accordance with the platting rules and regulations of the City Plan Commission of the City of Rockwoll, Texas.

DATED	the	this	day	of	20	16.
		_				

THE STATE OF TEXAS COUNTY OF COLLIN

WARREN L. CORWIN R.P.L.S. No. 4621

BEFORE ME, the undersigned, a Notary Public in and for the State of Texas, on this day personally appeared WARREN L. CORWIN, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same in the capacity therein stated and for the purposes and considerations therein expressed.

WITNESS MY HAND AND SEAL OF OFFICE, this the day of , 2016.

OWNER'S CERTIFICATE

NOW, THEREFORE, KNOW ALL MEN BY THESE PRESENTS: STATE OF TEXAS

COUNTY OF ROCKWALL

We the undersigned owner"s" of the land shown on this plat, and designated herein as the BREEZY HILL PHASE VI, subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever all streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. We further certify that all other parties who have a mortgage or lien interest in the BREEZY HILL PHASE VI, subdivision have been notified and signed this plat.

We understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. We also understand the following:

- 1. No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.
- 2. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips: and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of their respective system without the necessity of, at any time, procuring the permission of anyone.
- 3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision.
- 4. The developer and subdivision engineer shall bear total responsibility for storm drain improvements.
- 5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development.

6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm structures, storm sewers, and alleys, all according to the specifications of the City of

Until on escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the some made by a contractor and pay for the same out of the escrow deposit, should the developer and/or owner fail or refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which time shall be fixed by the city council of the City of Rockwall.

We further acknowledge that the dedications and/or exaction's made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; we, our successors and assigns hereby waive any claim, damage, or cause of action that we may have as a result of the dedication of exactions made herein.

BH PHASE VISF, LTD. a Texas limited partnership By: BH PHASE VISF, GP Corporation, a Texas corporation, its General Partner

Mortgage or Lien Interest

President

Richard M. Skorburg

STATE OF TEXAS COUNTY OF DALLAS

Before me, the undersigned authority, on this day personally appeared RICHARD M. SKORBURG, known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purpose and consideration therein stated. Given upon my hand and seal of office this day of

Notary Public in and for the State of Texas My Commission Expires:

STATE OF TEXAS

COUNTY OF DALLAS Before me, the undersigned authority, on this day personally appeared_ known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purpose and consideration therein stated. Given upon my hand and seal of office this _____ day of ______, 2016.

Notary Public in and for the State of Texas My Commission Expires:

NOTE: It shall be the policy of the City of Rockwall to withhold issuing building permits until all streets, water, sewer and storm drainage systems have been accepted by the City. The approval of a plat by the City does not constitute any representation, assurance or guarantee that any building within such plat shall be approved, authorized or permit therefore issued, nor shall such approval constitute any representation, assurance or guarantee by the City of the adequacy and availability for water for personal use and fire protection within such plat, as required under Ordinance 83-54.

Recommended for Final Approval:

Planning & Zoning Commission

This approval shall be invalid unless the approved plat for such addition is recorded in the office of the Count Clerk of Rockwall, County, Texas, within one hundred eighty (180) days from said date of final

WITNESS OUR HANDS, this _____day of _____, 2015.

Mayor, City of Rockwall

City Secretory

City Engineer

LINE TABLE

LI	NE NO.		BEARING		DISTANC
	1.	S	89°39′50″	Ε	34.47
	2.		82°13'34"		27.59
	3.	S	44° 39′ 50″	E	14.14
	4.		48° 43' 42"		15.26
	5.	S	29°24'41"	E	40.10
	6.	N	70° 25′ 50"	E	14.69
	7.		68°27'25"		13.82

CURVE TABLE

CURVE NO.	DELTA	RADIUS	LENGTH	TANGENT	CHORD	BEARING
1.	01°02'21"	1550.00'	28.11'	14.06	28.11'	S01°53′42″W
2.	12°48'03"	400.00'	89.37'	44.87'	89.18'	S72°16′09″E
3.	04°19'35"	275.00'	20.77'	10.39	20.76	S63° 42' 20"E
4.	00°57'20"	1500.00'	25.01'	12.51	25.01	NO2° 11' 51"E
5.	20° 41' 02"	250.00'	90.25	45.62'	89.76'	S71°53′03″E
6.	03°28'36"	991.00'	60.13'	30.08	60.12	S59° 48′ 14″E
7.	04°57′12"	1525.00'	131.84'	65.96'	131.79'	N10° 15′ 01"E
8.	07°26'16"	1525.00'	197.96'	99.12'	197.82'	NO4° 03′ 18"E
9.	111°21'41"	250.00'	485.91'	366.22'	412.95'	N33°59'00"W
10.	106°22'47"	105.00'	194.95'	140.30'	168.13'	N36° 28' 26"W
11.	30° 16′ 22″	300.00'	158.51'	81.15'	159.67'	N74°31'39"W
12.	17°31'47"	250.00'	76.49'	38.55	76.19'	N68° 09' 22"W
13.	12° 44′ 34″	250.00'	55.60'	27.92'	55.49'	N83°17'33"W
14.	03°36′16″	300.00	18.87'	9.43'	18.87'	N19°53'43"E
15.	17° 45′ 25″	300.00	92.97'	46.86'	92.60'	N09°12′53″E
16.	16° 37′ 00″	400.00'	116.01'	58.41'	115.60'	S67° 41' 58"E
17.	30° 16′ 22″	150.00'	79.25'	40.58	78.33'	S74°31′39″E
18.	178°51'14"	50.00'	158.08'	'	100.00'	N45° 20' 10"E
19.	151°47′15″	50.00'	181.70'	'	96.98'	N46° 13′ 48″E

FINAL PLAT

BREEZY HILL PHASE VI

77 LOTS, BEING 31.254 ACRES OUT OF THE

J. STRICKLAND SURVEY, ABSTRACT NO. 187

IN THE CITY OF ROCKWALL

ROCKWALL COUNTY, TEXAS

BH PHASE VI, SF, LTD.

OWNER

8214 WESTCHESTER DRIVE., SUITE 710 DALLAS, TEXAS 75225 214-522-4945

PREPARED BY CORWIN ENGINEERING, INC.

> 200 W. BELMONT, SUITE E ALLEN, TEXAS 75013 972-396-1200

CASE *XXXX

DECEMBER 2016

SCALE 1" = 100"