



# DEVELOPMENT APPLICATION

City of Rockwall  
Planning and Zoning Department  
385 S. Goliad Street  
Rockwall, Texas 75087

STAFF USE ONLY  
PLANNING & ZONING CASE NO.

**NOTE:** THE APPLICATION IS NOT CONSIDERED ACCEPTED BY THE CITY UNTIL THE PLANNING DIRECTOR AND CITY ENGINEER HAVE SIGNED BELOW.

DIRECTOR OF PLANNING:

CITY ENGINEER:

PLEASE CHECK THE APPROPRIATE BOX BELOW TO INDICATE THE TYPE OF DEVELOPMENT REQUEST [SELECT ONLY ONE BOX]:

## PLATTING APPLICATION FEES:

- ☐ MASTER PLAT (\$100.00 + \$15.00 ACRE)<sup>1</sup>  
☐ PRELIMINARY PLAT (\$200.00 + \$15.00 ACRE)<sup>1</sup>  
☒ FINAL PLAT (\$300.00 + \$20.00 ACRE)<sup>1</sup>  
☐ REPLAT (\$300.00 + \$20.00 ACRE)<sup>1</sup>  
☐ AMENDING OR MINOR PLAT (\$150.00)  
☐ PLAT REINSTATEMENT REQUEST (\$100.00)

## SITE PLAN APPLICATION FEES:

- ☐ SITE PLAN (\$250.00 + \$20.00 ACRE)<sup>1</sup>  
☐ AMENDED SITE PLAN/ELEVATIONS/LANDSCAPING PLAN (\$100.00)

## ZONING APPLICATION FEES:

- ☐ ZONING CHANGE (\$200.00 + \$15.00 ACRE)<sup>1</sup>  
☐ SPECIFIC USE PERMIT (\$200.00 + \$15.00 ACRE)<sup>1 & 2</sup>  
☐ PD DEVELOPMENT PLANS (\$200.00 + \$15.00 ACRE)<sup>1</sup>

## OTHER APPLICATION FEES:

- ☐ TREE REMOVAL (\$75.00)  
☐ VARIANCE REQUEST/SPECIAL EXCEPTIONS (\$100.00)<sup>2</sup>

## NOTES:

<sup>1</sup>: IN DETERMINING THE FEE, PLEASE USE THE EXACT ACREAGE WHEN MULTIPLYING BY THE PER ACRE AMOUNT. FOR REQUESTS ON LESS THAN ONE ACRE, ROUND UP TO ONE (1) ACRE.

<sup>2</sup>: A \$1,000.00 FEE WILL BE ADDED TO THE APPLICATION FEE FOR ANY REQUEST THAT INVOLVES CONSTRUCTION WITHOUT OR NOT IN COMPLIANCE TO AN APPROVED BUILDING PERMIT.

## PROPERTY INFORMATION [PLEASE PRINT]

ADDRESS 5565 Hwy FM 549, Rockwall, TX

SUBDIVISION

LOT

BLOCK

GENERAL LOCATION West of SH 205 & South of FM 549

## ZONING, SITE PLAN AND PLATTING INFORMATION [PLEASE PRINT]

CURRENT ZONING PD-99

CURRENT USE

Ag

PROPOSED ZONING

PROPOSED USE

Single Family

ACREAGE 192.58 Ac.

LOTS [CURRENT] 0

LOTS [PROPOSED] 284 sf, 6 OS, 1 Lift Station,  
1 Park & 1 Amenity Center  
= 293 Lots Total

- ☐ **SITE PLANS AND PLATS:** BY CHECKING THIS BOX YOU ACKNOWLEDGE THAT DUE TO THE PASSAGE OF HB3167 THE CITY NO LONGER HAS FLEXIBILITY WITH REGARD TO ITS APPROVAL PROCESS, AND FAILURE TO ADDRESS ANY OF STAFF'S COMMENTS BY THE DATE PROVIDED ON THE DEVELOPMENT CALENDAR WILL RESULT IN THE DENIAL OF YOUR CASE.

## OWNER/APPLICANT/AGENT INFORMATION [PLEASE PRINT/CHECK THE PRIMARY CONTACT/ORIGINAL SIGNATURES ARE REQUIRED]

☒ OWNER CCD - Rockwall LLC

☒ APPLICANT Same

CONTACT PERSON Jason Wight

CONTACT PERSON

ADDRESS

ADDRESS

CITY, STATE & ZIP

CITY, STATE & ZIP

PHONE

PHONE

E-MAIL

E-MAIL

## NOTARY VERIFICATION [REQUIRED]


BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED Jason Wight [OWNER] THE UNDERSIGNED, WHO STATED THE INFORMATION ON THIS APPLICATION TO BE TRUE AND CERTIFIED THE FOLLOWING:

"I HEREBY CERTIFY THAT I AM THE OWNER FOR THE PURPOSE OF THIS APPLICATION; ALL INFORMATION SUBMITTED HEREIN IS TRUE AND CORRECT; AND THE APPLICATION FEE OF \$ 4151.60 TO COVER THE COST OF THIS APPLICATION, HAS BEEN PAID TO THE CITY OF ROCKWALL ON THIS THE 15th DAY OF August, 2025 BY SIGNING THIS APPLICATION, I AGREE THAT THE CITY OF ROCKWALL (I.E. "CITY") IS AUTHORIZED AND PERMITTED TO PROVIDE INFORMATION CONTAINED WITHIN THIS APPLICATION TO THE PUBLIC. THE CITY IS ALSO AUTHORIZED AND PERMITTED TO REPRODUCE ANY COPYRIGHTED INFORMATION SUBMITTED IN CONJUNCTION WITH THIS APPLICATION, IF SUCH REPRODUCTION IS ASSOCIATED OR IN RESPONSE TO A REQUEST FOR PUBLIC INFORMATION."

GIVEN UNDER MY HAND AND SEAL OF OFFICE ON THIS THE 15 DAY OF August, 2025


OWNER'S SIGNATURE

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS



MY COMMISSION EXPIRES 5-27-2026






## City of Rockwall

Planning & Zoning Department  
 385 S. Goliad Street  
 Rockwall, Texas 75087  
 (P): (972) 771-7745  
 (W): [www.rockwall.com](http://www.rockwall.com)


The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.







## KEY MAP




VICINITY MAP  
N.T.S.

## LEGEND

- Point of Curvature or Tangency on Center Line
- 1/2" Iron rod set with a yellow plastic cap stamped "JVC" (unless otherwise noted)
- 1/2" IRF (unless otherwise noted)

AC Acre  
BL Building Line  
C1 Curve No.  
<CM> Control Monument  
DE Drainage Easement  
DUE Drainage Utility Easement  
Esmt Easement  
L1 Line No.  
SF Square Feet  
UE Utility Easement  
VE Visibility Easement  
SE Sidewalk Easement  
D.R.R.C.T.= Deed Records of Rockwall County, Texas  
P.R.R.C.T.= Plat Records of Rockwall County, Texas



200 100 0 200 400

SCALE 1" = 200'

## FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;  
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;  
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;  
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;  
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;  
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;  
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;  
192.58 ACRES OR 8,388,777.55 SF  
284 SINGLE FAMILY LOTS, 6 OPEN SPACES,  
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER  
SITUATED WITHIN  
W.W. FORD SURVEY, ABSTRACT NO. 80  
CITY OF ROCKWALL,  
ROCKWALL COUNTY, TEXAS  
P2025-XXX

July 17, 2025  
SHEET 1 OF 4

EXIST. ZONING: PD-99  
LAND USE: SF-10 & C

Owner/Applicant:  
Corson Cramer Development  
4925 Greenville Ave, Ste. 604  
Dallas, Texas 75206  
Phone: 214-734-5924

Engineer/Surveyor:  
Johnson Volk Consulting, Inc.  
704 Central Parkway East, Suite. 1200  
Plano, Texas 75074  
Phone: 972-201-3100  
Contact: Tom Dayton, PE

**JOHNSON VOLK**  
CONSULTING  
TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033  
704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100

F.M. 549

ZONED:  
AG

JAMES KESSLER AND  
ANGELA KESSLER  
DOCUMENT NO. 20180000020020  
D.R.R.C.T.



CODY A BARRICK AND CARRIE L BARRICK  
VOLUME 8167, PAGE 67  
D.R.R.C.T.

MATCH LINE - SHEET 2 OF 4


## GENERAL NOTES:

- PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.
- FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.






- LEGEND**
- Point of Curvature or Tangency on Center Line
  - 1/2" Iron rod set with a yellow plastic cap stamped "JVC" (unless otherwise noted)
  - 1/2" IRF (unless otherwise noted)
- AC Acre  
BL Building Line  
C1 Curve No.  
<CM> Control Monument  
DE Drainage Easement  
DUE Drainage Utility Easement  
Esmt Easement  
L1 Line No.  
SF Square Feet  
UE Utility Easement  
VE Visibility Easement  
SE Sidewalk Easement  
D.R.R.C.T.= Deed Records of Rockwall County, Texas  
P.R.R.C.T.= Plat Records of Rockwall County, Texas



## FINAL PLAT SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;  
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;  
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;  
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;  
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;  
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;  
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;  
192.58 ACRES OR 8,388,777.55 SF  
284 SINGLE FAMILY LOTS, 6 OPEN SPACES,  
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER  
SITUATED WITHIN  
W.W. FORD SURVEY, ABSTRACT NO. 80  
CITY OF ROCKWALL,  
ROCKWALL COUNTY, TEXAS  
P2025-XXX

- GENERAL NOTES:**
- PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.
  - FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.



**Owner/Applicant:**  
Corson Cramer Development  
4925 Greenville Ave, Ste. 604  
Dallas, Texas 75206  
Phone: 214-734-5924

**Engineer/Surveyor:**  
Johnson Volk Consulting, Inc.  
704 Central Parkway East, Suite. 1200  
Plano, Texas 75074  
Phone: 972-201-3100  
Contact: Tom Dayton, PE

**JOHNSON VOLK CONSULTING**  
TBPELS: Engineering Firm No. 11962 / Land Surveying Firm No. 10194033  
704 Central Parkway East | Suite 1200 | Plano, TX 75074 | 972.201.3100

July 17, 2025  
SHEET 2 OF 4

EXIST. ZONING: PD-99  
LAND USE: SF-10 & C



Line Table		
Line	Length	Direction
L1	2.73	S45° 07' 01"E
L2	1.85	S45° 07' 01"E
L3	14.32	N45° 12' 40"W
L4	46.44	S59° 52' 38"W
L5	47.23	S60° 29' 40"W
L6	25.00	N45° 12' 40"W
L7	108.02	N83° 14' 53"W
L8	17.35	S14° 42' 23"E
L9	55.15	S75° 51' 12"E
L10	35.94	S17° 01' 57"W
L14	56.80	N43° 55' 12"E
L15	26.33	S86° 40' 44"W
L16	23.00	S45° 42' 01"E
L26	16.11	N45° 12' 40"W
L27	14.32	N45° 12' 40"W
L28	5.34	S45° 12' 40"E
L29	11.19	S59° 52' 38"W
L30	11.01	S59° 52' 38"W
L31	11.64	S44° 47' 20"W
L32	13.10	S44° 44' 25"E
L33	11.69	S44° 47' 20"W
L34	13.46	S44° 54' 48"E
L35	10.73	S6° 06' 32"W
L36	4.32	S6° 06' 32"W
L37	15.99	N43° 45' 48"E
L38	21.17	S43° 55' 12"W
L41	1.19	S60° 29' 40"W
L42	1.19	S60° 29' 40"W
L43	13.30	N83° 49' 22"W
L44	137.50	N44° 52' 16"E
L45	25.58	N44° 52' 16"E
L50	10.73	N6° 06' 32"E
L52	57.83	N44° 05' 31"E
L52	57.83	N44° 05' 31"E
L54	135.19	S45° 09' 15"W
L55	5.43	S45° 15' 38"E
L56	73.77	S48° 39' 02"E

Line Table		
Line	Length	Direction
L57	45.30	S48° 39' 02"E
L58	6.32	N44° 47' 20"E
L59	12.86	S83° 53' 28"E
L60	17.88	N74° 44' 50"W
L61	25.00	S45° 42' 01"E
L62	25.00	S45° 42' 01"E
L63	12.51	S45° 59' 00"E
L64	51.74	N84° 36' 03"W

Curve Table					
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing
C7	165.95	330.00	028°48'47"	164.21	N30° 48' 17"W
C8	165.93	330.00	028°48'35"	164.19	S30° 48' 11"E
C9	219.10	330.00	038°02'24"	215.09	S64° 13' 41"E
C10	659.33	375.00	100°44'18"	577.63	N46° 22' 58"E
C11	146.74	400.00	021°01'08"	145.92	S06° 31' 23"W
C18	625.58	930.00	038°32'27"	613.85	S64° 33' 08"E
C19	45.20	325.00	007°58'09"	45.17	N79° 50' 17"W
C20	55.91	35.00	091°31'18"	50.15	N30° 05' 33"W
C21	117.86	670.00	010°04'44"	117.71	S88° 17' 15"E
C22	44.48	35.00	072°48'42"	41.55	S81° 11' 41"W
C23	185.25	225.00	047°10'23"	180.06	N17° 28' 40"W
C24	551.69	830.00	038°05'02"	541.59	N25° 09' 03"E
C25	81.74	225.00	020°48'54"	81.29	N04° 17' 55"W
C26	358.73	540.00	038°03'46"	352.17	N25° 08' 25"E
C27	166.08	250.00	038°03'46"	163.04	N25° 08' 25"E
C28	156.70	250.00	035°54'47"	154.15	N62° 44' 44"E
C29	68.53	250.00	015°42'20"	68.31	S52° 38' 30"W
C30	65.83	250.00	015°05'18"	65.64	N52° 19' 59"E
C31	54.98	35.00	090°00'00"	49.50	S00° 12' 40"E
C32	153.32	250.00	035°08'19"	150.93	N27° 38' 30"W
C33	393.00	945.00	023°49'39"	390.17	S21° 59' 11"E
C34	179.69	250.00	041°10'54"	175.85	N13° 18' 33"W
C35	226.99	250.00	052°01'19"	219.27	S18° 43' 45"E
C36	106.12	250.00	024°19'17"	105.33	N32° 34' 46"W
C37	106.88	250.00	024°29'41"	106.07	S32° 39' 58"E
C38	54.98	35.00	089°59'46"	49.50	S89° 54' 41"E
C39	54.98	35.00	090°00'14"	49.50	N00° 05' 19"E
C40	82.89	500.00	009°29'54"	82.79	S88° 34' 19"E
C41	123.93	150.00	047°20'16"	120.44	N69° 39' 08"W
C42	242.63	500.00	027°48'13"	240.26	S30° 01' 05"W
C43	304.35	625.00	027°54'01"	301.35	N30° 03' 59"E
C44	54.98	35.00	090°00'00"	49.50	S00° 59' 00"E
C45	55.15	35.00	090°16'59"	49.62	N00° 50' 31"W
C46	358.57	325.00	063°12'51"	340.66	S13° 34' 02"W
C47	213.84	350.00	035°00'20"	210.53	N00° 32' 13"W
C48	274.67	250.00	062°56'57"	261.06	S14° 30' 32"E
C49	227.42	625.00	020°50'55"	226.17	S72° 49' 25"E
C53	89.32	57.50	089°00'13"	80.61	N89° 42' 46"W
C54	117.24	57.50	116°49'16"	97.96	S43° 11' 00"W
C55	3.89	57.50	003°52'18"	3.88	N76° 28' 13"W
C56	20.58	50.00	023°34'41"	20.43	S10° 45' 59"W
C57	20.73	225.00	005°16'42"	20.72	N12° 42' 42"W
C58	22.36	920.00	001°23'33"	22.36	S33° 12' 14"E
C59	5.03	275.00	001°02'50"	5.03	N45° 18' 45"E
C60	15.83	275.00	003°17'54"	15.83	S43° 05' 28"E
C62	34.13	225.00	008°41'29"	34.10	N40° 23' 40"W
C64	23.30	225.00	005°55'57"	23.29	S41° 56' 50"E
C68	60.63	50.00	069°28'27"	56.98	N71° 36' 56"E
C69	22.12	50.00	025°20'43"	21.94	N24° 12' 21"E
C70	12.09	50.00	013°51'11"	12.06	N71° 43' 17"E

Curve Table					
Curve #	Length	Radius	Delta	Chord Length	Chord Bearing
C71	62.06	50.00	071°07'15"	58.16	N29° 14' 03"E
C72	28.13	50.00	032°14'23"	27.76	N22° 26' 46"W
C73	34.82	50.00	039°54'17"	34.12	N58° 31' 06"W
C74	34.86	805.00	002°28'52"	34.86	N07° 20' 58"E
C75	12.08	695.00	000°59'46"	12.08	N47° 23' 13"E
C76	63.68	50.00	072°58'29"	59.46	N02° 24' 55"E
C91	38.76	300.00	007°24'07"	38.73	N47° 43' 03"E
C92	38.76	300.00	007°24'07"	38.73	S47° 43' 03"W
C94	32.13	50.00	036°49'16"	31.58	S68° 58' 57"E
C96	42.93	375.00	006°33'34"	42.91	N14° 45' 36"W
C97	18.99	375.00	002°54'03"	18.98	N10° 01' 48"W
C98	17.69	175.00	005°47'25"	17.68	N48° 52' 43"W
C99	12.43	275.00	002°35'24"	12.43	S15° 40' 15"W
C100	13.84	225.00	003°31'23"	13.83	S44° 13' 19"E
C101	0.77	275.00	000°09'40"	0.77	S45° 54' 10"E
C104	19.90	250.00	004°33'36"	19.89	N03° 49' 44"E
C105	33.50	565.00	003°23'49"	33.49	N07° 48' 26"E
C106	112.51	57.50	112°06'20"	95.40	N49° 56' 38"W
C107	23.49	50.00	026°54'50"	23.27	S34° 41' 22"W
C108	57.20	50.00	065°33'03"	54.13	S80° 55' 18"W
C109	23.87	50.00	027°21'04"	23.64	N52° 37' 38"W
C111	99.60	225.00	025°21'43"	98.79	S32° 03' 33"E
C112	3.59	275.00	000°44'55"	3.59	S06° 54' 26"W
C113	15.06	360.00	002°23'50"	15.06	S46° 24' 24"E
C114	14.48	360.00	002°18'19"	14.48	S82° 05' 43"E
C115	103.33	360.00	016°26'46"	102.98	S36° 59' 05"E
C116	28.52	50.00	032°40'34"	28.13	N53° 12' 07"W
C117	44.29	50.00	050°44'52"	42.85	N11° 29' 24"W
C118	11.84	205.00	003°18'30"	11.84	N16° 23' 08"W
C119	61.81	205.00	017°16'32"	61.58	N08° 19' 41"E
C120	17.85	395.00	002°35'24"	17.85	S15° 40' 15"W
C121	0.77	395.00	000°06'44"	0.77	S45° 55' 38"E
C128	19.31	480.00	002°18'19"	19.31	S82° 05' 43"E
C129	12.56	480.00	001°29'56"	12.56	S80° 11' 36"E
C130	28.85	105.00	015°44'35"	28.76	S52° 39' 37"W
C131	164.29	1280.00	007°21'14"	164.17	S27° 47' 25"E
C132	88.69	5866.43	000°51'59"	88.69	N45° 06' 38"E
C134	112.69	245.00	026°21'14"	111.70	S57° 58' 09"W
C135	117.39	255.00	026°22'35"	116.36	N57° 57' 28"E
C136	431.46	635.00	038°55'49"	423.21	S64° 44' 49"E
C137	54.98	35.00	090°00'00"	49.50	N38° 49' 22"W
C138	184.98	275.00	038°32'27"	181.52	S64° 33' 08"E
C139	290.06	430.00	038°38'59"	284.59	N25° 26' 42"E
C140	218.75	330.00	037°58'48"	214.77	S25° 06' 36"W
C141	53.95	57.50	053°45'25"	51.99	S71° 02' 24"E

GENERAL NOTES:

- SUBDIVIDERS STATEMENT: SELLING A PORTION OF THIS ADDITION BY METES AND BOUNDS IS UNLAWFUL AND A VIOLATION OF THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL AND *CHAPTER 212, MUNICIPAL REGULATION OF SUBDIVISIONS AND PROPERTY DEVELOPMENT, OF THE TEXAS LOCAL GOVERNMENT CODE*, AND SHALL BE SUBJECT TO THE CITY OF ROCKWALL WITHHOLDING UTILITIES AND BUILDING PERMITS.
- PUBLIC IMPROVEMENT STATEMENT: IT SHALL BE THE POLICY OF THE CITY OF ROCKWALL TO WITHHOLD ISSUING BUILDINGS PERMITS UNTIL ALL STREETS, WATER, SEWER AND STORM DRAINAGE SYSTEMS HAVE BEEN ACCEPTED BY THE CITY. THE APPROVAL OF A SUBDIVISION PLAT BY THE CITY OF ROCKWALL DOES NOT CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE THAT ANY BUILDING WITHIN SUCH SUBDIVISION PLAT SHALL BE APPROVED, AUTHORIZED, OR PERMIT ISSUE, NOR SHALL SUCH APPROVAL CONSTITUTE ANY REPRESENTATION, ASSURANCE OR GUARANTEE BY THE CITY OF ROCKWALL OF THE ADEQUACY AND AVAILABILITY FOR WATER AND SANITARY SEWER FOR PERSONAL USE AND FIRE PROTECTION WITHIN SUCH SUBDIVISION PLAT, AS REQUIRED UNDER THE SUBDIVISION ORDINANCE OF THE CITY OF ROCKWALL.
- DRAINAGE AND DETENTION EASEMENTS: THE PROPERTY OWNER SHALL BE RESPONSIBLE FOR MAINTAINING, REPAIRING, AND REPLACING AND SHALL BEAR SOLE LIABILITY OF ALL SYSTEMS WITHIN THE DRAINAGE AND DETENTION EASEMENTS.
- FIRE LANES: ALL FIRE LANES WILL BE CONSTRUCTED, MAINTAINED, REPAIRED AND REPLACED BY THE PROPERTY OWNER. FIRE LANES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE APPROVED CIVIL ENGINEERING PLANS FOR BOTH ON-SITE AND OFF-SITE FIRE LANE IMPROVEMENTS.
- STREET APPURTENANCES: ALL DECORATIVE SIGNAGE, POSTS, OR LIGHTS INSTALLED IN PUBLIC RIGHT-OF-WAY SHALL BE INSTALLED, MAINTAINED, REPAIRED, AND REPLACED BY THE HOMEOWNER'S ASSOCIATION (HOA).
- ALL LOT CORNERS MONUMENTED WITH A 1/2 INCH IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" (UNLESS OTHERWISE NOTED).
- DETENTION POND IN LOT 2, BLOCK K TO BE MAINTAINED, REPAIRED, AND REPLACED BY HOA.

FINAL PLAT  
SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;  
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;  
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;  
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;  
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;  
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;  
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;  
192.58 ACRES OR 8,388,777.55 SF  
284 SINGLE FAMILY LOTS , 6 OPEN SPACES,  
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER

SITUATED WITHIN  
W.W. FORD SURVEY, ABSTRACT NO. 80  
CITY OF ROCKWALL,  
ROCKWALL COUNTY, TEXAS  
P2025-XXX

July 16, 2025  
SHEET 3 OF 4

EXIST. ZONING: PD-99  
LAND USE: SF-10 & C

GENERAL NOTES:

- ALL LOT CORNERS MONUMENTED WITH A 1/2" IRON ROD WITH A YELLOW PLASTIC CAP STAMPED "JVC" UNLESS OTHERWISE NOTED.
- ALL UTILITY EASEMENTS AND DRAINAGE EASEMENTS WITHIN THIS PLATTED PROPERTY ARE CREATED BY THIS PLAT, UNLESS OTHERWISE NOTED. ALL OPEN SPACE LOTS ARE UTILITY, DRAINAGE AND ACCESS EASEMENTS.
- BASIS OF BEARING AND COORDINATES SHOWN HEREON REFER TO "TEXAS STATE PLANE COORDINATE SYSTEM, NORTH CENTRAL ZONE (4202), NORTH AMERICAN DATUM OF 1983 ON GRID COORDINATE VALUES.
- LOCATION OF 1% ANNUAL FLOOD CHANCE SHOWN PER JOHNSON VOLK FLOOD STUDY DATED MARCH, 2025.
- LOTS ADJACENT TO FLOODPLAIN SHALL HAVE A MINIMUM FINISHED FLOOR ELEVATION 2' ABOVE THE 100-YR WSEL.
- OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.

GENERAL NOTES:

- PRIVATE OPEN SPACE LOTS SHALL BE MAINTAINED BY THE HOA.
- FLOODPLAIN, PRIVATE DRAINAGE, OPEN SPACE LOTS SHALL BE MAINTAINED, REPAIRED & REPLACED BY THE HOA.

Owner/Applicant:  
Corson Cramer Development  
4925 Greenville Ave, Ste. 604  
Dallas, Texas 75206  
Phone: 214-734-5924

Engineer/Surveyor:  
Johnson Volk Consulting, Inc.  
704 Central Parkway East, Suite. 1200  
Plano, Texas 75074  
Phone: 972-201-3100  
Contact: Tom Dayton, PE





LEGAL DESCRIPTION:  
192.58 ACRES

BEING a tract of land situated in the W.W. FORD SURVEY, ABSTRACT NO. 80, Town of Rockwall, Rockwall County, Texas and being all of that tract of land described as Tract 1 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall County, Texas and being part of that tract of land described as Tract 2 in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5015, Page 251, Deed Records, Rockwall, County, Texas and being all of that tract of land described in Deed to Rockwall Highgate, Ltd., as recorded in Volume 5572, Page 219, Deed Records, Rockwall County, Texas and being more particularly described as follows:

COMMENCING at a 1/2 inch iron rod found in the southwest line of State Highway No. 205, a 120 foot right-of-way, for the common north corner of that tract of land described as Parcel 79 Part 2 in Deed to The State of Texas, as recorded in Document No. 2022000001602, Deed Records, Rockwall County, Texas and east corner of that tract of land described in Deed to Dr. Mohiudin Zeb, Nasreen Zeb, as recorded in Volume 1059, Page 14, Deed Records, Rockwall, County, Texas;

THENCE Southeasterly, with said southwest line, the following five (5) courses and distances:

South 44 degrees 43 minutes 30 seconds West, a distance of 11.14 feet to a TxDOT monument found for the POINT OF BEGINNING of the tract of land herein described;  
South 40 degrees 17 minutes 02 seconds East, a distance of 248.25 feet to a TxDOT monument found for corner;  
South 45 degrees 53 minutes 03 seconds East, a distance of 143.27 feet to a TxDOT monument found for corner;  
North 44 degrees 06 minutes 57 seconds East, a distance of 34.82 feet to a TxDOT monument found for corner;  
South 45 degrees 48 minutes 12 seconds East, a distance of 251.74 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 40 degrees 46 minutes 30 seconds West, leaving said southwest line, a distance of 226.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 08 degrees 04 minutes 07 seconds East, a distance of 95.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 34 minutes 32 seconds East, a distance of 193.98 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 59 degrees 38 minutes 00 seconds East, a distance of 43.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 18 degrees 50 minutes 22 seconds East, a distance of 105.44 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 29 degrees 46 minutes 44 seconds West, a distance of 172.85 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 02 degrees 56 minutes 27 seconds West, a distance of 161.51 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 80 degrees 51 minutes 56 seconds West, a distance of 185.26 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 06 minutes 41 seconds West, a distance of 222.47 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 26 degrees 52 minutes 08 seconds West, a distance of 103.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 24 degrees 27 minutes 12 seconds West, a distance of 160.07 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 09 degrees 59 minutes 00 seconds East, a distance of 197.45 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 64 degrees 40 minutes 56 seconds West, a distance of 232.38 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 06 degrees 10 minutes 38 seconds West, a distance of 93.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 57 degrees 01 minutes 02 seconds East, a distance of 257.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 13 degrees 07 minutes 25 seconds East, a distance of 432.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 11 degrees 49 minutes 50 seconds West, a distance of 829.30 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 19 degrees 37 minutes 46 seconds East, a distance of 266.03 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE South 45 degrees 05 minutes 45 seconds West, a distance of 1,104.64 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;

THENCE North 45 degrees 20 minutes 38 seconds West, with the southwest line of said Tract 1, a distance of 315.37 feet to a 1/2 inch iron rod with a yellow plastic cap found for the east corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE South 44 degrees 05 minutes 31 seconds West, leaving said southwest line, a distance of 690.67 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the south corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 32 degrees 39 minutes 25 seconds West, a distance of 680.55 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the west corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 62 degrees 15 minutes 39 seconds East, a distance of 110.73 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 61 degrees 56 minutes 23 seconds East, a distance of 43.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for an interior ell corner of said Rockwall Highgate, Ltd. tract recorded in Volume 5572, Page 219;

THENCE North 45 degrees 09 minutes 15 seconds East, a distance of 393.74 feet to a 1/2 inch iron rod with a yellow plastic cap found in the southwest line of the above mentioned Tract 1;

THENCE North 45 degrees 15 minutes 38 seconds West, a distance of 598.88 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner at the beginning of a Boundary Line Agreement, as recorded in Volume 4715, Page 230 (Document No. 2006-00361312), Deed Records, Rockwall County, Texas;

THENCE Northwesterly, with said Boundary Line Agreement, the following six (6) courses and distances:

North 44 degrees 04 minutes 30 seconds West, a distance of 436.95 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;  
North 48 degrees 39 minutes 02 seconds West, a distance of 237.14 feet to a 1/2 inch iron rod with a yellow plastic cap found for corner;  
North 39 degrees 59 minutes 19 seconds West, a distance of 184.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "RSCI RPLS 5034" found for corner;  
North 44 degrees 51 minutes 58 seconds West, a distance of 244.71 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner;  
South 44 degrees 53 minutes 18 seconds West, a distance of 13.39 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner in the west line of said Tract 1;

THENCE Northwesterly, with said west line, the following three (3) courses and distances:

North 45 degrees 16 minutes 15 seconds West, a distance of 259.63 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for corner the common south corner of that tract of land described in Deed to Bret A. Wilson and Leslie Wilson, as recorded in Volume 1327, Page 212, Deed Records, Rockwall, County, Texas and an exterior ell corner of said Tract 1;

North 44 degrees 44 minutes 29 seconds East, a distance of 467.61 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for the common east corner of said Bret A. Wilson and Leslie Wilson tract and an interior ell corner of said Tract 1;

North 31 degrees 29 minutes 46 seconds West, passing at a distance of 486.24 feet a 1/2 inch iron rod found for the common north corner of said Bret A. Wilson and Leslie Wilson tract and east corner of that tract of land described in Deed to Bobby Dale Price and wife, Bretta Jean Price, as recorded in Volume 1028, Page 142, Deed Records, Rockwall County, Texas, and continuing in all for a total distance of 857.83 feet to a point in the southeast line of Farm to Market Road No. 548, a variable width right-of-way, from which point a 1/2 inch iron rod found bears South 31 degrees 29 minutes 46 seconds East, 0.80 feet, said point being at the beginning of a non-tangent curve to the left having a central angle of 01 degrees 12 minutes 54 seconds, a radius of 5,796.43 feet and a chord bearing and distance of North 45 degrees 17 minutes 02 seconds East, 122.92 feet;

THENCE Northeasterly, with said southeast line, the following three (3) courses and distances:

Northeasterly, with said curve to the left, an arc distance of 122.93 feet to a concrete pedestal monument found for corner;

North 44 degrees 52 minutes 16 seconds East, a distance of 304.20 feet to an "X" found in concrete for the common north corner of said Tract 1 and most westerly northwest corner of said Tract 2;

North 44 degrees 50 minutes 38 seconds East, passing at a distance of 375.47 feet a concrete pedestal monument found, and continuing in all for a total distance of 398.43 feet to a 1/2 inch iron rod found for the common west corner of that tract of land described in Deed to Cody A. Barrick and Carrie L. Barrick, as recorded in Volume 6167, Page 67, Deed Records, Rockwall County, Texas and most northerly northwest corner of said Tract 2;

THENCE South 45 degrees 15 minutes 03 seconds East, leaving said southeast line, a distance of 995.00 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common

south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 89 degrees 17 minutes 48 seconds East, a distance of 20.23 feet to a 1/2 inch iron rod with a yellow plastic cap stamped "JVC" set for a common south corner of said Cody A. Barrick and Carrie L. Barrick tract and an interior ell corner of said Tract 2;

THENCE North 44 degrees 48 minutes 03 seconds East, a distance of 524.11 feet to a 1/2 inch iron rod found for the common east corner of said Cody A. Barrick and Carrie L. Barrick tract and south corner of that tract of land described in Deed to James Kessler and Angela Kessler, as recorded in Document No. 20180000020020, Deed Records, Rockwall County, Texas;

THENCE North 44 degrees 50 minutes 31 seconds East, a distance of 538.74 feet to a 1/2 inch iron rod found for the east corner of said James Kessler and Angela Kessler tract;

THENCE North 44 degrees 31 minutes 54 seconds East, a distance of 541.29 feet to a 1/2 inch iron rod found for the south corner of the above mentioned Dr. Mohiudin Zeb, Nasreen Zeb tract;

THENCE North 44 degrees 43 minutes 30 seconds East, a distance of 595.13 feet to the POINT OF BEGINNING and containing 192.580 acres of land, more or less.

OWNER'S CERTIFICATION:

NOW THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

STATE OF TEXAS §  
COUNTY OF ROCKWALL §

I (we) the undersigned owner(s) of the land shown on this plat, and designated herein as the SOUTHSIDE HILLS--PH 1 subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever any streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the SOUTHSIDE HILLS--PH 1 subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following:

- No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.
- Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of there respective system without the necessity of, at any time, procuring the permission of anyone.
- The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision.
- The developer and subdivision engineer shall bear total responsibility for storm drain improvements.
- The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development.
- No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm sewers, and alleys all according to the specifications of the City of Rockwall; or

Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay the same out of the escrow deposit, should the developer and/or owner fail to refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which shall be fixed by the city council of the City of Rockwall.

I (we) further acknowledge that the dedications and/or exactions made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of exactions made herein.

Property Owner Signature

STATE OF TEXAS §  
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this \_\_\_\_ day of \_\_\_\_\_, 2025.

Notary public in and for the State of Texas

My Commission Expires

STATE OF TEXAS §  
COUNTY OF ROCKWALL §

BEFORE ME, the undersigned authority, on this day personally appeared CCDEV, LLC, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purpose and consideration therein stated.

Given under my hand and seal of office, this \_\_\_\_ day of \_\_\_\_\_, 2025.

Notary public in and for the State of Texas

My Commission Expires

Owner/Applicant:  
Corson Cramer Development  
4925 Greenville Ave, Ste. 604  
Dallas, Texas 75206  
Phone: 214-734-5924

Engineer/Surveyor:  
Johnson Volk Consulting, Inc.  
704 Central Parkway East, Suite. 1200  
Plano, Texas 75074  
Phone: 972-201-3100  
Contact: Tom Dayton, PE

SURVEYOR'S CERTIFICATE:

NOW, THEREFORE KNOW ALL MEN BY THESE PRESENTS: :

THAT I, Ryan S. Reynolds, do hereby certify that I prepared this plat from an actual and accurate survey of the land, and that the corner monuments shown thereon were properly placed under my personal supervision.

RYAN S. REYNOLDS, R.P.L.S.  
Texas Registered Professional Land Surveyor No. 6385.

APPROVED:

I hereby certify that the above and forgoing subdivision plat -- being an addition to the City of Rockwall, Texas -- was approved by the City Council of the City of Rockwall on \_\_\_\_ day of \_\_\_\_\_, 2025.

MAYOR OF THE CITY OF ROCKWALL

PLANNING AND ZONING COMMISSION CHAIRMAN

CITY SECRETARY

CITY ENGINEER

FINAL PLAT  
SOUTHSIDE HILLS-PH 1

LOTS 1-73, BLOCK A; LOTS 1-18, BLOCK B;  
LOTS 1-8, BLOCK C; LOTS 1-14, BLOCK D;  
LOTS 1-23, BLOCK E; LOTS 1-23, BLOCK F;  
LOTS 1-19, BLOCK G; LOTS 1-12, BLOCK H;  
LOTS 1-26, BLOCK I; LOTS 1-21, BLOCK J;  
LOTS 1-2, BLOCK K; LOTS 1-21, BLOCK L;  
LOTS 1-11, BLOCK M; LOTS 1-21, BLOCK O;  
192.58 ACRES OR 8,388,777.55 SF  
284 SINGLE FAMILY LOTS , 6 OPEN SPACES,  
1 LIFT STATION, 1 PARK & 1 AMENITY CENTER

SITUATED WITHIN  
W.W. FORD SURVEY, ABSTRACT NO. 80  
CITY OF ROCKWALL,  
ROCKWALL COUNTY, TEXAS  
P2025-XXX

July 16, 2025  
SHEET 4 OF 4

EXIST. ZONING: PD-99  
LAND USE: SF-10

