

### HISTORIC PRESERVATION ADVISORY BOARD APPLICATION PACKET

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

#### HISTORIC PRESERVATION ADVISORY BOARD (HPAB)

The Historic Preservation Advisory Board (HPAB) is a seven (7) member board generally consisting of one (1) design professional (e.g. architect, planner, etc.), one (1) member of the Rockwall County Historical Foundation, one (1) general contractor, one (1) property owner with property in the Historic Overlay (HO) District, and three (3) citizens interested in historic preservation that is purposed with providing professional recommendations to the City Council and Planning & Zoning Commission with regards to site plans, building alternatives, and building plans proposed within the Historic Overlay (HO) District, or where applicable. Additionally, the board is responsible for providing recommendations concerning the status of properties within the Historic Overlay (HO) District, or where requested. These designations include: Landmarked, High Contributing, Medium Contributing, Low Contributing and Non-Contributing.

For more information concerning the Historic Preservation Advisory Board (HPAB) or to find out how you can sign up to join this board please visit <a href="https://www.rockwall.com/HistoricPreservation.asp">www.rockwall.com/HistoricPreservation.asp</a> or contact a staff member at (972) 771-7745.

#### **MEETING CALENDAR FOR 2023**

The Historic Preservation Advisory Board (HPAB) generally meets the third (3<sup>rd</sup>) Thursday of each month in the Council Chambers on the second (2<sup>nd</sup>) floor of City Hall (385 S. Goliad Street, Rockwall, TX 75087) at 6:00 pm. Below are the application deadline and meeting dates for the HPAB and the corresponding Planning and Zoning Commission and City Council dates. It should be noted that only Certificate of Appropriateness (COA) cases can be appealed to the City Council. Site plans and zoning cases that require approval of the Planning and Zoning Commission will be the only cases required to attend the Planning and Zoning Commission and City Council meetings.

APPLICATION DEADLINE	HPAB MEETING (1)	PLANNING AND ZONING COMMISSION MEETING (1)	CITY COUNCIL MEETING (1) & (3)
December 30, 2023	January 19, 2023	January 31, 2023	February 6, 2023
January 27, 2023	February 16, 2023	February 28, 2023	March 6, 2023
February 24, 2023	March 16, 2023	March 28, 2023	April 3, 2023
March 31, 2023	April 20, 2023	April 25, 2023	May 1, 2023
April 28, 2023	May 18, 2023	May 30, 2023	June 5, 2023
May 26, 2023	June 15, 2023	June 27, 2023	July 3, 2023
June 30, 2023	July 20, 2023	July 25, 2023	August 7, 2023
July 28, 2023	August 17, 2023	August 29, 2023	September 5, 2023 (Tuesday)
August 25, 2023	September 21, 2023	September 26, 2023	October 2, 2023
September 29, 2023	October 19, 2023	November 1, 2023 (Wednesday)	November 6, 2023
October 27, 2023	November 16, 2023	November 28, 2023	December 4, 2023
November 30, 2023 (Thursday)	December 21, 2023	December 27, 2023 (Wednesday)	January 2, 2024 (Tuesday)
December 29, 2023	January 18, 2024	January 30, 2024	February 5, 2024

#### **NOTES**

- 1: MEETINGS HELD AT 6:00 PM IN THE CITY COUNCIL CHAMBERS.
- 2: MAY BE CANCELLED DUE TO HOLIDAYS.
- 3: ZONING AND SPECIFIC USE PERMITS WILL REQUIRE A SECOND READING OF THE ORDINANCE PRIOR TO FINAL APPROVAL/ADOPTION. PLEASE SEE THE DEVELOPMENT APPLICATION SCHEDULE TO SEE SECOND READING DATES.



### HISTORIC PRESERVATION ADVISORY BOARD APPLICATION PACKET

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

NOTE: THERE IS NO APPLICATION FEE, MONETARY OR OTHERWISE, ASSOCIATED WITH SUBMITTING A REQUEST TO THE HISTORIC PRESERVATION ADVISORY BOARD.

#### **CERTIFICATE OF APPROPRIATENESS (COA)**

A Certificate of Appropriateness (COA) is a document awarded by the Historic Preservation Advisory Board (HPAB) certifying that the proposed actions of a property owner meet the intent of the ordinances and guidelines stipulated by the Unified Development Code (UDC) and approved by the City Council for historic properties. Individuals owning property that is partially or wholly located within a historic district may be required to obtain a COA if the property (1) has been designated as a contributing property or (2) is within 200 feet of a contributing property.

The Board shall take action on a COA request within 60 days from receipt of a completed application and supporting documentation. Should the board not take action within a 60-day period the COA shall be automatically referred to City Council for action.

SL	JBMITTAL CRITERIA:
	Applicant's Letter. A letter from the owner/applicant explaining the reason for the request.
	Site Plan, Survey or Plot Plan: Showing the layout and proposed changes of the property.
	Photographs: Digital or analog photos will be accepted by staff.
	Building Elevations: showing all the proposed changes to existing buildings on site.
П	Material List: which shows all proposed material (sample boards are encouraged).

#### REQUEST FOR LOCAL LANDMARK EVALUATION & DESIGNATION

The City Council, upon recommendation by the HPAB and Planning & Zoning Commission, may designate a property as a local landmark through the approval of a zoning ordinance providing the request meets the criteria listed below. When a property has been designated as a local landmark, the site shall bear a medallion on the primary structure identifying it as a historic property.

Upon designation of a property as a local landmark, the designation should be recorded in the tax records of the city, and added to the city's official zoning maps. Staff will provide additional information concerning the designation and the historic medallion award.

<u>Note:</u> Properties that are listed as a Recorded Texas Historical Landmark (RTHL), State Archeological Landmark (SAL) or listed on the National Register of Historic Places (NR) shall be designated as recognized local landmarks.

#### SUBMITTAL CRITERIA:

Applicant's Letter. A letter from the owner/applicant explaining the reason for the requestions.	st.
Site Plan, Survey or Plot Plan: Showing the layout of the property.	
☐ <u>Photographs</u> : Digital or analog photos will be accepted by staff.	

#### **BUILDING PERMIT WAIVER AND REDUCTION PROGRAM**

The Building Permit Waiver and Reduction Program grants the HPAB the authority to approve a reduction or a waiver to required building permit fees for properties within the Old Town Rockwall (OTR) Historic District, Planned Development District 50 (PD-50), the Southside Residential Neighborhood Overlay (SRO) District, and the Downtown (DT) District. An eligible property is defined as a commercial property located in the OTR, PD-50, SRO, or DT District or a residential property in the OTR or the SRO that involves a project with minimum investment of \$5,000.00 and includes exterior improvements. *Landmarked* and *Contributing* properties shall be eligible for a full waiver of building permit fees. All other *Non-Contributing* properties shall be eligible for a reduction up to 50% of the required building permit fee.

#### **SUBMITTAL CRITERIA:**

Applicant's Letter. A letter from the owner/applicant explaining the reason for the request.
Scope of Work: Description or construction documents outlining the work being proposed.
Supporting Information: Any additional information necessary for the HPAB to make a determination of the request.

#### SMALL MATCHING GRANTS PROGRAM

The Small Matching Grants Program grants the HPAB the authority to approve small matching grants up to \$1,000.00 to properties within the Old Town Rockwall (OTR) Historic District and Southside Residential Neighborhood Overlay (SRO) District. Properties considered to be Contributing or Landmarked properties shall be eligible for grants up to \$1,000.00, and Non-Contributing properties shall be eligible for grants up to \$500.00. Projects eligible for this program shall only include those projects proposing improvements to the exterior of a property that will be visible from the street. Examples of these projects include but are not limited to landscaping, painting, replacement of windows, replacement of sidewalks and/or driveways, and etcetera. The program shall be active until all grant money has been allocated for the current fiscal years' budget.

#### **SUBMITTAL CRITERIA:**

ш	Applicant's Letter. A letter from the owner/applicant explaining the reason for the request.
	Scope of Work: Description or construction documents outlining the work being proposed.
	Supporting Information: Any additional information necessary for the HPAB to make a determination of the request.



FOR THIS CASE TO BE APPROVED.

# HISTORIC PRESERVATION ADVISORY BOARD APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

STAFF USE ONLY	
CASE NUMBER:	
NOTE: THE APPLICATION IS NOT CO	
DIRECTOR OF PLANNING:	
DATE RECEIVED:	
RECEIVED BY:	

APPLICATION:  ☐ CERTIFICATE OF APPROPRIATENESS (COA)  ☐ LOCAL LANDMARK EVALUATION & DESIGNATION  ☐ BUILDING PERMIT WAIVER & REDUCTION PROGRAM  ☐ SMALL MATCHING GRANT APPLICATION  SPECIAL DISTRICTS [SELECT APPLICABLE]:  ☐ OLD TOWN ROCKWALL HISTORIC (OTR) DISTRICT  ☐ PLANNED DEVELOPMENT DISTRICT 50 (PD-50)  ☐ SOUTHSIDE RESIDENTIAL NEIGHBORHOOD OVERLAY (SRO) DISTRICT  ☐ DOWNTOWN (DT) DISTRICT	CONTRIBUTING STATUS [SELECT APPLICABLE]:  LANDMARKED PROPERTY  HIGH CONTRIBUTING PROPERTY  MEDIUM CONTRIBUTING PROPERTY  LOW CONTRIBUTING PROPERTY  NON-CONTRIBUTING PROPERTY  CURRENT LAND USE OF THE SUBJECT PROPERTY:  RESIDENTIAL  COMMERCIAL				
PROPERTY INFORMATION [PLEASE PRINT]					
ADDRESS					
SUBDIVISION	LOT BLOCK				
OWNER/APPLICANT/AGENT INFORMATION [PLEASE PRINT/C	HECK THE PRIMARY CONTACT/ORIGINAL SIGNATURES ARE REQUIRED]				
IS THE OWNER OF THE PROPERTY THE PRIMARY CONTACT? $\ \square$ YES $\ \square$ NO	APPLICANT(S) IS/ARE: ☐ OWNER ☐ TENANT ☐ NON-PROFIT ☐ RESIDENT				
CHECK THIS BOX IF OWNER AND APPLICANT ARE THE SAME.	OTHER, SPECIFY:				
OWNER(S) NAME	APPLICANT(S) NAME				
ADDRESS	ADDRESS				
PHONE	PHONE				
E-MAIL	E-MAIL				
SCOPE OF WORK/REASON FOR EVALUATION REQUEST	[PLEASE PRINT]				
CONSTRUCTION TYPE [CHECK ONE]: EXTERIOR ALTERATION	NEW CONSTRUCTION ADDITION DEMOLITION				
RELOCATIONS	OTHER, SPECIFY:				
ESTIMATED COST OF CONSTRUCTION/DEMOLITION OF THE PROJECT (IF APPLICA	BLE):				
PROJECT DESCRIPTION. IN THE SPACE PROVIDED BELOW OR ON A SEPARATE SHEET OF PAPER, DESCRIBE IN DETAIL THE WORK THAT WILL BE PERFORMED ON SITE. FOR LOCAL LANDMARK EVALUATION & DESIGNATION REQUESTS INDICATE ANY ADDITIONAL INFORMATION YOU MAY HAVE CONCERNING THE PROPERTY, HISTORY, SIGNIFICANCE, PRESENT CONDITIONS, STATUS, CURRENT OR PAST USE(S), ETC. STAFF RECOMMENDS THAT PHOTOGRAPHS OF THE INTERIOR AND EXTERIOR OF THE PROPERTY ARE SUBMITTED WITH THIS APPLICATION.					
OWNER & APPLICANT STATEMENT (ODICINAL SIGNATURES DEC	HIDEDI				

I ACKNOWLEDGE THAT I HAVE READ THIS APPLICATION AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. FURTHERMORE, I UNDERSTAND THAT IT IS NECESSARY FOR ME OR A REPRESENTATIVE TO BE PRESENT AT A PUBLIC HEARING



### HISTORIC PRESERVATION ADVISORY BOARD APPLICATION PACKET

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

NOTE: THERE IS NO APPLICATION FEE, MONETARY OR OTHERWISE, ASSOCIATED WITH SUBMITTING A REQUEST TO THE HISTORIC PRESERVATION ADVISORY BOARD.

#### CERTIFICATE OF APPROPRIATENESS (COA)

A Certificate of Appropriateness (COA) is a document awarded by the Historic Preservation Advisory Board (HPAB) certifying that the proposed actions of a property owner meet the intent of the ordinances and guidelines stipulated by the Unified Development Code (UDC) and approved by the City Council for historic properties. Individuals owning property that is partially or wholly located within a historic district may be required to obtain a COA if the property (1) has been designated as a contributing property or (2) is within 200 feet of a contributing property.

The Board shall take action on a COA request within 60 days from receipt of a completed application and supporting documentation. Should the board not take action within a 60-day period the COA shall be automatically referred to City Council for action.

SU	JBMITTAL CRITERIA:
	Applicant's Letter. A letter from the owner/applicant explaining the reason for the request
	Site Plan, Survey or Plot Plan: Showing the layout and proposed changes of the property
	<u>Photographs</u> : Digital or analog photos will be accepted by staff.
	Building Elevations: showing all the proposed changes to existing buildings on site.
П	Material List: which shows all proposed material (sample boards are encouraged).

#### REQUEST FOR LOCAL LANDMARK EVALUATION & DESIGNATION

The City Council, upon recommendation by the HPAB and Planning & Zoning Commission, may designate a property as a local landmark through the approval of a zoning ordinance providing the request meets the criteria listed below. When a property has been designated as a local landmark, the site shall bear a medallion on the primary structure identifying it as a historic property.

Upon designation of a property as a local landmark, the designation should be recorded in the tax records of the city, and added to the city's official zoning maps. Staff will provide additional information concerning the designation and the historic medallion award.

Note: Properties that are listed as a Recorded Texas Historical Landmark (RTHL), State Archeological Landmark (SAL) or listed on the National Register of Historic Places (NR) shall be designated as recognized local landmarks.

SU	BMITTAL CRITERIA:
	Applicant's Letter. A letter from the owner/applicant explaining the reason for the request.
	<u>Site Plan, Survey or Plot Plan</u> : Showing the layout of the property.
	<u>Photographs</u> : Digital or analog photos will be accepted by staff.

#### **BUILDING PERMIT WAIVER AND REDUCTION PROGRAM**

The Building Permit Waiver and Reduction Program grants the HPAB the authority to approve a reduction or a waiver to required building permit fees for properties within the Old Town Rockwall (OTR) Historic District, Planned Development District 50 (PD-50), the Southside Residential Neighborhood Overlay (SRO) District, and the Downtown (DT) District. An eligible property is defined as a commercial property located in the OTR, PD-50, SRO, or DT District or a residential property in the OTR or the SRO that involves a project with minimum investment of \$5,000.00 and includes exterior improvements. Landmarked and Contributing properties shall be eligible for a full waiver of building permit fees. All other Non-Contributing properties shall be eligible for a reduction up to 50% of the required building permit fee.

#### SUBMITTAL CRITERIA: Applicant's Letter. A letter from the owner/applicant explaining the reason for the request. Scope of Work: Description or construction documents outlining the work being proposed. ☐ <u>Supporting Information</u>: Any additional information necessary for the HPAB to make a determination of the request.

Supporting Information: Any additional information necessary for the HPAB to make a determination of the request.

Scope of Work: Description or construction documents outlining the work being proposed.

#### SMALL MATCHING GRANTS PROGRAM

The Small Matching Grants Program grants the HPAB the authority to approve small matching grants up to \$1,000.00 to properties within the Old Town Rockwall (OTR) Historic District and Southside Residential Neighborhood Overlay (SRO) District. Properties considered to be Contributing or Landmarked properties shall be eligible for grants up to \$1,000.00, and Non-Contributing properties shall be eligible for grants up to \$500.00. Projects F

eligible for this program shall only include those projects proposing improvements to the exterior of a property that will be visible from the street
Examples of these projects include but are not limited to landscaping, painting, replacement of windows, replacement of sidewalks and/or driveways
and etcetera. The program shall be active until all grant money has been allocated for the current fiscal years' budget.
SUBMITTAL CRITERIA:
Applicant's Letter. A letter from the owner/applicant explaining the reason for the reguest.



FOR THIS CASE TO BE APPROVED.

OWNER'S SIGNATURE

## HISTORIC PRESERVATION ADVISORY BOARD APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

STAFF USE ONLY					
CASE NUMBER:					
<u>NOTE:</u> THE APPLICATION IS NOT CONSIDERED ACCEPTED BY THE CITY UNTIL THE PLANNING DIRECTOR HAS SIGNED BELOW.					
DIRECTOR OF PLANNING:					
DATE RECEIVED:					
RECEIVED BY:					

APPLICATION:  CERTIFICATE OF APPROPRIATENESS  LOCAL LANDMARK EVALUATION & I BUILDING PERMIT WAIVER & REDUI SMALL MATCHING GRANT APPLICAT  SPECIAL DISTRICTS [SELECT APPLICABLE]: OLD TOWN ROCKWALL HISTORIC (O PLANNED DEVELOPMENT DISTRICT SOUTHSIDE RESIDENTIAL NEIGHBOF DOWNTOWN (DT) DISTRICT	DESIGNATION CTION PROGRAM FION  TR) DISTRICT 50 (PD-50)		CONTRIBUTING ST  LANDMARKED P HIGH CONTRIBL MEDIUM CONTRIBU NON-CONTRIBU NON-CONTRIBU CURRENT LAND US RESIDENTIAL COMMERCIAL	PROPERTY  JTING PROPERTY  RIBUTING PROPEI  JTING PROPERTY  JTING PROPERTY	RTY		
PROPERTY INFORMATION [F	PLEASE PRINT]						
ADDRESS							
SUBDIVISION				LOT		BLOCK	
OWNER/APPLICANT/AGENT	INFORMATION [PLEASE PRINT/O	HEC	C THE PRIMARY CONT	 ACT/ORIGINAL SI	GNATURES AR	E REQUIRED]	
IS THE OWNER OF THE PROPERTY THE	PRIMARY CONTACT? YES NO	Al	PPLICANT(S) IS/ARE:	OWNER	TENANT N	ION-PROFIT	RESIDENT
☐ CHECK THIS BOX IF OWNER AND	APPLICANT ARE THE SAME.		OTHER, SPECIFY:				
OWNER(S) NAME		A	PPLICANT(S) NAME				
ADDRESS			ADDRESS				
PHONE			PHONE				
E-MAIL			E-MAIL				
SCOPE OF WORK/REASON		-	-	_	_		
CONSTRUCTION TYPE [CHECK ONE]:			CONSTRUCTION ER, SPECIFY:	ADDITION		DEMOLITION	
ESTIMATED COST OF CONSTRUCTION/C	DEMOLITION OF THE PROJECT (IF APPLIC.						
PROJECT DESCRIPTION. IN THE SPACE PROVIDED BELOW OR ON A SEPARATE SHEET OF PAPER, DESCRIBE IN DETAIL THE WORK THAT WILL BE PERFORMED ON SITE. FOR LOCAL LANDMARK EVALUATION & DESIGNATION REQUESTS INDICATE ANY ADDITIONAL INFORMATION YOU MAY HAVE CONCERNING THE PROPERTY, HISTORY, SIGNIFICANCE, PRESENT CONDITIONS, STATUS, CURRENT OR PAST USE(S), ETC. STAFF RECOMMENDS THAT PHOTOGRAPHS OF THE INTERIOR AND EXTERIOR OF THE PROPERTY ARE SUBMITTED WITH THIS APPLICATION.							
	OWNER & APPLICANT STATEMENT [ORIGINAL SIGNATURES REQUIRED]  I ACKNOWLEDGE THAT I HAVE READ THIS APPLICATION AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF						

APPLICANT'S SIGNATURE

MY KNOWLEDGE. FURTHERMORE, I UNDERSTAND THAT IT IS NECESSARY FOR ME OR A REPRESENTATIVE TO BE PRESENT AT A PUBLIC HEARING



# CHECKLIST FOR HISTORIC PRESERVATION ADVISORY BOARD (HPAB) SUBMITTALS

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

CASE NUM	BER:			REVIEWED BY:	
CONTRIBUTING STATUS:			REVIEW DATE:		
CENEDAL	INFORMATION FOR ALL SUE	2 INTTMIS			
Requirement		✓= OK	N/A	Comments	UDC Reference
	ary for Site Plan Review:	V = UK	IWA	Comments	Per Application
items recess	✓ Applicant's Letter				-
	✓ Site Plan, Survey or Plot Plan				-
	✓ Photographs				-
	<ul><li>✓ Building Elevations</li><li>✓ Materials List</li></ul>				-
	- Waterials List			Indicate if a Building Permit Waiver/Reduction is being	
Building Pern	nit Waiver/Reduction			requested. STAFF ONLY: Case Number	-
	✓ Scope of Work			Provide a detailed description outlining the work being proposed.	-
				Please provide any addition information necessary (e.g.	
	✓ Supporting Information			photographs, drawings, material samples) for the HPAB to make a determination of the request.	-
				Indicate if a Small Neighborhood Matching Grant is being	
Small Neighb	orhood Matching Grant			requested.	-
				STAFF ONLY: Case Number	
	✓ Scope of Work			Provide a detailed description outlining the work being proposed.	-
	√Supporting Information			Please provide any addition information necessary (e.g. photographs, drawings, material samples) for the HPAB to	
	✓ Supporting Information		Ш	make a determination of the request.	-
DIIII DINC	LIFICLIT				
BUILDING		<b>√</b> = 0K	NI/A	Comments	UDC Reference
Requiremen	is	<b>▼</b> = UK	N/A	Comments  All new buildings and additions shall be constructed to a height	ODC Reference
Hoight				and number of stories which are consistent and compatible with	Ann D 07 C 2
Height				existing neighboring historic buildings or structures on the	App. D 07.C.3
			_	same block face.	
BUILDING	SETBACK AND ORIENTATIO	N			
Requirement	s	<b>√</b> = 0K	N/A	Comments	UDC Reference
				All new additions, alterations, infill, and new infill construction	
Additions Alto	erations, New Construction			should recognize and maintain the established historic home site orientation, and side and front setbacks within the block	App. D 07.A
raditions, rate	Stations, New Constitution	_	_	face, thereby being visually compatible and maintaining the	7.100
				established rhythm and setback spacing.	
				Consideration will be given to the historic precedence for previous site configuration. Out-buildings such as garages and	
Accessory Bu	ildings			storage buildings are historically set upon the lot-line in this	App. D. 0.7.A
				district, therefore this configuration is proper.	
Elevations				New structures should be built to maintain an elevation with a "pier-and-beam" appearance.	App. D 07.B.3
				A new commercial structure should not be oriented toward a	
New Commer	cial Structures			residential block face. Residential block for new construction is	App. D 07.B.4
TACAA COIIIIICI	oral oracial os	J		defined as a block face having at least 50% residential use at	. 19p. D 01.D.T
				the time the new structure is proposed.	

Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference	
Exterior Materials			All exterior wood and masonry materials and their use should be compatible to the style and period of the building or structure.	App. D 07.C.1	
Existing Building Facade			The existing building façade materials on a building should be respected and not changed or concealed by the introduction of a different material.	App. D 07.C.2	
Exterior Building Façade Materials			When the existing façade materials are not the original type, then materials may be replaced with or returned to the original type.	App. D 07.C.3	
Exterior Building Columns			Exterior building columns should be of a style and materials typical of the period and style of the building.	App. D 07.C.4	
Chimneys			All chimneys should be of a style, proportion, and materials compatible with the period and style of the building. Any new construction or additions should not conceal or destroy existing chimneys.	Арр. D 07.С.5	
Materials and Architectural Elements			Materials, structural and decorative elements and the manner in which they are use, applied, or joined together should by typical of the style and period of the existing structure. New additions, alterations, and new construction should be visually compatible with neighboring historic buildings or structures.	App. D 07.C.6	
Windows and Doors		0	The overall relationship of the size, width, height and number of doors and windows on the exterior building facades should be typical of the style and period of the structure. These elements should be proportionally balanced, sized and located in a manner typical of the style and period of the structure and compatible with neighboring historic buildings or structures.	App. D 07.C.7	
Storm Doors and Storm Windows			Storm doors and storm windows are permitted so long as they do not damage or conceal significant features and are visually compatible in size, style and color with the structure. Finishes or should be consistent with the historical materials of the property.	Арр. D 07.С.8	
Awnings		0	Metal and corrugated or slatted plastic awnings are not permitted except where these awnings are a historical feature of the property. The shape, size and color of awnings shall be compatible with the structure and not conceal or damage any significant architectural details.	Арр. D 07.С.9	
ROOFS					
Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference	
Roof Shape, Form, and Design			Roof shape, form and design should be typical of or consistent with the style and period of the architecture of buildings within the Historic District.	App. D 07.D.1	
Roof Overhang			The accepted roof overhang for a new structure should be typical of a structure of similar style and period. Replacement, addition or alteration to an existing roof should have the same overhang as the existing roof.	App. D 07.D.2	
Eaves and Soffits			The eaves or soffit heights of a structure should be consistent with the heights of neighboring contributing structures or with those in the closest block face with buildings of a similar period and style and the same number of stories.	App. D 07.D.3	
Roof Materials			Roof materials/colors should be visually compatible and compliment the style and period of the structure. Where historically typical materials are no longer available, compatible alternatives will be allowed.	Арр. D 07.D.4	
Roof Slope and Pitch			The degree and direction of roof slope and pitch should be consistent with the style and period of the historic structure.	App. D 07.D.5	
Mechanical Equipment			Mechanical equipment placed on the roof should not to be visible from the street.	App. D 07.D.6	
FRONT YARDS					
Requirements ✓= OK		N/A	Comments	UDC Reference	
NOTE: The front yard is defined as a yard across the full width of a lot extending from the front line of the main building to the front street line of the lot.  Generally, the use of the front yard will be reserved for landscaping with the purpose of enhancing the structures on the lot with plant material.  App.  App.  App.					
Paving			historic character of the property or nearby contributing properties. As a general rule, the following standards will be followed:	App. D 07.E.2	

✓ Paved Walkway Location			A paved walkway from the front lot line to the front or, on a corner lot, from the side lot line to a side entry of the structure. In all cases, the walkway should not be wider than the entry steps and in no instance should the walkway be wider than ten (10) feet.	Арр. D 07.Е.3
✓ Maximum Width			A paved walkway is allowed from the driveway to the front and/or side entry walkway, with a maximum width of three (3) feet.	App. D 07.E.4
✓ Paving Materials			In no instance will the front yard of any lot be paved or graveled except for an appropriate driveway or walkways.	App. D 07.E.5
✓ Vehicle Parking			No residential front yard area will be designated as a vehicle parking area unless previously paved as such.	App. D 07.E.6
SIDE YARDS				
Requirements	✓= OK	N/A	Comments	UDC Reference
NOTE: The side yard is defined as a yard between	the building and	the side li	ne of the lot, extending from the front yard to the rear yard	App. D 07.F.1
Landscaping			Unless previously used for a driveway, the side yard shall be used for landscaping with the purpose of enhancing the structures with plant material.	App. D 07.F.2
Parking			Parking of vehicles on the side yard will not be allowed, except on paved driveways as outlined in Section (I).	App. D 07.F.3
REAR YARDS				
Requirements	<b>✓</b> = 0K	N/A	Comments	UDC Reference
<b>NOTE</b> : The rear yard is the area extending across to	the full width of th	ne lot and	measured between the rear lot line and rear line of the man	in building.
Garages, Storage Buildings, and Out-Buildings			Garages, storage buildings and out buildings are allowed in the rear yard to the extent permitted by City of Rockwall Unified Development Code (UDC). These structures should reflect the character of the existing residence and be compatible in terms of scale, height, size, roof shape, materials and detailing.	Арр. D 07.G.1
Site Layout			Consideration should be given to the historic precedence for previous site configuration. Outbuildings such as garages and storage buildings are historically set upon the lot line in this Historic District. This configuration is proper for new additions, alterations, infill and new infill construction. The location of these buildings should be sensitive to the character, site and environment of any adjacent contributing structures, especially when the rear yard is on a corner lot visible from street public rights-of-way.	App. D 07.G.2
FENCES				
Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference
Compatibility			A fence in the front, side, or rear yards should meet all applicable city codes. Most fences require only a fence permit; however, a fence requiring a building permit will also be reviewed and approved by the board. Any fence that requires review must be architecturally compatible in height, materials, color, texture and design with the style and period of the main structure on the lot.	Арр. D 07.Н.1
DRIVEWAYS				
Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference
Pavement Material Requirements			The purpose of the driveway shall be to create a paved surface for the movement of vehicles to parking areas. The driveway is defined as the paved area within the property line extending from the back of the sidewalk or lot line to the garage, out building or porte-cochere.	Арр. D 07.I.1
Width of Driveway			The driveway should not exceed a width of ten feet.	App. D 07.1.2
Location of Driveways			The driveway may extend along the side of the residence or structure, through the porte-cochere (if applicable) to the to the rear yard.	App. D 07.1.3
Front Yard and Circular Driveways			Front or side yard circular driveways will not be allowed, unless consistent with the historic character or features of the property or nearby contributing properties	App. D 07.I.4

		On a corner lot, the driveway may extend from the side street to the garage if the garage is facing the side street. All other width and approach regulations will apply to driveways on corner lots.  Ribbon driveways are allowed if the paved ribbons are at least one (1) foot wide, and no greater than two (2) feet wide.  Any new driveway constructed through a front yard should be a minimum of ten (10) feet from an existing driveway on the adjacent lot, except in the instances of "shared" driveways.  Parking should be on "improved" surfaces only, thereby maintaining the integrity of the front, side and rear yards of the property.	App. D 07.1.5
✓= OK	N/A	Comments	UDC Reference
		Driveway and sidewalks should be paved with concrete, brick, cut stone, pavers, natural rock or asphalt.	App. D 07.J.1
		All new sidewalks and driveways should be constructed to be compatible in texture, color, style and size with the main structure on the lot.	App. D 07.J.1
<b>√</b> = 0K	N/A	Comments	UDC Reference
		Off-street parking should be provided behind the front facade of the main structure on the property. The number of spaces and design of the parking spaces shall conform to the off-street parking requirements as set forth in Article 05, District Development Standards, of the Unified Development Code (UDC).	Арр. D 07.К.3
		All parking lots for more than five (5) vehicles and having frontage on a public street should be screened from the street by an evergreen hedge not lower than three (3) feet nor higher than four (4) feet tall. If a hedge is not desired, then an earthen berm, masonry wall, or combination thereof may be substituted, provided the stated heights are observed.	Арр. D 07.К.3
		A visibility triangle with a minimum base of four (4) feet shall be provided at entrances.	App. D 07.K.3
REAS			
<b>✓</b> = 0K	N/A	Comments	UDC Reference
glare on operator	's of moto	r vehicles, pedestrians, and nearby property. The nuisance	and hazard
		No flickering or flashing lights shall be permitted.	App. D 07.L.1
		pedestrian walkways. No light shall spill across the property line	App. D 07.L.2
		Outdoor security lights should be placed so that no light spills across the adjacent property line.	App. D 07.L.3
<b>√</b> = 0K	N/A	Comments	UDC Reference
		Brick, stone or other naturally or historically unpainted materials	
		should not be painted unless the material has been painted	App. D 07.M.3
			App. D 07.M.3 App. D 07.M.3
	✓= OK  □  ✓= OK  □  ✓= OK  □  □  REAS  ✓= OK  glare on operator  □  □	V= OK N/A  □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	to the garage if the garage is facing the side street. All other width and approach regulations will apply to driveways on corner lots.  Ribbon driveways are allowed if the paved ribbons are at least one (1) foot wide, and no greater than two (2) feet wide. Any new driveway constructed through a front yard should be a minimum of ten (10) feet from an existing driveway on the adjacent lot, except in the instances of "shared" driveways. Parking should be on "improved" surfaces only, thereby maintaining the integrity of the front, side and rear yards of the property.  ✓= OK N/A Comments  □ □ Driveway and sidewalks should be paved with concrete, brick, cut stone, pavers, natural rock or asphalt.  All new sidewalks and driveways should be constructed to be compatible in texture, color, style and size with the main structure on the lot.  ✓= OK N/A Comments  □ □ driveways and sidewalks should be provided behind the front facade of the main structure on the property. The number of spaces and design of the parking spaces shall conform to the off-street parking requirements as set forth in Article 05, District Development Standards, of the Unified Development Code (UDC).  All parking lots for more than five (5) vehicles and having frontage on a public street should be screened from the street by an evergreen hedge not lower than three (3) feet nor higher than four (4) feet tall. If a hedge is not desired, then an earthen berm, masonny wall, or combination thereof may be substituted, provided the stated heights are observed.  □ □ A visibility triangle with a minimum base of four (4) feet shall be provided at entrances.  REAS  ✓= OK N/A Comments  glare on operators of motor vehicles, pedestrians, and nearby property. The nuisance of an adjacent walkways. No light shall spill across the property line of an adjacent residential property.  □ □ cutdoor security lights should be placed so that no light spills across the adjacent property line.

SIGNAGE				
Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference
Unlighted Signs			An unlighted sign with the address or name of the occupant of the residence may be attached or detached and should not measure more than one (1) square foot.	App. D 07.N.3
Compatibility			Signs should not obscure significant architectural features of a building or structure. The material, shape, color, design and lettering style of all signs should be compatible with the style and period of the structure and the Historic District as a whole.	App. D 07.N.3
SIGNAGE FOR COMMERCIAL PROPERT	TES			
Requirements	<b>√</b> = 0K	N/A	Comments	UDC Reference
Types of Signs			No signs other than those identifying the property where they are installed or identifying the business conducted therein should be permitted. All lighting elements such as wires, junction boxes, transformers, ballasts, switches and panel boxes should be concealed from view.	Арр. D 07.О.1
Signs for Buildings Greater Than Two (2) Floors			In a building of more than two (2) floors, no sign is permitted above the second floor.	App. D 07. O.2
Size			Size should be in proportion to the architecture and scale of the building. Horizontal signs should not exceed ten (10) percent of the total front elevation of the building.	App. D 07.O.3
Horizontal Signs			Horizontal signs should be located in the area defined by the first-floor cornice and the vertical supports. A horizontal sign should not cover tops of first floor windows. Horizontal signs should not project more than 12-inches from the surface of the building.	Арр. D 07.О.4
✓ Attached Signs			Attached signs should be placed below the cornice line of the first floor no higher than the bottom of the second story windows, or not less than 11 feet above grade level. An awning or canopy should be subjected to the same requirements as an attached sign. An awning or canopy and an attached sign combined should not exceed the total area permitted for a wall sign	Арр. D 07.О.4
✓ Projecting Signs			Projecting signs should not extend higher than the bottom of the second story windows or not less than 11 feet above grade level. Projecting signs should not extend more than two (2) feet beyond the building surface.	Арр. D 07.О.4
Lighted Signs			Lighted signs will receive approval from the City of Rockwall Historic Preservation Advisory Board (HPAB) on a case-by-case basis.	App. D 07.O.5
Rooftop Signs			Roof top signs are not permitted. Banners signs are permitted for 30-days and "special event" banners are allowed for two (2) weeks. The City of Rockwall sign ordinance requires permits for banners.	Арр. D 07.О.6
Flashing Signs			Flashing, flickering or moving signs are not permitted.	App. D 07.0.7
Temporary Signs			Temporary signs may be permitted for no longer than 30 days.	App. D 07.O.8
Display Windows			Display window signs will not occupy more than 20% of the window area. This window area includes signs, which are placed within three (3) feet of the window and visible from the outside.	App. D 07.O.9
Signs on a Residential Structure			Signs on a residential structure converted to commercial should be a single freestanding and/or "swinging" sign with one (1) or two (2) support standards. The maximum size is 16 square feet and it should not impede pedestrian or motor vehicle traffic. Monument signs should not be permitted. Detached signs will be approved the City of Rockwall Historic Preservation Advisory Board (HPAB) on a case-by-case basis.	App. D 07.O.10