

PLANNING & ZONING CASE NO.

HISTORIC PRESERVATION ADVISORY BOARD APPLICATION

CERTIFICATE OF APPROPRIATENESS (COA) BUILDING PERMIT FEE WAIVER SMALL MATCHING GRANT (SMG)

RECORD OF RECOMMENDATIONS, VOTING RECORDS, AND CONDITIONS OF APPROVAL

HISTORIC PRESERVATION ADVISORY BOARD
CONDITIONS OF APPROVAL
NOTES



HISTORIC PRESERVATION ADVISORY BOARD APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

CASE NUMBER:	
NOTE: THE APPLICATION IS NOT O	CONSIDERED ACCEPTED BY RECTOR HAS SIGNED BELOW.
DIRECTOR OF PLANNING:	

APPLICATION: CYCERTIFICATE OF A LOCAL LANDMARI SPECIAL DISTRICTS OLD TOWN ROCK PLANNED DEVELO SOUTHSIDE RESII DOWNTOWN (DT)	K EVALUATION & DE TWAIVER & REDUCT G GRANT APPLICATI (SELECT APPLICABLE): WALL HISTORIC (OT DPMENT DISTRICT 5 DENTIAL NEIGHBOR	SIGNATION TION PROGRAM ON TR) DISTRICT	RICT	CONTRIBUTING STATE LANDMARKED PROBLEM LANDMARKED PROBLEM CONTRIBUTION MEDIUM CONTRIBUTION NON-CONTRIBUTION NON-CONTRIBUTION CURRENT LAND USED RESIDENTIAL COMMERCIAL	OPERTY ING PROPERT UTING PROPE NG PROPERT NG PROPERT	Y ERTY Y	RTY:	
PROPERTY INF								
ADDRESS	6 603	E Rusk St	zee+		E-1640-1511-151-151-151-151-151-151-151-151-1	Million Committee		Marie Control
SUBDIVISION	Proper	- ID: 1447)		LOT		BLOCK	120E
OWNER/APPLIC	ANT/AGENT	INFORMATION (PLEA	ASE PRINT/CHECI	K THE PRIMARY CONTA	CT/ORIGINAL	SIGNATURES	ARE REQUIRED	Conference of
		PRIMARY CONTACT? YE					NON-PROFIT	RESIDENT
CHECK THIS BO	X IF OWNER AND	APPLICANT ARE THE SAI	ME.	OTHER, SPECIFY:				
OWNER(S) NAME	Kelli 1	walker	A	PPLICANT(S) NAME				
ADDRESS	Variable and control of the control	Rusk Stree	+	ADDRESS				
PHONE	(214)9	12-le140		PHONE				
		Kellill@gma	il. com	E-MAIL				
		FOR EVALUATION F						
		EXTERIOR ALTERATION		Manager and the second	ADDITION		C DEMONITION	
CONSTRUCTION TYPE	: [CHECK ONE]:	RELOCATIONS		ER, SPECIFY:	△ ADDITION		☐ DEMOLITION	
ESTIMATED COST OF	CONSTRUCTION/D	EMOLITION OF THE PROJECT	3,000		00			
FOR LOCAL LANDMAI SIGNIFICANCE, PRESI PROPERTY ARE SUBM	RK EVALUATION & ENT CONDITIONS, S MITTED WITH THIS A		NDICATE ANY ADI USE(S), ETC. STA	T OF PAPER, DESCRIBE DITIONAL INFORMATION AFF RECOMMENDS THA	IN DETAIL TH	AVE CONCER	NING THE PROPER	RTY, HISTORY
TROJECH	DUSCI	ption on Sep	wate (svent market and an and		and the second second		Service Control
		andrew ministration in the second	96 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 1966 (1966) 196	innen inne het eine seine kannen in het en som ten kommen in de seine seine seine seine seine seine seine sein Till seine sei	77.4	**********		

OWNER & APPLICANT STATEMENT [ORIGINAL SIGNATURES REQUIRED]


I ACKNOWLEDGE THAT I HAVE READ THIS APPLICATION AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. FURTHERMORE, I UNDERSTAND THAT IT IS NECESSARY FOR ME OR A REPRESENTATIVE TO BE PRESENT AT A PUBLIC HEARING FOR THIS CASE TO BE APPROVED.

OWN	EDIE	CICA	IATI	IDE

100	a.	and the	Carrier .	Section 1	ALC: NO.	republication (s	
		1		-	1000		
	بعا	and the latest desired	₩.	\sim	ACAD STATE OF	and the same of th	Company of the Compan

APPLICANT'S SIGNATURE

SHOWN	A STATE OF THE PARTY OF	No other Bridge	AND RESERVED AND RESERVED.	BENERAL STREET	PARTITION OF THE PARTY OF THE P	CAPITITE PARTITION OF THE
and the second		The Section 1	100			A STATE OF THE STATE OF
						a black of
at morning one	Secretaria de la companya del la companya de la com	Contract of the	والمتشارك المعاوضة	Sales Senting lines	AND DESCRIPTION OF THE PARTY OF	<u> </u>





City of Rockwall Planning & Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

(P): (972) 771-7745 (W): www.rockwall.com


The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





Case Number: H2025-003

Case Name: Certificate of Appropriateness (COA)

for a Low Contributing Property

Case Type: Historic

Zoning: Single-Family 7 (SF-7) District

Case Address: 603 E. Rusk Street

Date Saved: 1/31/2025

For Questions on this Case Call: (972) 771-7745



Property Owner and/or Resident of the City of Rockwall:

You are hereby notified that the Historic Preservation Advisory Board will consider the following application:

Case No. H2025-003: Certificate of Appropriateness (COA) for 603 E. Rusk Street

Hold a public hearing to discuss and consider a request by Kelli Walker for the approval of a <u>Certificate of Appropriateness (COA)</u> for an Addition to a Low Contributing Property being a 0.25-acre tract of land identified as Block 120E of the B. F. Boydston Addition, City of Rockwall, Rockwall County, Texas, situated within the Old Town Rockwall (OTR) Historic District, zoned Single-Family 7 (SF-7) District, addressed as 603 E. Rusk Street, and take any action necessary.

For the purpose of considering the effects of such a request, the Historic Preservation Advisory Board will hold a public hearing on <u>Thursday, February 20, 2025 at</u> 6:00 PM. This hearing will be held in the City Council Chambers at City Hall, 385 S. Goliad Street.

As an interested property owner, you are invited to attend these meetings. If you prefer to express your thoughts in writing please return the form to:

Bethany Ross

Rockwall Planning and Zoning Dept. 385 S. Goliad Street Rockwall, TX 75087

You may also email your comments to the Planning Department at planning@rockwall.com. If you choose to email the Planning Department please include your name and address for identification purposes.

Your comments must be received by <u>Thursday, February 20, 2025 at 4:00 PM</u> to ensure they are included in the information provided to the Historic Preservation Advisory Board.

Sincerely,

Ryan Miller, AICP
Director of Planning & Zoning

PLEASE RETURN THE BELOW FORM
Case No. H2025-003: Certificate of Appropriateness (COA) for 603 E. Rusk Street
Please place a check mark on the appropriate line below:
☐ I am in favor of the request for the reasons listed below.
☐ I am opposed to the request for the reasons listed below.
Name:
Address:

Tex. Loc. Gov. Code, Sec. 211.006 (d) If a proposed change to a regulation or boundary is protested in accordance with this subsection, the proposed change must receive, in order to take effect, the affirmative vote of at least three-fourths of all members of the governing body. The protest must be written and signed by the owners of at least 20 percent of either: (1) the area of the lots or land covered by the proposed change; or (2) the area of the lots or land immediately adjoining the area covered by the proposed change and extending 200 feet from that area.

PLEASE SEE LOCATION MAP OF SUBJECT PROPERTY ON THE BACK OF THIS NOTICE

match roofing with existing roofing 9'-1 1/2" plate **и и и** exposed rafter ends match siding w/ existing siding match siding w/ existing siding RIGHT ELEVATION Foundations of exterior walls or piers exposed more than ten inches above the adjacent ground level shall be clad in the primary exterior finish material, such as lap siding, and painted to complement the primary exterior finish material. SCALE 1/4" = 1'-0"

match roofing with existing roofing

Foundations of exterior walls or piers exposed more than ten

to complement the primary exterior finish material.

> inches above the adjacent ground level shall be clad in the > primary exterior finish material, such as lap siding, and painted


9'-1 1/2" plate


_match_siding w/ existing siding

SCALE 1/4'' = 1'-0''

LEFT ELEVATION

Existing House match roofing with existing roofing plate height @ main house exposed rafter ends 3050sh 3050sh 3050sh -match siding with existing house-FRONT ELEVATION Foundations of exterior walls or piers exposed more than ten inches above the adjacent ground level shall be clad in the primary exterior finish material, such as lap siding, and painted to complement the primary exterior finish material. SCALE 1/4'' = 1'-0''





9'-1 1/2" plate Foundations of exterior walls or piers exposed more than ten inches above the adjacent ground level shall be clad in the primary exterior finish material, such as lap siding, and painted to complement the primary exterior finish material. REAR ELEVATION

SCALE 1/4" = 1'-0"

A Custom Addition for:

Walker Residence
603 E Rusk Street
Abstract No. 14
B.F. Boydston Survey
City of Rockwall, Rockwall County, Texas

((c) copyright 2023 J. Karlovich Home Design SHEET NO. 04

M2237 Servica (214) 499-333


REVISIONS:


Karlovich - Home Design


11/02/2023


01/15/2025

(214) 674-0290: Phone jkarlovichhomedesign.com










EXISTING + DEMO PLAN SCALE 1/4'' = 1'-0''



R311.1 Means of egress. Dwellings shall be provided with a R310.2.3.1 Ladder and steps. Window wells with a means of egress in accordance with this section. The means vertical depth greater than 44 inches (1118 mm) shall of egress shall provide a continuous and unobstructed path of vertical and horizontal egress travel from all portions of the vertical and horizontal egress travel from all portions of the usable with the window in the fully open position. Ladders dwelling to the required egress door without requiring travel through a garage. The required egress door shall open directly required to comply with Sections R311.7 and R311.8. into a public way or to a yard or court that opens to a public Ladders or rungs shall have an inside width of not less R310.2.1 Minimum opening area. Emergency and escape rescue openings shall have a net clear opening of not less than 5.7 square feet (0.530 m2). The net clear opening dimensions required by this section shall be obtained by the normal operation of the emergency escape and rescue opening from the inside. The net clear height

than 12 inches (305 mm), shall project not less than 3 inches (76 mm) from the wall and shall be spaced not more than 18 inches (457 mm) on center vertically for

the full height of the window well.

R312.2 Window fall protection. Window fall protection surface below on the exterior of the building, the operable window shall comply with one of the following: Operable windows with openings that will not allow 4-inch-diameter (102 mm) sphere to pass through the opening where the opening is in its largest

Doors Schedule:

FLOOR + ELECTRICAL PLAN SCALE 1/4'' = 1'-0''

Mindows Schedule:

**All windows in wet areas, in stairwell, and/or closer than 24"

Areas:

850 sq. ft Existing HVAC Area 701 sq. ft New HVAC Area Total HVAC Area 1,551 sq. ft.

> ((c) copyright 2023 J. Karlovich Home Design) SHEET NO.

1/15/2025 9:10:22 PM, ARCH D, 0.25:12 For Construction Use <u>ID# Size</u> <u>Description</u> <u>Quantity</u> <u>Quantity</u> <u>Description</u> A Pair 3050 Single Hung 2868 Exterior 1-Lite Glass Door opening shall be not less than 24 inches (610 mm) and the 2 2868 Interior as Selected net clear width shall be not less than 20 inches (508 mm). Exception: Grade floor or below grade openings shall the sill of an operable window opening is located less than 24 inches (610 mm) above the finished floor and greater 3 2068 Interior as Selected have a net clear opening of not less than 5 square feet than 72 inches (1829 mm) above the finished grade or other 4 6068 Exterior Atrium Unit R310.2.2 Window sill height. Where a window is provided as the emergency escape and rescue opening, it shall have a sill height of not more than 44 inches (1118 mm) above the floor; where the sill height is below grade, it opened position.

2. Operable windows that are provided with window fall to a door to have tempered glass.** **R310.2.3 Window wells.** The horizontal area of the window prevention devices that comply with ASTM F 2090. well shall be not less than 9 square feet (0.9 m2), with a horizontal projection and width of not less than 36 inches Operable windows that are provided with window opening control devices that comply with Section (914 mm). The area of the window well shall allow the R312.2.2 Window opening control devices. Window emergency escape and rescue opening to be fully opened. opening control devices shall comply with ASTM F 2090. The window opening control device, after operation to Exception: The ladder or steps required by Section R310.2.3.1 shall be permitted to encroach not more release the control device allowing the window to fully open, shall not reduce the net clear opening area of the window than 6 inches (152 mm) into the required dimensions of unit to less than the area required by Section R310.2.1.

REVISIONS:

Karlovich - Home Design


11/02/2023

01/15/2025

A Custom Addition for:

Walker Residence
603 E Rusk Street
Abstract No. 14
B.F. Boydston Survey
City of Rockwall, Rockwall C





Notes:

- 1. Do not scale drawings, follow dimensions only. All structural information shown for reference purposes only. Contractor shall have licensed structural engineer review and design all structural elements such as all framing walls, beams, connections, headers, joists and rafters. 2. All dimensions are from face of stud to face of stud unless otherwise noted.
- 3. Window sizes indicated on plans are noted by approximate rough openings size. Verify window sizes and "owner furnish windows" with owner prior to construction. Refer to plans and exterior elevations for window types.
- 4. All framing shall be done in accordance with IBC latest edition. 5. Spread studs at tub ends to accommodate plumbing and provide blocking, top and bottom, at shower to secure plumbing.
- 6. Exterior sheathing shall be 🖁 OSB. 7. All interior walls shall be covered with $\frac{1}{2}$ gypsum board with metal corner reinforcing. Drywall finish should include taping over joints,
- applying joint compound and sanding the compound for a smooth finish. Verify with owner the level of drywall texturing. 8. All walls and ceilings in garage and garage storage areas to have 🖁 Type-X gypsum board with 1-hour fire rating. All exterior doors in garage and attic access to be metal or solid core with a 20 minute fire rating.
- 9. Provide $\frac{1}{2}$ " "moisture resistant" gypsum board at all wet locations.
- 10. All finishes to be chosen and verified by owner. 11. Contractor shall field verify all cabinet dimensions before fabrication.
- 12. All millwork to be chosen and verified by owner. Contractor shall submit "shop drawings" at owners request.
- 13. Provide $\frac{1}{2}$ cement board for tile backer.
- 14. Provide min. 4 gang 2x4 studs at glue-lam bearing.
- 15. All work shall be in accordance with National Plumbing Code, Latest Edition.
- 16. Contractor shall provide HVAC "duct layout" for approval prior to fabrication. For coordination with fixtures and diffuser location. 17. Verify all column type, size, and material with owner prior to construction.
- 18. Prefabricated fireplace construction shall meet or exceed all applicable codes regarding use of fire separations, clearances, etc. It is the contractor's responsibility to ensure that all items and construction meet or exceed code. Overall flue height shall be coordinated to match height shown on plans and shall not exceed the top of chimney chase as constructed. All fireplace chase walls shall be insulated inside and outside. Provide horizontal "draft stops" at each floor level by packing 6" (R19) insulation between 2x4 joists.
- 19. Provide combustion air vents with screen and back damper for fireplaces, wood stoves and any appliance with an open flame.
- 20. All bath and toilet area walls shall have water resistant gypsum boards. 21. All plumbing walls shall be 2x6.
- 22. Bedroom windows shall have a minimum net clear opening of 5.7 square feet, a minimum net clear openable width of 20", a minimum net clear openable height of 24", and have a maximum finish sill height of 42" from finished floor. All glass located within 18" of floor, 24" of a door or located within 60" of floor at bath tubs, whirlpools, showers, saunas, steam rooms, or hot tubs shall be tempered.
- 23. Attic HVAC units shall be located within 20' of its service opening. Return air grills shall not be located within 10' of a gas fired appliance. 24. All exposed insulation shall have a flame spread rating of less than 25 and a smoke density rating of less than 450.

MASTER REVISION INDEX		APPLICABLE CODES	
SHEET #	DESCRIPTION	SCALE	2021 INTERNATIONAL FIRE CODE
	PLOT PLAN	l"=I0'-0"	2021 INTERNATIONAL BUILDING CODE
2	DEMO PLAN & REMODEL PLAN W/ ELECTRICAL	1/4"=1'-0"	2021 INTERNATIONAL PLUMBING CODE
3	foundation layout & roof plan	1/4"=1'-0"	2020 NATIONAL ELECTRICAL CODE
4	front, rear, left, & right elevation	1/4"=1'-0"	2021 INTERNATIONAL RESIDENTIAL CODE
5	DETACHED BUILDING CONSTRUCTION PLANS	1/4"=1'-0"	2021 INTERNATIONAL ENERGY CONSERVATION CODE
6	STANDARD DETAILS	N.T.S.	2021 INTERNATIONAL FUEL & GAS CODE
			2021 INTERNATIONAL GREEN CONSTRUCTION CODE

PLOT PLAN SCALE 1" = 10'-0"

REVISIONS:

11/02/2023 01/15/2025

((c) copyright 2023 J. Karlovich Home Design)

ELECTRICAL LEGENI → Surface/Ceiling Mount © Recessed Eyeball Mount +○ Ground-up Landscape Flood → Wall Mounted -∲- 6" LED Recessed Can Light -\$→ 6" Vapor Recessed Can Light extstyle = extstyle Single Flourescent Strip ____ LED Fluorescent Lighting Exhaust Fan (minimum 90 cfm) Carbon Monoxide Detector Sub Panel ☐ Intercomm System ___ Telephone Jack ■ Bundled Cable (2 RG6 Coax, 2 CAT6, 2 Fiber) \otimes Network (CAT6 Only) Speaker (16/4 Speaker Wiring) Smoke and Carbon Monoxide Detector _ ◆ Appliance Outlet (240 volt) <u> ∲^{GFI}</u> GFI Outlet (UL Approved) Ø Ceiling Outlet (125 volt) ⇒ Floor Outlet (pre-wire before pouring foundation) \$ Single Light Switch \$₃ Three Way Light Switch \$™ Light Swith with Dimmer Control Ceiling Fan (provide proper ceiling brace) Electrical Breaker Box (refer to electrician for size) . All electrical work shall be done in accordance with National Electric Code, Latest Edition 2. Provide a J-Box below counter for dishwasher, ice machine, compactor and range. 3. Provide waterproof covers on all exterior outlets and ground fault interrupter receptacles in all wet and exterior locations. 4. All fixtures shall be UL Approved. 5. Provide "button" at entry doors and door chimes. 6. Verify water heater and HVAC electrical requirements prior to construction. . Verify all outlet, switch, fixture, television and telephone locations with owner prior to construction. 8. Provide light fixtures and outlets in attic as per owners instructions. 9. Verify all light fixtures and plug type and location with owner prior to installation. 10. Center all light fixtures in each room.


provide proper electrical for mini-split HVAC unit 11'-0" hvac unit in wall <u></u> 2050pw @ ₹ 143 sq. ft.

FLOOR PLAN


SCALE 1/4'' = 1'-0''

Roofing Notes:


- All roof rafters shall be 2x6's @ 24" o.c. unless otherwise noted.
- 2. All ridges and valleys shall be 2x8's unless noted otherwise. 3. Purlins shall be placed to reduce rafter spans to 11'-4" or less.
- 4. Rafters, ridges, and valleys over 9'-6" spans shall be #2 S.Y. Pine or equal. Spans 9'-6" or less may be #3 S.Y. Pine.
- 5. Furr down 2x6 rafters with 2x2's in all areas of sloped ceilings. Attach with 3-1/2" screws @ 6" o.c.
- 6. Beam and purlin loads shall be distributed to walls or double ceiling joists by T columns
- of 2-2x6's.
- 7. Collar ties shall be placed @ 48" o.c. max at ridges.
- 8. Struts shall be 2-2x4's at an angle greater than 46 degrees. 9. All ceiling joists to be 2x6's @ 24'' o.c. unless otherwise noted.
- 10. Ceiling joists span for #2 S.Y. Pine or equal shall not exceed the following: 10.a. 2x6 - 11'-0" @ 24" o.c.
- 10.b. 2x8 14'-2" @ 24" o.c. 10.c. $2x10 - 17^10^{\circ}$ @ 24° o.c., 20^1-9° @ 16° o.c. 11. Ceiling joists span for #3 S.Y. Pine or equal shall not exceed the following:
- 11.a. 2x6 8'-6" @ 24" o.c.
- 11.b. 2x8 10'-10" @ 24" o.c.
- 11.c. 2x10 21'-10" @ 24" o.c., 15'-8" @ 16" o.c. 12. Vent stacks shall be placed on roof planes not visible from street. All vent stacks and
- roof vents that are visible from street shall be painted to match roofing material. 13. Provide gutters around entire house. Gutter and downspouts to be installed according to
- owner preference. Splash blocks shall be installed at all downspouts.
- 14. Roofing material to be selected by owner. 15. Final roof material to be installed on 30 lbs felt on $\frac{50}{8}$ OSB plywood.




ROOF PLAN SCALE 1/4" = 1'-0"



FRONT + REAR SCALE 1/4'' = 1'-0''



RIGHT SCALE 1/4'' = 1'-0''



SCALE 1/4'' = 1'-0''

A Custom Addition for:

Walker Residence
603 E Rusk Street
Abstract No. 14
B.F. Boydston Survey
City of Rockwall, Rockwall C ((c) copyright 2023 J. Karlovich Home Design SHEET NO.

M2237 Servic (214) 499-333


REVISIONS:


Karlovich - Home Design

11/02/2023

01/15/2025

(214) 674-0290: Phone jkarlovichhomedesign.com





ROOF PLAN SCALE 1/4'' = 1'-0''

REVISIONS:

11/02/2023 01/15/2025

A Custom Addition for:

Walker Residence
603 E Rusk Street
Abstract No. 14
B.F. Boydston Survey
City of Rockwall, Rockwall Co


((c) copyright 2023 J. Karlovich Home Design SHEET NO.

Project Description:

We are requesting approval for an addition to our primary residence that will improve its functionality while maintaining its original character. Our proposed project includes:

- A 701-square-foot addition, which will add a living room and a bedroom to the home. Our current home currently lacks a dedicated living room space. With this addition, the home will also become a three-bedroom residence that will better fit our family. The total square footage of the home will increase to 1551 square feet.
- A 10x12 detached home office, intended for remote work. This space will serve solely as a private workspace, with no in-person client visits or business-related foot traffic.

We will ensure the front exterior integrates with the existing home by using matching siding, windows, and roofing materials.





HISTORIC PRESERVATION ADVISORY BOARD CASE MEMO

PLANNING AND ZONING DEPARTMENT

385 S. GOLIAD STREET • ROCKWALL, TX 75087 PHONE: (972) 771-7745 • EMAIL: PLANNING@ROCKWALL.COM

TO: Historic Preservation Advisory Board

DATE: February 20, 2025

APPLICANT: Kelli Walker

CASE NUMBER: H2025-004; Small Matching Grant for 603 E. Rusk Street

On January 31, 2025, staff received applications for a Certificate of Appropriateness (COA) [Case No. H2025-003], a Small Matching Grant [Case No. H2023-004], and a Building Permit Fee Waiver [Case No. H2025-005] from the property owner --Kelli Walker -- for the purpose of constructing an addition to the existing single-family home on the subject property. The subject property is located at 603 E. Rusk Street and is designated as a Low-Contributing Property. According to Section 08, Small Matching Grants, of Article 11, Development Applications and Review Procedures, of the Unified Development Code (UDC), (t)he Small Matching Grants Program was established for eligible properties located within the City's Historic Districts for the purpose of encouraging small improvement and beautification projects." This section of the code goes on to state that, residential properties located within the Old Town Rockwall (OTR) Historic District or the Southside Residential Neighborhood Overlay (SRO) District that are Contributing (i.e. High, Medium, or Low Contributing) shall be eligible for a total grant amount up to \$1.000.00."

The subject property is located within the Old Town Rockwall (OTR) District and is classified as a Low-Contributing Property. The applicant's purpose is to expand the existing historical structure by 75.70% (i.e. 926 SF Home + 701 SF Addition = 1.627 SF), which has the potential to change the contributing nature of this property. In addition, the scope of work does not appear to be for the purpose of <u>restoration</u> of the existing home. The property's current Low-Contributing designation does make this project eligible for matching funds; however, as recommended in the Certificate of Appropriateness (COA) case memo, staff is recommending that the designation of the property be changed from Low-Contributing to Non-Contributing. If approved, this would change the total eligible matching grant amount from a maximum of \$1,000.00 to \$500.00. The total valuation of the project provided by the applicant is \$110,000.00, which makes this project eligible for the maximum amount if the Historic Preservation Advisory Board (HPAB) determines that the project is for beautification purposes in conformance with the Small Matching Grant program. The approval of this request and the amount granted to the applicant is a discretionary decision for the Historic Preservation Advisory Board (HPAB). As of October 1, 2024, the Historic Preservation Advisory Board (HPAB) has not received applications for or approved any Small Matching Grants for FY2025. Should this request be approved, the Small Matching Grants Fund would be reduced by the amount granted by the board.



HISTORIC PRESERVATION ADVISORY BOARD APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

CASE NUMBER:	Strain of Carlos and Carlos and Carlos
NOTE: THE APPLICATION IS NOT C	CONSIDERED ACCEPTED BY
THE CITY UNTIL THE PLANNING DI	RECTOR HAS SIGNED BELOW.
THE ON TOTAL THE TENNING BY	
DIRECTOR OF PLANNING:	

APPLICATION: LYCERTIFICATE OF APPROPRIATENESS (COA) LOCAL LANDMARK EVALUATION & DESIGNATION DISUILDING PERMIT WAIVER & REDUCTION PROGRAM LYSMALL MATCHING GRANT APPLICATION SPECIAL DISTRICTS (SELECT APPLICABLE): LYOLD TOWN ROCKWALL HISTORIC (OTR) DISTRICT PLANNED DEVELOPMENT DISTRICT 50 (PD-50) SOUTHSIDE RESIDENTIAL NEIGHBORHOOD OVERLAY (SRO) DISTRICT DOWNTOWN (DT) DISTRICT	CONTRIBUTING STATUS [SELECT APPLICABLE]: LANDMARKED PROPERTY HIGH CONTRIBUTING PROPERTY MEDIUM CONTRIBUTING PROPERTY LOW CONTRIBUTING PROPERTY NON-CONTRIBUTING PROPERTY CURRENT LAND USE OF THE SUBJECT PROPERTY: EYRESIDENTIAL COMMERCIAL
PROPERTY INFORMATION [PLEASE PRINT]	
ADDRESS 603 E Rusk Street	
SUBDIVISION Proper 1D: 14470	LOT BLOCK 12DE
OWNER/APPLICANT/AGENT INFORMATION [PLEASE PRINT/CHI	APPLICANT(S) IS/ARE: OWNER TENANT NON-PROFIT RESIDENT
CHECK THIS BOX IF OWNER AND APPLICANT ARE THE SAME.	OTHER, SPECIFY:
OWNER(S) NAME Kell: Walker	APPLICANT(S) NAME
PHONE (214) 912-le140 E-MAIL Walker, Kell; Il Rgmmil, com	ADDRESS PHONE E-MAIL
SCOPE OF WORK/REASON FOR EVALUATION REQUEST	
☐ RELOCATIONS ☐ O	THER, SPECIFY:
ESTIMATED COST OF CONSTRUCTION/DEMOLITION OF THE PROJECT (IF APPLICAE	LE): \$ (\D,000
FOR LOCAL LANDMARK EVALUATION & DESIGNATION REQUESTS INDICATE ANY A	EET OF PAPER, DESCRIBE IN DETAIL THE WORK THAT WILL BE PERFORMED ON SITE. ADDITIONAL INFORMATION YOU MAY HAVE CONCERNING THE PROPERTY, HISTORY, STAFF RECOMMENDS THAT PHOTOGRAPHS OF THE INTERIOR AND EXTERIOR OF THE

OWNER & APPLICANT STATEMENT [ORIGINAL SIGNATURES REQUIRED]

I ACKNOWLEDGE THAT I HAVE READ THIS APPLICATION AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. FURTHERMORE, I UNDERSTAND THAT IT IS NECESSARY FOR ME OR A REPRESENTATIVE TO BE PRESENT AT A PUBLIC HEARING FOR THIS CASE TO BE APPROVED.

OWN	EDIE	CICA	IATI	IDE

isaka		Th	TENEST OF	A SECURE	april (Art Alfred	
(01	1 1	had	25 (14 54)		
Sec		CALLEST AND WATER WATER	And the said	Marie Colonia (Colonia)	and the latest terminal	No. of London

APPLICANT'S SIGNATURE

DESCRIPTION OF STREET		ACCOUNT OF THE PROPERTY.	CONTROL AND DESCRIPTION	Contract Contract	G-section . Not to the same of
	lar de la	to the Mariana	NOTE OF BUILDING	Sales and the sales	A STATE OF THE STATE OF





City of Rockwall Planning & Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

(P): (972) 771-7745 (W): www.rockwall.com


The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.





Case Number: H2025-004

Case Name: Small Matching Grant for a Low

Contributing Property


Case Type: Historic

Zoning: Single-Family 7 (SF-7) District

Case Address: 603 E. Rusk street

Date Saved: 1/31/2025

For Questions on this Case Call: (972) 771-7745



WIMPEE JOE AND BEAU WIMPEE 1800 DALTON RD ROCKWALL, TX 75087 SMILEY KAREN APRIL
INDEPENDENT ADMINISTRATOR - ESTATE OF
ROBERT THOMAS WIKTORCH
P.O. BOX 3061
WARMINSTER, PA 18974

DUTT JOHN RICHARD JR ETUX 505 E WASHINGTON ST ROCKWALL, TX 75087

BIRKENBACK JOSSEPH M & OLGA M 506 E RUSK ST ROCKWALL, TX 75087 CLARK JENNIFER A 610 E KAUFMAN ST ROCKWALL, TX 75087 GALVAN CARMAN 604 E KAUFMAN ST ROCKWALL, TX 75087

RASHELL NICOLE & JAKE 603 E RUSK ST ROCKWALL, TX 75087 ROCKWALL COMMUNITY PLAYHOUSE 609 E RUSK ST ROCKWALL, TX 75087

GLASS JERRY 301 MEADOWDALE DR ROCKWALL, TX 75087

GREEN JAMES KEITH II & HOLLY NICOLE 605 E WASHINGTON STREET ROCKWALL, TX 75087 ROCKWALL COMMUNITY PLAYHOUSE 609 E RUSK ST ROCKWALL, TX 75087 REEVES ASHLEY ELLEN & DANIEL GARRET 609 EAST WASHINGTON STREET ROCKWALL, TX 75087

WEBB RODNEY D AND FRAN W 507 E RUSK ST ROCKWALL, TX 75087 HARPER VICKI DAWSON 605 E KAUFMAN ST ROCKWALL, TX 75087 HARPER LYDIA 1200 CLEVELAND STREET APT 327 DENTON, TX 76201

HARPER VICKI DAWSON 605 E KAUFMAN ST ROCKWALL, TX 75087 WILLIAMS JERRY LANE 608 E RUSK ST ROCKWALL, TX 75087 SMITH GREGORY P & MARILYN 610 E RUSK ST ROCKWALL, TX 75087

HORNER ANDREA J 604 E. RUSK ST ROCKWALL, TX 75087

VANILLA BEAN PROPERTIES SERIES 9 LLC 2 MANOR COURT HEATH, TX 75032 QUINTON BILLY & AUTUMN 102 N TYLER ST ROCKWALL, TX 75087

QUINTON BILLY & AUTUMN 102 N TYLER ST ROCKWALL, TX 75087 RESIDENT 601 E WASHINGTON ROCKWALL, TX 75087 RESIDENT 601 E KAUFMAN ST ROCKWALL, TX 75087

RESIDENT 602 E RUSK ROCKWALL, TX 75087 RESIDENT 102 S CLARK ST ROCKWALL, TX 75087 RESIDENT 601 E RUSK ST ROCKWALL, TX 75087

RESIDENT 505 E KAUFMAN ROCKWALL, TX 75087 Property Owner and/or Resident of the City of Rockwall:

You are hereby notified that the Historic Preservation Advisory Board will consider the following application:

Case No. H2025-004: Small Matching Grant for 603 E. Rusk Street

Hold a public hearing to discuss and consider a request by Kelli Walker for the approval of a <u>Small Matching Grant</u> for an Addition to a Low Contributing Property being a 0.25-acre tract of land identified as Block 120E of the B. F. Boydston Addition, City of Rockwall, Rockwall County, Texas, situated within the Old Town Rockwall (OTR) Historic District, zoned Single-Family 7 (SF-7) District, addressed as 603 E. Rusk Street, and take any action necessary.

For the purpose of considering the effects of such a request, the Historic Preservation Advisory Board will hold a public hearing on <u>Thursday, February 20, 2025 at 6:00 PM</u>. This hearing will be held in the City Council Chambers at City Hall, 385 S. Goliad Street.

As an interested property owner, you are invited to attend these meetings. If you prefer to express your thoughts in writing please return the form to:

Bethany Ross

Rockwall Planning and Zoning Dept. 385 S. Goliad Street Rockwall, TX 75087

You may also email your comments to the Planning Department at planning@rockwall.com. If you choose to email the Planning Department please include your name and address for identification purposes.

Your comments must be received by <u>Thursday, February 20, 2025 at 4:00 PM</u> to ensure they are included in the information provided to the Historic Preservation Advisory Board.

Sincerely,

Ryan Miller, AICP Director of Planning & Zoning

- · - PLEASE RETURN THE BELOW FORM - · - · - · - · - · - · - · - · - · -
Case No. H2025-004: Small Matching Grant for 603 E. Rusk Street
Please place a check mark on the appropriate line below:
☐ I am in favor of the request for the reasons listed below.
☐ I am opposed to the request for the reasons listed below.
Name:
Address:

Tex. Loc. Gov. Code, Sec. 211.006 (d) If a proposed change to a regulation or boundary is protested in accordance with this subsection, the proposed change must receive, in order to take effect, the affirmative vote of at least three-fourths of all members of the governing body. The protest must be written and signed by the owners of at least 20 percent of either: (1) the area of the lots or land covered by the proposed change; or (2) the area of the lots or land immediately adjoining the area covered by the proposed change and extending 200 feet from that area.

PLEASE SEE LOCATION MAP OF SUBJECT PROPERTY ON THE BACK OF THIS NOTICE

match roofing with existing roofing 9'-1 1/2" plate **и и и** exposed rafter ends match siding w/ existing siding match siding w/ existing siding RIGHT ELEVATION Foundations of exterior walls or piers exposed more than ten inches above the adjacent ground level shall be clad in the primary exterior finish material, such as lap siding, and painted to complement the primary exterior finish material. SCALE 1/4" = 1'-0"

match roofing with existing roofing

Foundations of exterior walls or piers exposed more than ten

to complement the primary exterior finish material.

> inches above the adjacent ground level shall be clad in the > primary exterior finish material, such as lap siding, and painted


9'-1 1/2" plate


_match_siding w/ existing siding

SCALE 1/4'' = 1'-0''

LEFT ELEVATION

Existing House match roofing with existing roofing plate height @ main house exposed rafter ends 3050sh 3050sh 3050sh -match siding with existing house-FRONT ELEVATION Foundations of exterior walls or piers exposed more than ten inches above the adjacent ground level shall be clad in the primary exterior finish material, such as lap siding, and painted to complement the primary exterior finish material. SCALE 1/4'' = 1'-0''





9'-1 1/2" plate Foundations of exterior walls or piers exposed more than ten inches above the adjacent ground level shall be clad in the primary exterior finish material, such as lap siding, and painted to complement the primary exterior finish material. REAR ELEVATION

SCALE 1/4" = 1'-0"

A Custom Addition for:

Walker Residence
603 E Rusk Street
Abstract No. 14
B.F. Boydston Survey
City of Rockwall, Rockwall County, Texas

((c) copyright 2023 J. Karlovich Home Design SHEET NO. 04

M2237 Servica (214) 499-333


REVISIONS:


Karlovich - Home Design


11/02/2023


01/15/2025

(214) 674-0290: Phone jkarlovichhomedesign.com










EXISTING + DEMO PLAN SCALE 1/4'' = 1'-0''



R311.1 Means of egress. Dwellings shall be provided with a R310.2.3.1 Ladder and steps. Window wells with a means of egress in accordance with this section. The means vertical depth greater than 44 inches (1118 mm) shall of egress shall provide a continuous and unobstructed path of vertical and horizontal egress travel from all portions of the vertical and horizontal egress travel from all portions of the usable with the window in the fully open position. Ladders dwelling to the required egress door without requiring travel through a garage. The required egress door shall open directly required to comply with Sections R311.7 and R311.8. into a public way or to a yard or court that opens to a public Ladders or rungs shall have an inside width of not less R310.2.1 Minimum opening area. Emergency and escape rescue openings shall have a net clear opening of not less than 5.7 square feet (0.530 m2). The net clear opening dimensions required by this section shall be obtained by the normal operation of the emergency escape and rescue opening from the inside. The net clear height

than 12 inches (305 mm), shall project not less than 3 inches (76 mm) from the wall and shall be spaced not more than 18 inches (457 mm) on center vertically for

the full height of the window well.

R312.2 Window fall protection. Window fall protection surface below on the exterior of the building, the operable window shall comply with one of the following: Operable windows with openings that will not allow 4-inch-diameter (102 mm) sphere to pass through the opening where the opening is in its largest

Doors Schedule:

FLOOR + ELECTRICAL PLAN SCALE 1/4'' = 1'-0''

Mindows Schedule:

**All windows in wet areas, in stairwell, and/or closer than 24"

Areas:

850 sq. ft Existing HVAC Area 701 sq. ft New HVAC Area Total HVAC Area 1,551 sq. ft.

> ((c) copyright 2023 J. Karlovich Home Design) SHEET NO.

1/15/2025 9:10:22 PM, ARCH D, 0.25:12 For Construction Use <u>ID# Size</u> <u>Description</u> <u>Quantity</u> <u>Quantity</u> <u>Description</u> A Pair 3050 Single Hung 2868 Exterior 1-Lite Glass Door opening shall be not less than 24 inches (610 mm) and the 2 2868 Interior as Selected net clear width shall be not less than 20 inches (508 mm). Exception: Grade floor or below grade openings shall the sill of an operable window opening is located less than 24 inches (610 mm) above the finished floor and greater 3 2068 Interior as Selected have a net clear opening of not less than 5 square feet than 72 inches (1829 mm) above the finished grade or other 4 6068 Exterior Atrium Unit R310.2.2 Window sill height. Where a window is provided as the emergency escape and rescue opening, it shall have a sill height of not more than 44 inches (1118 mm) above the floor; where the sill height is below grade, it opened position.

2. Operable windows that are provided with window fall to a door to have tempered glass.** **R310.2.3 Window wells.** The horizontal area of the window prevention devices that comply with ASTM F 2090. well shall be not less than 9 square feet (0.9 m2), with a horizontal projection and width of not less than 36 inches Operable windows that are provided with window opening control devices that comply with Section (914 mm). The area of the window well shall allow the R312.2.2 Window opening control devices. Window emergency escape and rescue opening to be fully opened. opening control devices shall comply with ASTM F 2090. The window opening control device, after operation to Exception: The ladder or steps required by Section R310.2.3.1 shall be permitted to encroach not more release the control device allowing the window to fully open, shall not reduce the net clear opening area of the window than 6 inches (152 mm) into the required dimensions of unit to less than the area required by Section R310.2.1.

REVISIONS:

Karlovich - Home Design


11/02/2023

01/15/2025

A Custom Addition for:

Walker Residence
603 E Rusk Street
Abstract No. 14
B.F. Boydston Survey
City of Rockwall, Rockwall C





Notes:

- 1. Do not scale drawings, follow dimensions only. All structural information shown for reference purposes only. Contractor shall have licensed structural engineer review and design all structural elements such as all framing walls, beams, connections, headers, joists and rafters. 2. All dimensions are from face of stud to face of stud unless otherwise noted.
- 3. Window sizes indicated on plans are noted by approximate rough openings size. Verify window sizes and "owner furnish windows" with owner prior to construction. Refer to plans and exterior elevations for window types.
- 4. All framing shall be done in accordance with IBC latest edition. 5. Spread studs at tub ends to accommodate plumbing and provide blocking, top and bottom, at shower to secure plumbing.
- 6. Exterior sheathing shall be 🖁 OSB. 7. All interior walls shall be covered with $\frac{1}{2}$ gypsum board with metal corner reinforcing. Drywall finish should include taping over joints,
- applying joint compound and sanding the compound for a smooth finish. Verify with owner the level of drywall texturing. 8. All walls and ceilings in garage and garage storage areas to have 🖁 Type-X gypsum board with 1-hour fire rating. All exterior doors in garage and attic access to be metal or solid core with a 20 minute fire rating.
- 9. Provide $\frac{1}{2}$ " "moisture resistant" gypsum board at all wet locations.
- 10. All finishes to be chosen and verified by owner. 11. Contractor shall field verify all cabinet dimensions before fabrication.
- 12. All millwork to be chosen and verified by owner. Contractor shall submit "shop drawings" at owners request.
- 13. Provide $\frac{1}{2}$ cement board for tile backer.
- 14. Provide min. 4 gang 2x4 studs at glue-lam bearing.
- 15. All work shall be in accordance with National Plumbing Code, Latest Edition.
- 16. Contractor shall provide HVAC "duct layout" for approval prior to fabrication. For coordination with fixtures and diffuser location. 17. Verify all column type, size, and material with owner prior to construction.
- 18. Prefabricated fireplace construction shall meet or exceed all applicable codes regarding use of fire separations, clearances, etc. It is the contractor's responsibility to ensure that all items and construction meet or exceed code. Overall flue height shall be coordinated to match height shown on plans and shall not exceed the top of chimney chase as constructed. All fireplace chase walls shall be insulated inside and outside. Provide horizontal "draft stops" at each floor level by packing 6" (R19) insulation between 2x4 joists.
- 19. Provide combustion air vents with screen and back damper for fireplaces, wood stoves and any appliance with an open flame.
- 20. All bath and toilet area walls shall have water resistant gypsum boards. 21. All plumbing walls shall be 2x6.
- 22. Bedroom windows shall have a minimum net clear opening of 5.7 square feet, a minimum net clear openable width of 20", a minimum net clear openable height of 24", and have a maximum finish sill height of 42" from finished floor. All glass located within 18" of floor, 24" of a door or located within 60" of floor at bath tubs, whirlpools, showers, saunas, steam rooms, or hot tubs shall be tempered.
- 23. Attic HVAC units shall be located within 20' of its service opening. Return air grills shall not be located within 10' of a gas fired appliance. 24. All exposed insulation shall have a flame spread rating of less than 25 and a smoke density rating of less than 450.

MASTER REVISION INDEX			APPLICABLE CODES
SHEET #	DESCRIPTION	SCALE	2021 INTERNATIONAL FIRE CODE
I	PLOT PLAN	l"=I0'-0"	2021 INTERNATIONAL BUILDING CODE
2	DEMO PLAN & REMODEL PLAN W/ ELECTRICAL	1/4"=1'-0"	2021 INTERNATIONAL PLUMBING CODE
3	foundation layout & roof plan	1/4"=1'-0"	2020 NATIONAL ELECTRICAL CODE
4	front, rear, left, & right elevation	1/4"=1'-0"	2021 INTERNATIONAL RESIDENTIAL CODE
5	DETACHED BUILDING CONSTRUCTION PLANS	1/4"=1'-0"	2021 INTERNATIONAL ENERGY CONSERVATION CODE
6	STANDARD DETAILS	N.T.S.	2021 INTERNATIONAL FUEL & GAS CODE
			2021 INTERNATIONAL GREEN CONSTRUCTION CODE

PLOT PLAN SCALE 1" = 10'-0"

REVISIONS:

11/02/2023 01/15/2025

((c) copyright 2023 J. Karlovich Home Design)

ELECTRICAL LEGENI → Surface/Ceiling Mount © Recessed Eyeball Mount +○ Ground-up Landscape Flood → Wall Mounted -∲- 6" LED Recessed Can Light -\$→ 6" Vapor Recessed Can Light extstyle = extstyle Single Flourescent Strip ____ LED Fluorescent Lighting Exhaust Fan (minimum 90 cfm) Carbon Monoxide Detector Sub Panel ☐ Intercomm System ___ Telephone Jack ■ Bundled Cable (2 RG6 Coax, 2 CAT6, 2 Fiber) \otimes Network (CAT6 Only) Speaker (16/4 Speaker Wiring) Smoke and Carbon Monoxide Detector _ ◆ Appliance Outlet (240 volt) <u> ∲^{GFI}</u> GFI Outlet (UL Approved) Ø Ceiling Outlet (125 volt) ⇒ Floor Outlet (pre-wire before pouring foundation) \$ Single Light Switch \$₃ Three Way Light Switch \$™ Light Swith with Dimmer Control Ceiling Fan (provide proper ceiling brace) Electrical Breaker Box (refer to electrician for size) . All electrical work shall be done in accordance with National Electric Code, Latest Edition 2. Provide a J-Box below counter for dishwasher, ice machine, compactor and range. 3. Provide waterproof covers on all exterior outlets and ground fault interrupter receptacles in all wet and exterior locations. 4. All fixtures shall be UL Approved. 5. Provide "button" at entry doors and door chimes. 6. Verify water heater and HVAC electrical requirements prior to construction. . Verify all outlet, switch, fixture, television and telephone locations with owner prior to construction. 8. Provide light fixtures and outlets in attic as per owners instructions. 9. Verify all light fixtures and plug type and location with owner prior to installation. 10. Center all light fixtures in each room.


provide proper electrical for mini-split HVAC unit 11'-0" hvac unit in wall <u></u> 2050pw @ ₹ 143 sq. ft.

FLOOR PLAN


SCALE 1/4'' = 1'-0''

Roofing Notes:


- All roof rafters shall be 2x6's @ 24" o.c. unless otherwise noted.
- 2. All ridges and valleys shall be 2x8's unless noted otherwise. 3. Purlins shall be placed to reduce rafter spans to 11'-4" or less.
- 4. Rafters, ridges, and valleys over 9'-6" spans shall be #2 S.Y. Pine or equal. Spans 9'-6" or less may be #3 S.Y. Pine.
- 5. Furr down 2x6 rafters with 2x2's in all areas of sloped ceilings. Attach with 3-1/2" screws @ 6" o.c.
- 6. Beam and purlin loads shall be distributed to walls or double ceiling joists by T columns
- of 2-2x6's.
- 7. Collar ties shall be placed @ 48" o.c. max at ridges.
- 8. Struts shall be 2-2x4's at an angle greater than 46 degrees. 9. All ceiling joists to be 2x6's @ 24'' o.c. unless otherwise noted.
- 10. Ceiling joists span for #2 S.Y. Pine or equal shall not exceed the following: 10.a. 2x6 - 11'-0" @ 24" o.c.
- 10.b. 2x8 14'-2" @ 24" o.c. 10.c. $2x10 - 17^10^{\circ}$ @ 24° o.c., 20^1-9° @ 16° o.c. 11. Ceiling joists span for #3 S.Y. Pine or equal shall not exceed the following:
- 11.a. 2x6 8'-6" @ 24" o.c.
- 11.b. 2x8 10'-10" @ 24" o.c.
- 11.c. 2x10 21'-10" @ 24" o.c., 15'-8" @ 16" o.c. 12. Vent stacks shall be placed on roof planes not visible from street. All vent stacks and
- roof vents that are visible from street shall be painted to match roofing material. 13. Provide gutters around entire house. Gutter and downspouts to be installed according to
- owner preference. Splash blocks shall be installed at all downspouts.
- 14. Roofing material to be selected by owner. 15. Final roof material to be installed on 30 lbs felt on $\frac{50}{8}$ OSB plywood.




ROOF PLAN SCALE 1/4" = 1'-0"



FRONT + REAR SCALE 1/4'' = 1'-0''



RIGHT SCALE 1/4'' = 1'-0''



SCALE 1/4'' = 1'-0''

A Custom Addition for:

Walker Residence
603 E Rusk Street
Abstract No. 14
B.F. Boydston Survey
City of Rockwall, Rockwall C ((c) copyright 2023 J. Karlovich Home Design SHEET NO.

M2237 Servic (214) 499-333


REVISIONS:


Karlovich - Home Design

11/02/2023

01/15/2025

(214) 674-0290: Phone jkarlovichhomedesign.com





ROOF PLAN SCALE 1/4'' = 1'-0''

REVISIONS:

11/02/2023 01/15/2025

A Custom Addition for:

Walker Residence
603 E Rusk Street
Abstract No. 14
B.F. Boydston Survey
City of Rockwall, Rockwall Co


((c) copyright 2023 J. Karlovich Home Design SHEET NO.

Project Description:

We are requesting approval for an addition to our primary residence that will improve its functionality while maintaining its original character. Our proposed project includes:

- A 701-square-foot addition, which will add a living room and a bedroom to the home. Our current home currently lacks a dedicated living room space. With this addition, the home will also become a three-bedroom residence that will better fit our family. The total square footage of the home will increase to 1551 square feet.
- A 10x12 detached home office, intended for remote work. This space will serve solely as a private workspace, with no in-person client visits or business-related foot traffic.

We will ensure the front exterior integrates with the existing home by using matching siding, windows, and roofing materials.









DATE:

February 21, 2025

TO:

Kelli Walker

603 E. Rusk Street Rockwall, Texas 75087

FROM:

Bethany Ross

City of Rockwall Planning and Zoning Department

385 S. Goliad Street Rockwall, TX 75087

SUBJECT:

H2025-004; Small Matching Grant for 603 E. Rusk Street

Kelli:

This letter serves to notify you that the above referenced case that you submitted for consideration by the City of Rockwall was approved by the Historic Preservation Advisory Board (HPAB) on February 20, 2025. The following is a record of all recommendations, voting records and conditions of approval:

Staff Recommendations

Any construction resulting from the approval of this request shall conform to the requirements set forth by the Unified Development Code (UDC), the International Building Code (IBC), the Rockwall Municipal Code of Ordinances, city adopted engineering and fire codes and with all other applicable regulatory requirements administered and/or enforced by the state and federal government.

Historic Preservation Advisory Board

On February 20, 2025, the Historic Preservation Advisory Board (HPAB) approved a motion to approve a Small Matching Grant of \$500.00 by a vote of 5-2, with Board Members Miller and Gaskin dissenting.

Small Matching Grant

The total valuation of the project provided by the applicant is \$110,000.00, and would be qualified for a small matching grant of \$500.00.

<u>Important Small Matching Grant Issuance Information</u>: Once the proposed project has been completed, the applicant shall submit a sworn statement of completion acknowledging that the project has been completed in accordance with the application submitted and approved by the HPAB. In addition, the applicant will be required to submit all receipts for the cost of the project. Within 15-days of the receipt of the sworn statement of completion, staff shall verify that the improvements have been completed as required by the HPAB and document the improvements for the City's records. If the improvements have been completed as approved, staff will issue a check request in the applicant's name to the Finance Department for the full amount approved by the HPAB.

Should you have any questions or concerns regarding your zoning case, please feel free to contact me a (972) 772-6488.

Sincerely,

Planner