

CIVIL ENGINEER
 DALLY + ASSOCIATES, LLC
 401 STUDEWOOD ST., SUITE 205
 HOUSTON, TEXAS 77007
 713.952.4148

STRUCTURAL ENGINEER
 DALLY + ASSOCIATES, INC.
 8800 RICHMOND AVE., SUITE 460
 HOUSTON, TEXAS 77042
 713.337.8881

MEP ENGINEER
 SPECTRUM DESIGN ENGINEERS
 98 SHEPARD AVE. DR.
 SUGAR LAND, TEXAS 77479
 832.786.6076

BUCKSON LANDSCAPE ARCHITECTURE
 a@bucksonlandscape.com
 Phone: 832-971-8185

PROJECT:
 SOUTHWEST KIA OF ROCKWALL

PROJECT ADDRESS:
 1790 I-30 FRONTAGE RD.
 ROCKWALL, TX 75087

SEALSIGNATURE:

 AMANDA BUCKSON
 LANDSCAPE ARCHITECT & SYMBIOSIS
 STATE OF TEXAS
 MAY 8, 2024

ISSUE HISTORY:	DATE	DELTA	DESCRIPTION
	02.19.2024		ISSUE FOR PERMIT



PROJECT NUMBER: LA2204
ISSUE DATE: 05/07/24
SHEET NAME:

PLANTING PLAN

SHEET:


L1.10

© 2023 LOMA ARCHITECTURE



HEREBY CERTIFY THAT THE ABOVE AND FOREGOING SITE PLAN AND BUILDING ELEVATIONS FOR A DEVELOPMENT IN THE CITY OF ROCKWALL, TEXAS, HAS BEEN PREPARED BY ME OR UNDER MY CLOSE PERSONAL SUPERVISION AND THAT I AM A LICENSED PROFESSIONAL ENGINEER OR ARCHITECT OF THE CITY OF ROCKWALL ON THIS DAY OF May, 2024.

WITNESS OUR HANDS, THIS 22ND DAY OF May, 2024.


 AMANDA BUCKSON
 PLANNING & ZONING COMMISSION, CHAIRMAN
 DIRECTOR OF PLANNING AND ZONING

PLANTING NOTES

SHRUBS AND TREES

ALL TREES AND SHRUBS SHALL BE FERTILIZED WITH "AGRIFORM" 20-15-5 PLANTING TABLETS AT TIME OF INSTALLATION AND PRIOR TO COMPLETION OF PIT BACKFILL. FERTILIZER SHALL BE APPLIED IN A CIRCULAR PATTERN AROUND THE ROOT MASS AT A DEPTH THAT IS BETWEEN THE MIDDLE AND BOTTOM OF THE ROOT MASS.

APPLICATION RATE

1 GALLON CONTAINER 1-21 GRAM TABLET
 3 GALLON CONTAINER 2-21 GRAM TABLETS
 5 GALLON CONTAINER 3-21 GRAM TABLETS
 TREES 7-21 GRAM TABLETS EACH 1/2" OF CALIPER PALMS

GROUNDCOVER AREAS

ALL GROUNDCOVER AREAS SHALL RECEIVE FERTILIZATION WITH "MIRACLE-GRO" LIQUID QUICK START PLANT FOOD. APPLY PER MANUFACTURER'S SPECIFICATIONS.

SOIL NOTES

1. PREPARED LANDSCAPE BACKFILL SHALL HAVE A MINIMUM DEPTH AS SPECIFIED IN EACH DETAIL. PLANT MIX SHALL CONSIST OF THE FOLLOWING:
 1 TOPSOIL
 1 ANGULAR SAND
 2. SODIUMHYDROMULCH AREAS SHALL RECEIVE 2 INCH MINIMUM TOPSOIL.

PLANTING NOTES

ALL MATERIAL QUANTITIES ARE FOR THE CONVENIENCE OF THE CONTRACTOR ONLY. CONTRACTOR SHALL VERIFY ALL QUANTITIES. CONTRACTOR SHALL HAVE ALL UTILITY LINES LOCATED BEFORE FORMING ANY EXCAVATION FOR LANDSCAPE AND/OR PLANTING. CONTRACTOR SHALL VERIFY ALL UTILITY LINES AND TAKE NECESSARY STEPS TO PROTECT EXISTING UTILITIES.

PRIO TO APPLYING SOD OR HYDROSEED, ALL STONES AND DEBRIS LARGER THAN 1 INCH IN ANY DIMENSION SHALL BE REMOVED AND SURFACE MUST BE TOP DRESSED WITH 2" OF TOPSOIL AND FINE GRADED SMOOTH.

CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING A FULL AND HEALTHY STAND OF GRASS AT THE TIME OF POSSESSION BY THE OWNER.

ALL AREAS DISTURBED BY CONSTRUCTION (INCLUDING AREAS OUTSIDE PROPERTY LINES) SHALL BE PLANTED AND WATERED A MINIMUM OF 10 WEEKS OR UNTIL GRASS IS FULLY ESTABLISHED. LANDSCAPE BED EDGING SHALL BE PROVIDED WHERE INDICATED ON PLANS AND BETWEEN PLANTING/STONE BEDS AND LAWN AREAS/SIDEWALKS. SEE SHEET L3.1 FOR DETAILS.

OPEN AREAS WITHIN LANDSCAPE BEDS SHALL BE MULCHED AS SHOWN IN DETAILS ON SHEET L3.1 AND AS SPECIFIED.

CONTRACTOR IS RESPONSIBLE FOR OBTAINING PHOTOGRAPHS OF ACTUAL LANDSCAPE MATERIALS AND SUBMITTING THEM TO THE LANDSCAPE ARCHITECT OF RECORD FOR APPROVAL PRIOR TO INSTALLATION.

PLANT MATERIAL SELECTED SHALL FOLLOW THE GUIDELINES OF THE AMERICAN STANDARD FOR NURSERY STOCK BY THE AMERICAN ASSOCIATION OF NURSERMEN AND MEET OR EXCEED ALL SEE REQUIREMENTS LISTED ON PLANT SCHEDULE.

ALL PLANTINGS SHALL BE MAINTAINED IN A HEALTHY STATE BY LANDSCAPE CONTRACTOR AND SHALL BE WARRANTED (FOR PERMANENT PLANTINGS) FOR ONE (1) YEAR AFTER ACCEPTANCE OF THE LANDSCAPE INSTALLATION.

NO TREES ARE TO BE REMOVED

PLANTING NOTES

ALL MATERIAL QUANTITIES ARE FOR THE CONVENIENCE OF THE CONTRACTOR ONLY. CONTRACTOR SHALL VERIFY ALL QUANTITIES. CONTRACTOR SHALL HAVE ALL UTILITY LINES LOCATED BEFORE FORMING ANY EXCAVATION FOR LANDSCAPE AND/OR PLANTING. CONTRACTOR SHALL VERIFY ALL UTILITY LINES AND TAKE NECESSARY STEPS TO PROTECT EXISTING UTILITIES.

PRIO TO APPLYING SOD OR HYDROSEED, ALL STONES AND DEBRIS LARGER THAN 1 INCH IN ANY DIMENSION SHALL BE REMOVED AND SURFACE MUST BE TOP DRESSED WITH 2" OF TOPSOIL AND FINE GRADED SMOOTH.

CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING A FULL AND HEALTHY STAND OF GRASS AT THE TIME OF POSSESSION BY THE OWNER.

ALL AREAS DISTURBED BY CONSTRUCTION (INCLUDING AREAS OUTSIDE PROPERTY LINES) SHALL BE PLANTED AND WATERED A MINIMUM OF 10 WEEKS OR UNTIL GRASS IS FULLY ESTABLISHED. LANDSCAPE BED EDGING SHALL BE PROVIDED WHERE INDICATED ON PLANS AND BETWEEN PLANTING/STONE BEDS AND LAWN AREAS/SIDEWALKS. SEE SHEET L3.1 FOR DETAILS.

OPEN AREAS WITHIN LANDSCAPE BEDS SHALL BE MULCHED AS SHOWN IN DETAILS ON SHEET L3.1 AND AS SPECIFIED.

CONTRACTOR IS RESPONSIBLE FOR OBTAINING PHOTOGRAPHS OF ACTUAL LANDSCAPE MATERIALS AND SUBMITTING THEM TO THE LANDSCAPE ARCHITECT OF RECORD FOR APPROVAL PRIOR TO INSTALLATION.

PLANT MATERIAL SELECTED SHALL FOLLOW THE GUIDELINES OF THE AMERICAN STANDARD FOR NURSERY STOCK BY THE AMERICAN ASSOCIATION OF NURSERMEN AND MEET OR EXCEED ALL SEE REQUIREMENTS LISTED ON PLANT SCHEDULE.

ALL PLANTINGS SHALL BE MAINTAINED IN A HEALTHY STATE BY LANDSCAPE CONTRACTOR AND SHALL BE WARRANTED (FOR PERMANENT PLANTINGS) FOR ONE (1) YEAR AFTER ACCEPTANCE OF THE LANDSCAPE INSTALLATION.

NO TREES ARE TO BE REMOVED

PLANTING NOTES

ALL MATERIAL QUANTITIES ARE FOR THE CONVENIENCE OF THE CONTRACTOR ONLY. CONTRACTOR SHALL VERIFY ALL QUANTITIES. CONTRACTOR SHALL HAVE ALL UTILITY LINES LOCATED BEFORE FORMING ANY EXCAVATION FOR LANDSCAPE AND/OR PLANTING. CONTRACTOR SHALL VERIFY ALL UTILITY LINES AND TAKE NECESSARY STEPS TO PROTECT EXISTING UTILITIES.

PRIO TO APPLYING SOD OR HYDROSEED, ALL STONES AND DEBRIS LARGER THAN 1 INCH IN ANY DIMENSION SHALL BE REMOVED AND SURFACE MUST BE TOP DRESSED WITH 2" OF TOPSOIL AND FINE GRADED SMOOTH.

CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING A FULL AND HEALTHY STAND OF GRASS AT THE TIME OF POSSESSION BY THE OWNER.

ALL AREAS DISTURBED BY CONSTRUCTION (INCLUDING AREAS OUTSIDE PROPERTY LINES) SHALL BE PLANTED AND WATERED A MINIMUM OF 10 WEEKS OR UNTIL GRASS IS FULLY ESTABLISHED. LANDSCAPE BED EDGING SHALL BE PROVIDED WHERE INDICATED ON PLANS AND BETWEEN PLANTING/STONE BEDS AND LAWN AREAS/SIDEWALKS. SEE SHEET L3.1 FOR DETAILS.

OPEN AREAS WITHIN LANDSCAPE BEDS SHALL BE MULCHED AS SHOWN IN DETAILS ON SHEET L3.1 AND AS SPECIFIED.

CONTRACTOR IS RESPONSIBLE FOR OBTAINING PHOTOGRAPHS OF ACTUAL LANDSCAPE MATERIALS AND SUBMITTING THEM TO THE LANDSCAPE ARCHITECT OF RECORD FOR APPROVAL PRIOR TO INSTALLATION.

PLANT MATERIAL SELECTED SHALL FOLLOW THE GUIDELINES OF THE AMERICAN STANDARD FOR NURSERY STOCK BY THE AMERICAN ASSOCIATION OF NURSERMEN AND MEET OR EXCEED ALL SEE REQUIREMENTS LISTED ON PLANT SCHEDULE.

ALL PLANTINGS SHALL BE MAINTAINED IN A HEALTHY STATE BY LANDSCAPE CONTRACTOR AND SHALL BE WARRANTED (FOR PERMANENT PLANTINGS) FOR ONE (1) YEAR AFTER ACCEPTANCE OF THE LANDSCAPE INSTALLATION.

NO TREES ARE TO BE REMOVED

PLANTING NOTES

ALL MATERIAL QUANTITIES ARE FOR THE CONVENIENCE OF THE CONTRACTOR ONLY. CONTRACTOR SHALL VERIFY ALL QUANTITIES. CONTRACTOR SHALL HAVE ALL UTILITY LINES LOCATED BEFORE FORMING ANY EXCAVATION FOR LANDSCAPE AND/OR PLANTING. CONTRACTOR SHALL VERIFY ALL UTILITY LINES AND TAKE NECESSARY STEPS TO PROTECT EXISTING UTILITIES.

PRIO TO APPLYING SOD OR HYDROSEED, ALL STONES AND DEBRIS LARGER THAN 1 INCH IN ANY DIMENSION SHALL BE REMOVED AND SURFACE MUST BE TOP DRESSED WITH 2" OF TOPSOIL AND FINE GRADED SMOOTH.

CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING A FULL AND HEALTHY STAND OF GRASS AT THE TIME OF POSSESSION BY THE OWNER.

ALL AREAS DISTURBED BY CONSTRUCTION (INCLUDING AREAS OUTSIDE PROPERTY LINES) SHALL BE PLANTED AND WATERED A MINIMUM OF 10 WEEKS OR UNTIL GRASS IS FULLY ESTABLISHED. LANDSCAPE BED EDGING SHALL BE PROVIDED WHERE INDICATED ON PLANS AND BETWEEN PLANTING/STONE BEDS AND LAWN AREAS/SIDEWALKS. SEE SHEET L3.1 FOR DETAILS.

OPEN AREAS WITHIN LANDSCAPE BEDS SHALL BE MULCHED AS SHOWN IN DETAILS ON SHEET L3.1 AND AS SPECIFIED.

CONTRACTOR IS RESPONSIBLE FOR OBTAINING PHOTOGRAPHS OF ACTUAL LANDSCAPE MATERIALS AND SUBMITTING THEM TO THE LANDSCAPE ARCHITECT OF RECORD FOR APPROVAL PRIOR TO INSTALLATION.

PLANT MATERIAL SELECTED SHALL FOLLOW THE GUIDELINES OF THE AMERICAN STANDARD FOR NURSERY STOCK BY THE AMERICAN ASSOCIATION OF NURSERMEN AND MEET OR EXCEED ALL SEE REQUIREMENTS LISTED ON PLANT SCHEDULE.

ALL PLANTINGS SHALL BE MAINTAINED IN A HEALTHY STATE BY LANDSCAPE CONTRACTOR AND SHALL BE WARRANTED (FOR PERMANENT PLANTINGS) FOR ONE (1) YEAR AFTER ACCEPTANCE OF THE LANDSCAPE INSTALLATION.

NO TREES ARE TO BE REMOVED

PLANTING NOTES

ALL MATERIAL QUANTITIES ARE FOR THE CONVENIENCE OF THE CONTRACTOR ONLY. CONTRACTOR SHALL VERIFY ALL QUANTITIES. CONTRACTOR SHALL HAVE ALL UTILITY LINES LOCATED BEFORE FORMING ANY EXCAVATION FOR LANDSCAPE AND/OR PLANTING. CONTRACTOR SHALL VERIFY ALL UTILITY LINES AND TAKE NECESSARY STEPS TO PROTECT EXISTING UTILITIES.

PRIO TO APPLYING SOD OR HYDROSEED, ALL STONES AND DEBRIS LARGER THAN 1 INCH IN ANY DIMENSION SHALL BE REMOVED AND SURFACE MUST BE TOP DRESSED WITH 2" OF TOPSOIL AND FINE GRADED SMOOTH.

CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING A FULL AND HEALTHY STAND OF GRASS AT THE TIME OF POSSESSION BY THE OWNER.

ALL AREAS DISTURBED BY CONSTRUCTION (INCLUDING AREAS OUTSIDE PROPERTY LINES) SHALL BE PLANTED AND WATERED A MINIMUM OF 10 WEEKS OR UNTIL GRASS IS FULLY ESTABLISHED. LANDSCAPE BED EDGING SHALL BE PROVIDED WHERE INDICATED ON PLANS AND BETWEEN PLANTING/STONE BEDS AND LAWN AREAS/SIDEWALKS. SEE SHEET L3.1 FOR DETAILS.





OPEN AREAS WITHIN LANDSCAPE BEDS SHALL BE MULCHED AS SHOWN IN DETAILS ON SHEET L3.1 AND AS SPECIFIED.

CONTRACTOR IS RESPONSIBLE FOR OBTAINING PHOTOGRAPHS OF ACTUAL LANDSCAPE MATERIALS AND SUBMITTING THEM TO THE LANDSCAPE ARCHITECT OF RECORD FOR APPROVAL PRIOR TO INSTALLATION.

PLANT MATERIAL SELECTED SHALL FOLLOW THE GUIDELINES OF THE AMERICAN STANDARD FOR NURSERY STOCK BY THE AMERICAN ASSOCIATION OF NURSERMEN AND MEET OR EXCEED ALL SEE REQUIREMENTS LISTED ON PLANT SCHEDULE.

ALL PLANTINGS SHALL BE MAINTAINED IN A HEALTHY STATE BY LANDSCAPE CONTRACTOR AND SHALL BE WARRANTED (FOR PERMANENT PLANTINGS) FOR ONE (1) YEAR AFTER ACCEPTANCE OF THE LANDSCAPE INSTALLATION.

NO TREES ARE TO BE REMOVED



CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

CASE NUMBER: SP2024-019

<

CIVIL ENGINEER
CIVIL CONSULTANTS, LLC
448 W. 19TH ST.
HOUSTON, TEXAS 77008
713.982.4148

STRUCTURAL ENGINEER
DALLY + ASSOCIATES, INC.
8800 RICHMOND AVE., SUITE 480
HOUSTON, TEXAS 77042
713.337.8881

MEP ENGINEER
SPECIUM DESIGN ENGINEERS
2000 W. WILSON BLVD.
SUGAR LAND, TEXAS 77479
832.766.6076

PROJECT:
SOUTHWEST KIA OF
ROCKWALL

PROJECT ADDRESS:
1790 I-30 FRONTAGE RD.
ROCKWALL, TX 75087

SEAL/SIGNATURE:

ISSUE HISTORY:		
DATE	DELTA	DESCRIPTION
TBD	IFP	ISSUE FOR PERMIT

PROJECT NUMBER: LA2204
ISSUE DATE: 05.21.2024
SHEET NAME:

NOTED SITE PLAN

SHEET:



A102

© 2024 LOMA ARCHITECTURE, LLC

#	NOTE
01	PAVING, REF. CIVIL
02	4" WHITE PARKING STRIPE, TYP. UNO
03	ELECTRIC CHARGING STATION BY OWNER VENDOR, PROVIDE POWER AND HOOK UP, REF. ELECTRICAL
04	EXISTING PAVING TO REMAIN, REF. CIVIL
05	EXISTING FIRE HYDRANT, REF. CIVIL
06	EXISTING TREE TO REMAIN, REF. LANDSCAPE
07	EXISTING PIPE RAIL FENCE, G.C. TO REPAIR AND REPAINT, EP-1
08	SITE LIGHT POLE, REF. LIGHTING SITE PLAN, SITE DETAILS, AND ELECTRICAL
09	8" DIAMETER CONCRETE FILLED STEEL PIPE BOLLARD PRIMED AND PAINTED, REF. SITE DETAILS
10	EXISTING FIRE LANE
11	FIRE LANE - PAVEMENT MARKINGS, 6" WIDE RED PAINT WITH THE WORDS, "FIRE LANE - TOW AWAY ZONE" IN 4" WHITE LETTERS NO MORE THAN 25' ALTERNATING INTERVALS
12	CONCRETE CURB, REF. CIVIL
13	EXISTING PORTION OF CURB TO REMAIN, REF. CIVIL
14	CONCRETE SIDEWALK, REF. SITE DETAILS
15	LANDSCAPING, REF. CIVIL
16	SWINGING PIPE RAIL GATE TO MATCH EXISTING PIPE RAIL FENCE HEIGHT, PRIME AND PAINT, EP-1, REF. SITE DETAILS
17	

BUILDING USE	SQUARE FOOTAGE
SHOWROOM	2,788 SF
SALES OFFICES	3,264 SF
CUSTOMER LOUNGE	1,300 SF
CUSTOMER RESTROOMS	662 SF
BREAKROOM & EMPLOYEE RESTROOMS	622 SF
BUILDING SUPPORT	253 SF
PARTS STORAGE	1,487 SF
SERVICE SHOP	15,344 SF
NEW VEHICLE DELIVERY	573 SF
SERVICE DRIVE	1,995 SF
SERVICE ADVISORS & CASHIER	840 SF
CASHIER AND RETAIL PARTS	1,074 SF

TOTAL PARKING COUNT	TOTAL SITE AREA
CUSTOMER PARKING: 50 PARKING SPACES	TOTAL SITE AREA: 5.99 AC
NEW INVENTORY PARKING: 249 PARKING SPACES	TOTAL SITE SQUARE FOOTAGE: 260,989 SF
SERVICE PARKING: 46 PARKING SPACES	
EMPLOYEE PARKING: 33 PARKING SPACES	
TOTAL PARKING: 378 PARKING SPACES	



I HEREBY CERTIFY THAT THE ABOVE AND FOREGOING SITE PLAN AND BUILDING ELEVATIONS FOR A DEVELOPMENT IN THE CITY OF ROCKWALL, TEXAS, HAS BEEN PREPARED BY THE PLANNING & ZONING COMMISSION OF THE CITY OF ROCKWALL ON THE 22ND DAY OF May, 2024.

WITNESS OUR HANDS, THIS 22ND DAY OF May, 2024.

[Signature]
PLANNING & ZONING COMMISSION, CHAIRMAN
DIRECTOR OF PLANNING AND ZONING

CASE NUMBER: SP2024-019

CIVIL ENGINEER
DAILY + ASSOCIATES, LLC
448 W. 19TH ST.
HOUSTON, TEXAS 77008
713.982.4148

STRUCTURAL ENGINEER
DAILY + ASSOCIATES, INC.
8800 RICHMOND AVE., SUITE 460
HOUSTON, TEXAS 77042
713.337.8881

M/E/P ENGINEER
SPEAR DESIGN ENGINEERS
3050 WESTHOPE AVE., SUITE 100
SUGAR LAND, TEXAS 77479
832.766.6076

PROJECT:
SOUTHWEST KIA OF
ROCKWALL

PROJECT ADDRESS:
1790 I-30 FRONTAGE RD.
ROCKWALL, TX 75087

SEAL/SIGNATURE:

ISSUE HISTORY:		
DATE	DELTA	DESCRIPTION
TBD	IFP	ISSUE FOR PERMIT

PROJECT NUMBER: LA2204
ISSUE DATE: 05.21.2024
SHEET NAME:







EXTERIOR BUILDING ELEVATIONS

A200

© 2024 LOMA ARCHITECTURE, LLC

#	NOTE
01	ACM TOPCAP BY PATTISON SIGN GROUP
02	ACM REVEAL REF. WALL DETAILS
03	STUCCO REVEAL REF. WALL DETAILS
04	EXTERIOR GLAZING SYSTEM REF. GLAZING ELEVATIONS AND SPECIFICATIONS
05	PREFINISHED PARAPET CAP. COLOR TO MATCH HOST WALL
06	OVERHEAD DOOR. REF. SCHEDULES
07	8" DIAMETER CONCRETE FILLED STEEL PIPE BOLLARD PRIMED AND PAINTED. REF. SITE DETAILS
08	MAN DOOR. REF. SCHEDULES
09	PREFINISHED METAL GUTTER AND DOWNSPOUT. COLOR TO MATCH HOST WALL
10	KIA ENTRY PORTAL BY PATTISON SIGN GROUP
11	EXISTING EXTERIOR WALL TO REMAIN. S.C. TO PROTECT DURING CONSTRUCTION
12	EXISTING MECHANICAL LOUVER TO REMAIN
13	EXISTING OVERHEAD DOOR TO REMAIN. PAINT AS SCHEDULED
14	EXISTING DOOR AND FRAME TO REMAIN. PAINT AS SCHEDULED
15	EXISTING GLAZING TO REMAIN
16	EXISTING PREFINISHED METAL GUTTER AND DOWNSPOUT TO REMAIN. COLOR TO MATCH HOST WALL
17	LED LIGHT FIXTURE. REF. ELECTRICAL
18	ROOF LINE BEYOND
19	BLACK VINYL COATED CHAINLINK FENCE AND GATE. REF. SITE DETAILS
20	ACM BY PATTISON SIGN GROUP
21	ACM BY PATTISON SIGN GROUP
22	ACM BY PATTISON SIGN GROUP
23	ACM BY PATTISON SIGN GROUP
24	ROOF ACCESS LADDER WITH PARAPET PLATFORM. REF. ROOF DETAILS

MARK	MANUFACTURER	MODEL	COLOR/FINISH	CONTACT
ACM1	PATTISON SIGN GROUP / ALPOLIC		COLOR: TOB BLACK INSTALLATION: TO BE INSTALLED BY PATTISON SIGN GROUP P. 865.500.4829 E. SWEBB@PATTISONSIGN.COM W. PATTISONSIGN.COM	STEVE WEBB P. 865.500.4829 E. SWEBB@PATTISONSIGN.COM W. PATTISONSIGN.COM
ACM2	PATTISON SIGN GROUP / ALPOLIC		COLOR: BSK SILVER METALLIC INSTALLATION: TO BE INSTALLED BY PATTISON SIGN GROUP	STEVE WEBB P. 865.500.4829 E. SWEBB@PATTISONSIGN.COM W. PATTISONSIGN.COM
GLAZING	VITRO		1" INSULATED GLAZING UNIT EXTERIOR LITE: 1/4" STAFFPHRE GLAZING WITH SOLARBAN 90 AIRSPACE: 1/2" AIR INTERIOR LITE: 1/4" CLEAR GLAZING	
PAINT	BENJAMIN MOORE	REGAL SELECT EXTERIOR LATEX PAINT	COLOR: CONVENTRY GRAY FINISH: EGGSHELL	DOROTHY HAZINSKI P. 866.708.8181 M. 330.353.3850 E. DOROTHY.HAZINSKI@BENJAMINMOORE.COM
STUCCO	SIKA	FINESTONE PLATINUM CI STUCCO ULTRA	COLOR: TO MATCH BM CONVENTRY GRAY THICKNESS: 2"	



I HEREBY CERTIFY THAT THE ABOVE AND FOREGOING SITE PLAN AND BUILDING ELEVATIONS FOR A DEVELOPMENT IN THE CITY OF ROCKWALL, TEXAS WAS APPROVED BY THE PLANNING & ZONING COMMISSION OF THE CITY OF ROCKWALL ON THE 28 DAY OF May 2024.

WITNESS OUR HANDS, THIS 28 DAY OF May 2024

[Signature]
PLANNING & ZONING COMMISSION, CHAIRMAN
[Signature]
DIRECTOR OF PLANNING AND ZONING

CASE NUMBER: SP2024-019

CIVIL ENGINEER
CIVIL CONSULTANTS, LLC
448 W. 18TH ST.
HOUSTON, TEXAS 77008
713.992.4148

STRUCTURAL ENGINEER
DALLY + ASSOCIATES, INC.
8800 RICHMOND AVE., SUITE 460
HOUSTON, TEXAS 77042
713.337.8881

M/E/P ENGINEER
SELECTION DESIGN ENGINEERS
19 SIERRA VILLAGE DR.
SUGAR LAND, TEXAS 77479
832.766.6076

PROJECT:
**SOUTHWEST KIA OF
ROCKWALL**

PROJECT ADDRESS:
**1790 I-30 FRONTAGE RD.
ROCKWALL, TX 75087**

SEAL/SIGNATURE:

DATE	DELTA	DESCRIPTION
TBD	IFP	ISSUE FOR PERMIT

PROJECT NUMBER: LA2204
ISSUE DATE: 05.21.2024
SHEET NAME:

**EXTERIOR BUILDING
ELEVATIONS**


SHEET:

A201


© 2024 LOMA ARCHITECTURE, LLC

#	NOTE
02	ACM TOPCAP BY PATTISON SIGN GROUP
03	ACM REVEAL. REF. WALL DETAILS
04	STUCCO REVEAL. REF. WALL DETAILS
05	EXTERIOR GLAZING SYSTEM. REF. GLAZING ELEVATIONS AND SPECIFICATIONS
06	PREFINISHED PARAPET CAP. COLOR TO MATCH HOST WALL
07	OVERHEAD DOOR. REF. SCHEDULES
08	6" DIAMETER CONCRETE FILLED STEEL PIPE BOLLARD PRIMED AND PAINTED. REF. SITE DETAILS
09	MAN DOOR. REF. SCHEDULES
10	PREFINISHED METAL GUTTER AND DOWNSPOUT. COLOR TO MATCH HOST WALL
11	KIA ENTRY PORTAL BY PATTISON SIGN GROUP
12	EXISTING EXTERIOR WALL TO REMAIN. G.C. TO PROTECT DURING CONSTRUCTION
13	EXISTING MECHANICAL LOUVER TO REMAIN
14	EXISTING OVERHEAD DOOR TO REMAIN. PAINT AS SCHEDULED
15	EXISTING DOOR AND FRAME TO REMAIN. PAINT AS SCHEDULED
16	EXISTING GLAZING TO REMAIN
17	EXISTING PREFINISHED METAL GUTTER AND DOWNSPOUT TO REMAIN. COLOR TO MATCH HOST WALL
18	ROOF LINE BEYOND
19	LED LIGHT FIXTURE. REF. ELECTRICAL
21	BLACK VINYL COATED CHAINLINK FENCE AND GATE. REF. SITE DETAILS
22	ACM BY PATTISON SIGN GROUP
23	ACM BY PATTISON SIGN GROUP
24	ROOF ACCESS LADDER WITH PARAPET PLATFORM. REF. ROOF DETAILS


MARK	MANUFACTURER	MODEL	COLOR / FINISH	CONTACT
ACM1	PATTISON SIGN GROUP / ALPOLIC		COLOR: TORR BLACK INSTALLATION: TO BE INSTALLED BY PATTISON SIGN GROUP	STEVIE WEBB P: 865.500.4629 E: SWEBB@PATTISONSIGN.COM W: PATTISONSIGN.COM
ACM2	PATTISON SIGN GROUP / ALPOLIC		COLOR: B5X SILVER METALLIC INSTALLATION: TO BE INSTALLED BY PATTISON SIGN GROUP	STEVIE WEBB P: 865.500.4629 E: SWEBB@PATTISONSIGN.COM W: PATTISONSIGN.COM
GLAZING	VITRO		1" INSULATED GLAZING UNIT - EXTERIOR LITE: 1/4" STARPHRE GLAZING WITH SOLARBAN 90 AIRSPACE. 1/2" AIR INTERIOR LITE: 1/4" CLEAR GLAZING	
PAINT	BENJAMIN MOORE	REGAL SELECT EXTERIOR LATEX PAINT	COLOR: CONVENTRY GRAY FINISH: EGGSHELL	DOROTHY HAZINSKI P: 866.708.9181 M: 330.353.3850 E: DOROTHY.HAZINSKI@BENJAMINMOORE.COM
STUCCO	SIKA	FINESTONE PLATINUM ULTRA STUCCO	COLORS: TO MATCH BM CONVENTRY GRAY THICKNESS: 2"	



3 EXTERIOR BUILDING ELEVATION - WEST - AREA B
SP - 11'-0"



2 EXTERIOR BUILDING ELEVATION - WEST - AREA A
SP - 11'-0"



1 EXTERIOR BUILDING ELEVATION - WEST
SP - 11'-0"

MATERIAL COVERAGE (AREA C)

ACM1	1%
ACM2	1%
GL-2	12%
EP-1	48%
EXIST. BRICK	38%
EXIST. STONE	1%

I HEREBY CERTIFY THAT THE ABOVE AND FOREGOING SITE PLAN AND BUILDING ELEVATIONS FOR A DEVELOPMENT IN THE CITY OF ROCKWALL, TEXAS, PREPARED BY THE PLANNING & ZONING COMMISSION OF THE CITY OF ROCKWALL ON THE 22ND DAY OF May 2024.

WITNESS OUR HANDS, THIS 22ND DAY OF May, 2024

[Signature]
PLANNING & ZONING COMMISSION, CHAIRMAN

[Signature]
DIRECTOR OF PLANNING AND ZONING

CASE NUMBER: SP2024-019

CIVIL ENGINEER
CIVILCON CONSULTANTS, LLC
448 W. 19TH ST
HOUSTON, TEXAS 77008
713.962.4148

STRUCTURAL ENGINEER
DALLY + ASSOCIATES, INC.
9800 RICHMOND AVE., SUITE 460
HOUSTON, TEXAS 77042
713.337.8881

MEP ENGINEER
MEP DESIGN ENGINEERS
30 SEYDOR
SUGARLAND, TEXAS 77479
832.766.6076

PROJECT:
SOUTHWEST KIA OF
ROCKWALL

PROJECT ADDRESS:
1790 I-30 FRONTAGE RD.
ROCKWALL, TX 75087

SEAL/SIGNATURE:

ISSUE HISTORY:		
DATE	DELTA	DESCRIPTION
TBD	IFP	ISSUE FOR PERMIT

PROJECT NUMBER: LA2204
ISSUE DATE: 05.21.2024
SHEET NAME:


EXTERIOR BUILDING ELEVATIONS
SHEET:

A202


© 2024 LOMA ARCHITECTURE, LLC

EXTERIOR ELEVATION KEYNOTES	
#	NOTE
02	ACM TOPCAP BY PATTISON SIGN GROUP
03	ACM REVEAL. REF. WALL DETAILS
04	STUCCO REVEAL. REF. WALL DETAILS
05	EXTERIOR GLAZING SYSTEM. REF. GLAZING ELEVATIONS AND SPECIFICATIONS
06	PREFINISHED PARAPET CAP. COLOR TO MATCH HOST WALL
07	OVERHEAD DOOR. REF. SCHEDULES
08	6" DIAMETER CONCRETE FILLED STEEL PIPE BOLLARD PRIMED AND PAINTED. REF. SITE DETAILS
09	MAN DOOR. REF. SCHEDULES
10	PREFINISHED METAL GUTTER AND DOWNSPOUT. COLOR TO MATCH HOST WALL
11	KIA ENTRY PORTAL BY PATTISON SIGN GROUP
12	EXISTING EXTERIOR WALL TO REMAIN. G.C. TO PROTECT DURING CONSTRUCTION
13	EXISTING MECHANICAL LOUVER TO REMAIN
14	EXISTING OVERHEAD DOOR TO REMAIN. PAINT AS SCHEDULED
15	EXISTING DOOR AND FRAME TO REMAIN. PAINT AS SCHEDULED
16	EXISTING GLAZING TO REMAIN
17	EXISTING PREFINISHED METAL GUTTER AND DOWNSPOUT TO REMAIN. COLOR TO MATCH HOST WALL
18	EXISTING LIGHT FIXTURE TO REMAIN
19	ROOF LINE BEYOND
20	LED LIGHT FIXTURE. REF. ELECTRICAL
21	BLACK VINYL COATED CHAINLINK FENCE AND GATE. REF. SITE DETAILS
22	ACM BY PATTISON SIGN GROUP
23	ACM BY PATTISON SIGN GROUP
24	ROOF ACCESS LADDER WITH PARAPET PLATFORM. REF. ROOF DETAILS


EXTERIOR MATERIAL INFORMATION			
MARK	MANUFACTURER	MODEL	COLOR / FINISH
ACM			
ACM-1	PATTISON SIGN GROUP / ALPOLIC		COLOR: T08 BLACK INSTALLATION TO BE INSTALLED BY PATTISON SIGN GROUP E: SWEBB@PATTISONSIGN.COM W: PATTISONSIGN.COM
ACM-2	PATTISON SIGN GROUP / ALPOLIC		COLOR: BSX SILVER METALLIC INSTALLATION TO BE INSTALLED BY PATTISON SIGN GROUP E: SWEBB@PATTISONSIGN.COM W: PATTISONSIGN.COM
GLAZING			
GL-2	VITRO		1" INSULATED GLAZING UNIT EXTERIOR LITE: 1/4" SHARPIRE GLAZING WITH 1/2" AIR SPACE INTERIOR LITE: 1/4" CLEAR GLAZING
PAINT			
EP-1	BENJAMIN MOORE REGAL SELECT EXTERIOR LATEX PAINT		COLOR: CONVENTRY GRAY FINISH: EGGSHELL P: 866.708.9181 M: 300.353.3860 E: DOROTHY.HAZINSKI@BENJAMINMOORE.COM
STUCCO	SIKA	FINESTONE PLATINUM CI STUCCO ULTRA	COLOR: TO MATCH BM CONVENTRY GRAY THICKNESS: 2"



3 EXTERIOR BUILDING ELEVATION - EAST - AREA B
1/8" = 1'-0"



2 EXTERIOR BUILDING ELEVATION - EAST - AREA A
1/8" = 1'-0"



1 EXTERIOR BUILDING ELEVATION - EAST
3/32" = 1'-0"

MATERIAL COVERAGE:

ACM-1	7%
GL-2	1%
EP-1	8%
ST-1	8%
EP-1	39%
EP-1	8%
EP-1	1%

I HEREBY CERTIFY THAT THE ABOVE AND FOREGOING SITE PLAN AND BUILDING ELEVATIONS FOR A DEVELOPMENT IN THE CITY OF ROCKWALL, TEXAS, WAS PREPARED BY THE PLANNING & ZONING COMMISSION OF THE CITY OF ROCKWALL ON THE 28th DAY OF May, 2024.

WITNESS OUR HANDS, THIS DAY OF May, 2024.



[Signature]
PLANNING & ZONING COMMISSION, CHAIRMAN

[Signature]
DIRECTOR OF PLANNING AND ZONING

CASE NUMBER: SP2024-019

INVENTORY PKG INTERIOR

INVENTORY PERIMETER 2



Calculation Summary

Label	Qty	Label	Arrangement	Description	Avg	Max	Min	Avg/Min	Max/Min
ALL CALC @ 4' ABOVE GRADE					2.19	15.1	0.0	N/A	N/A
PROPERTY LINE	4	R1a	Single	SLM-LED-12L-SIL-4-50-IL-70CRI-SINGLE	0.0	0.2	0.0	N/A	N/A
CUSTOMER PARKING	2	R1b	Single	SLM-LED-09L-SIL-SW-50-70CRI-SINGLE	3.38	7.9	0.6	5.63	13.17
INVENTORY PERIMETER 1	1	R1c	Single	SLM-LED-09L-SIL-RC-50-70CRI-SINGLE	5.39	8.4	1.0	5.39	8.40
INVENTORY PERIMETER 2	3	R1b	3 @ 90 DEGREES ROTATED	SLM-LED-18L-SIL-014-1-01-R-50-IL-70CRI-D180RDT	2.00	5.3	0.5	4.00	10.60
INVENTORY PKG INTERIOR	10	R3T	3 @ 90	SLM-LED-18L-SIL-3-50-70CRI-190R	3.99	12.7	0.5	7.98	25.40
INVENTORY PKG NEAR BLDG	4	RR3No	3 @ 90	SLM-LED-18L-SIL-3-50-70CRI-190	7.15	14.1	3.4	2.10	4.15
SERVICE PKG	5	RR3No	3 @ 90	SLM-LED-09L-SIL-3-50-70CRI-190	6.43	8.3	3.6	1.79	2.31

Luminaire Schedule

Symbol	Qty	Label	Arrangement	Description	Mounting Height	LLD	LLF	Arr. Lum. Lumens	Arr. Watts
R1a	4	R1a	Single	SLM-LED-12L-SIL-4-50-IL-70CRI-SINGLE	24'	1,000	1,000	8,142	85
R1b	2	R1b	Single	SLM-LED-09L-SIL-SW-50-70CRI-SINGLE	24'	1,000	1,000	9,450	63
R1c	1	R1c	Single	SLM-LED-09L-SIL-RC-50-70CRI-SINGLE	24'	1,000	1,000	9,313	62
R1b	3	R1b	3 @ 90 DEGREES ROTATED	SLM-LED-18L-SIL-014-1-01-R-50-IL-70CRI-D180RDT	24'	1,000	1,000	24,022	270
R3T	10	R3T	3 @ 90	SLM-LED-18L-SIL-3-50-70CRI-190R	24'	1,000	1,000	37,656	405
RR3No	4	RR3No	3 @ 90	SLM-LED-18L-SIL-3-50-70CRI-190	24'	1,000	1,000	57,216	405
RR3No	5	RR3No	3 @ 90	SLM-LED-09L-SIL-3-50-70CRI-190	24'	1,000	1,000	29,229	189

PHOTOMETRIC EVALUATION NOT FOR CONSTRUCTION

Based on the information provided, all dimensions and luminaire locations are approximate. The engineer and/or architect must determine the applicability of the layout to existing or future field conditions.

This lighting plan represents illumination levels calculated from laboratory data. It does not represent actual field conditions. Calculations are based on the assumption that all luminaire outputs are as listed. Calculations do not include obstructions such as ceilings, walls, or other fixtures. The drawing is for photometric evaluation purposes only and should not be used as a construction document or as a final document for ordering product.

APPROVED:
I hereby certify that the above and foregoing site plan for lighting design was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer in the State of Texas.
2/24/2024

Chairman
Planning & Zoning Commission

Chairman
Planning & Zoning Commission

10000 PROSPECT WALKS
TOTAL WALKS = 7953

DATE: 2/24/2024

PROJECT NUMBER: LU-191737-1

CLIENT: SOUTHWEST KIA OF RICKWALL
1790 1-30 FRONTAGE RD
RICKWALL, TX

SCALE: 1"=30'

SHEET 1 OF 1