



A COLUMN		Curve Tab	le		
Curve #	Chord Bearing	Chord Distance	Arc Length	Radius	Delta
EC1	N1°13'11"W	80.44'	89.53'	56.47'	90°50'21"
EC2	N46°52'09"E	50.58'	50.60'	509.10'	5°41'40"
EC3	N46°57'37"E	14.56'	14.57'	150.50'	5°32'49"
EC4	N0°52'23"W	43.18'	47.97'	30.50'	90°07'10"
EC5	S0°23'37"E	70.11'	77.12'	51.50'	85°47'53"
EC6	S46°07'10"W	61.59'	61.63'	488.50'	7°13'41"
EC7	S38°46'12"W	95.28'	95.87'	250.50'	21°55'38"
EC8	S25°54'54"W	49.94'	49.97'	434.49'	6°35'22"
EC9	S22°52'00"W	22.20'	22.70'	31.03'	41°54'44"
EC10	N85°04'05"E	45.67'	51.61'	30.50'	96°56'46"
EC11	N40°23'27"E	69.71'	69.76'	526.50'	7°35'30"
EC12	N11°46'31"E	32.70'	34.51'	30.50'	64°49'22"
EC13	N0°06'02"W	53.68'	54.88'	75.42'	41°41'34"
EC14	N32°12'52"E	31.23'	31.45'	76.50'	23°33'07"
EC15	N2°01'43"W	43.07'	47.82'	30.51'	89°48'52"
EC16	N61°05'01"W	38.23'	38.67'	73.50'	30°08'54"
EC17	N61°11'09"W	51.41'	52.00'	99.50'	29°56'37"
EC18	S61°11'09"E	37.98'	38.41'	73.50'	29°56'38"
EC19	S61°05'01"E	51.75'	52.36'	99.50'	30°08'54"
EC20	S0°54'41"E	77.21'	85.79'	54.50'	90°11'46"

		Curve Tab	le		
Curve #	Chord Bearing	Chord Distance	Arc Length	Radius	Delta
EC21	S0°27'20"E	42.16'	46.75'	30.00'	89°17'04"
EC22	S55°41'58"E	10.25'	10.30'	30.00'	19°39'53"
EC23	N37°20'30"W	8.67'	8.71'	27.42'	18°11'59"
EC24	N88°50'45"W	42.25'	46.64'	30.57'	87°24'02"
EC25	S40°23'27"W	66.27'	66.32'	500.50'	7°35'30"
EC26	S4°55'55"E	40.44'	44.21'	30.50'	83°03'14"
EC27	N88°52'56"E	42.17'	46.77'	30.00'	89°19'07"
EC28	S30°05'41"W	26.53'	26.79'	55.61'	27°36'22"
EC29	S66°20'30"W	5.38'	6.14'	3.50'	100°34'41'
EC30	N35°05'01"W	4.26'	4.58'	3.50'	74°56'48"
EC31	N25°18'46"E	2.75'	2.79'	4.77'	33°33'37"
EC32	N11°46'27"E	60.57'	63.93'	56.50'	64°49'31"
EC33	N11°40'34"E	53.99'	56.96'	50.50'	64°37'45"
EC34	N88°59'26"E	43.13'	47.91'	30.50'	90°00'00"
EC35	S0°54'41"E	43.21'	48.01'	30.50'	90°11'46"
EC36	N1°17'33"W	43.46'	48.39'	30.47'	91°00'29"
EC37	S33°39'04"W	27.51'	27.54'	163.34'	9°39'39"
EC38	S82°43'49"W	39.78'	43.28'	30.67'	80°51'36"

	Line T	able
Line #	Length	Direction
EL21	407.24'	N44°11'12"E
EL22	5.25'	N49°25'35"E
EL23	201.96'	N49°44'01"E
EL25	16.89'	N44°11'12"E
EL26	4.91'	N45°55'58"W
EL27	11.62'	S45°39'59"E
EL28	93.57'	S49°44'01"W
EL29	124.75'	S49°44'01"W
EL30	236.10'	S27°48'23"W
EL31	54.33'	S42°53'44"W
EL32	11.73'	S11°04'57"W
EL33	187.97'	S46°27'31"E
EL34	87.48'	N36°35'42"E
EL35	520.44'	N44°11'12"E
EL36	7.00'	N44°11'12"E
EL37	43.92'	N43°58'59"E
EL38	9.97'	N46°00'34"W
EL39	84.12'	N76°09'28"W
EL40	84.63'	N46°12'52"W
EL41	87.96'	S46°16'18"E

Line # Length Direction Line # Length EL42 80.14' \$76°09'28"E EL62 10.6 EL43 107.14' \$46°00'34"E EL63 63.5 EL44 438.66' \$44°11'12"W EL64 25.0 EL45 6.87' \$45°05'52"E EL65 16.4 EL46 13.18' N45°05'52"W EL66 5.00 EL47 27.03' N45°05'52"W EL67 47.1 EL48 146.48' \$44°11'12"W EL68 17.3 EL49 98.08' \$36°35'42"W EL69 30.2 EL50 11.97' \$46°27'34"E EL70 307.6	
EL43 107.14' \$46°00'34"E EL63 63.5 EL44 438.66' \$44°11'12"W EL64 25.0 EL45 6.87' \$45°05'52"E EL65 16.4 EL46 13.18' N45°05'52"W EL66 5.00 EL47 27.03' N45°05'52"W EL67 47.1 EL48 146.48' \$44°11'12"W EL68 17.3 EL49 98.08' \$36°35'42"W EL69 30.2 EL50 11.97' \$46°27'34"E EL70 307.6	th Direct
EL44 438.66' \$44°11'12"W EL64 25.0 EL45 6.87' \$45°05'52"E EL65 16.4 EL46 13.18' N45°05'52"W EL66 5.00 EL47 27.03' N45°05'52"W EL67 47.1 EL48 146.48' \$44°11'12"W EL68 17.3 EL49 98.08' \$36°35'42"W EL69 30.2 EL50 11.97' \$46°27'34"E EL70 307.6	7' N46°27'
EL45 6.87' \$45°05'52"E EL65 16.4 EL46 13.18' N45°05'52"W EL66 5.00 EL47 27.03' N45°05'52"W EL67 47.1 EL48 146.48' \$44°11'12"W EL68 17.3 EL49 98.08' \$36°35'42"W EL69 30.2 EL50 11.97' \$46°27'34"E EL70 307.6	7' S45°49
EL46 13.18' N45°05'52"W EL66 5.00 EL47 27.03' N45°05'52"W EL67 47.1 EL48 146.48' S44°11'12"W EL68 17.3 EL49 98.08' S36°35'42"W EL69 30.2 EL50 11.97' S46°27'34"E EL70 307.6	0' S44°10'
EL47 27.03' N45°05'52"W EL67 47.1 EL48 146.48' S44°11'12"W EL68 17.3 EL49 98.08' S36°35'42"W EL69 30.2 EL50 11.97' S46°27'34"E EL70 307.6	0' N45°49'
EL48 146.48' \$44°11'12"W EL68 17.3' EL49 98.08' \$36°35'42"W EL69 30.2 EL50 11.97' \$46°27'34"E EL70 307.6')' N44°10
EL49 98.08' S36°35'42"W EL69 30.2 EL50 11.97' S46°27'34"E EL70 307.6	3' N45°49'
EL50 11.97' S46°27'34"E EL70 307.6	4' \$44°13'
	5' N75°54'
5154 24 001 N500241278NV	54' S43°52'
EL51 24.08' N50°34'37"W EL71 54.6	3' S89°11'
EL52 438.17' S44°11'12"W EL72 15.00	0' N0°48'4
EL53 9.05' N67°57'47"W EL73 48.3	7' N89°11
EL54 126.34' N44°11'12"E EL74 300.8	7' N43°52
EL55 202.44' N44°11'12"E EL75 7.99	N14°05
EL56 43.33' N43°59'26"E EL76 52.2	3' \$75°54'
EL57 9.66' S46°00'34"E EL77 392.0	5' N46°27'
EL58 26.00' N43°32'28"E EL78 29.8	7' S46°00'
EL59 271.21' N44°11'12"E EL79 56.5	1' N44°11'
EL60 220.63' S28°23'25"W EL80 29.7	1' N45°55'
EL61 31.14' S41°41'40"W	





LOCATION MAP NOT TO SCALE

SURVEY LEGEND

	EXISTING	FEATURES	
BOUNDAR'	Y LINE -		

CONTROL LEGEND

Property Corner (As Noted)

ABBREVIATION LEGEND

D.R.R.C.T. DEED RECORDS, ROCKWALL COUNTY, TEXAS

O.P.R.R.C.T. OFFICIAL PUBLIC RECORDS, ROCKWALL COUNTY, TEXAS

P.R.R.C.T. PLAT RECORDS ROCKWALL COUNTY, TEXAS

IRON ROD FOUND

CIRF CAPPED IRON ROD FOUND AS NOTED

1/2" CAPPED IRON ROD STAMPED "BOWMAN PROP COR" CIRS MNF MAG NAIL FOUND

MNS MAG NAIL SET P.O.B. POINT OF BEGINNING

Glenn Engineering Corp. 105 Decker Court, Suite 910 1200 West Magnolia Blvd., Irving, Texas 75062 TBPE FIRM NO. F-303 (972) 989-2174 Cell (972) 717-5151 Office Contact: Robert Howman

EASEMENT LINE

EXISTING CURB/GUTTER

EXISTING LOT LINE

ROAD CENTERLINE

SURVEYOR: Bowman Consulting Group, Ltd.

Suite 300 Fort Worth, TX 76104

OWNER: Rockwall ISD 801 East Washington St. Rockwall Texas, 75087 (469) 698-7031 Contact: William Salee

FINAL PLAT

LOT 1, BLOCK A

ROCHELL ELEMENTARY SCHOOL ADDITION

BEING 10.720 ACRES OR 466,963 SQ FT SITUATED WITHIN THE E.P. GAINES CHISUM SURVEY, ABSTRACT NUMBER 64 CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS

Bowman

2805 Dallas Parkway, Suite 310 Plano, TX 75093 TBPELS #10120600

Phone: (972) 497-2990 www.bowman.com

Bowman Job No.: 210596 Drawn By: RAH

Sheet: 3 of 4

PLAT PERIMETER LEGAL DESCRIPTION

STATE OF TEXAS COUNTY OF ROCKWALL

WHEREAS, ROCKWALL INDEPENDENT SCHOOL DISTRICT, BEING THE OWNER OF TRACT OF land situated within County of Rockwall, State of Texas, said tract being described as follows:

Being the owner of a 10.720 acre tract of land situated within the E.P. Gaines Chisum Survey, Abstract No. 64, City of Rockwall, Rockwall County, Texas, and being a portion of four tracts of land as described in the deeds to the Rockwall Independent School District recorded in Volume 137, Pages 217 & 214, Volume 1078, Page 146 and Volume 1074, Page 214 all of the Deed Records of Rockwall County, Texas (hereafter referred to as the RISD Parcel). Said 10.720 acre tract of land being more particularly describes by metes and bounds as follows:

BEGINNING at 5/8-inch capped iron rod stamped "KHA" found at the south corner of said RISD Parcel, being the east corner of Lot 1 of Rockwall Market Center South Addition recorded in Cabinet H, Slide 141 of the Plat Records of Rockwall County, Texas and being on the northwest right of way line of Ralph Hall Parkway, a 85-foot right of way, as dedicated on the plat titled "Highland Meadows No. 2" recorded in Cabinet D, Slide 225 of said Plat Records:

THENCE NORTH 46 degrees 27 minutes 00 seconds WEST, 460.55 feet with the southwest line of said RISD Parcel and being the northeast line of said Lot 1 to a 1/2-inch iron rod found at the northeast corner of said Lot 1, being on the southeast line of Lot 1, Block A of the plat titled "Rockwall Market Center East" recorded in Cabinet D, Slide 189 of said Plat Records;

THENCE NORTH 44 degrees 06 minutes 57 seconds EAST, 695.90 feet with the southeast line of said Block A to a 1/2-inch iron rod found;

THENCE NORTH 45 degrees 59 minutes 36 seconds WEST, 29.89 feet with said Block A to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set at its intersection with the centerline of Tubbs Road, also known as Rochell Court, no record found;

THENCE NORTH 44 degrees 27 minutes 45 seconds EAST, 309.65 feet with the centerline of said Tubbs Road to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set at the northeast corner of said RISD Parcel:

THENCE SOUTH 45 degrees 32 minutes 15 seconds EAST, 27.53 feet with the east line of said RISD Parcel to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set on the west right of way line of Mims Road, a variable width right of way, as described in the deed to the City of Rockwall recorded in Volume 1917, Page 41 of said Deed Records;

THENCE the following eight (8) calls coincident with the west right of way line of said Mims Road:

NORTH 44 degrees 26 minutes 47 seconds EAST, 4.66 feet to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set;

NORTH 89 degrees 28 minutes 29 seconds EAST, 28.27 feet to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set;

SOUTH 45 degrees 29 minutes 48 seconds EAST, 82.09 feet to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set at the beginning of a non-tangent curve;

southeasterly, coincident with said non-tangent curve, concave to the southwest, having a radius of 440.50 feet and a chord bearing and distance of SOUTH 41 degrees 10 minutes 40 seconds EAST, 66.35 feet, an arc length of 66.41 feet to a 1/2-inch iron rod found at the beginning of a compound

southeasterly, coincident with said compound curve, concave to the southwest, having a radius of 240.50 feet and a chord bearing and distance of SOUTH 32 degrees 41 minutes 35 seconds EAST, 34.94 feet, an arc length of 34.97 feet to the beginning of a non-tangent curve;

6. southeasterly, coincident with said non-tangent curve, concave to the northeast, having a radius of 259.50 feet and a chord bearing and distance of SOUTH 37 degrees 03 minutes 40 seconds EAST, 77.02 feet, an arc length of 77.31 feet to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set;

SOUTH 45 degrees 35 minutes 42 seconds EAST, 169.16 feet to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set;

SOUTH 00 degrees 33 minutes 47 seconds EAST, 21.62 feet to a 1/2-inch capped iron rod stamped "BOWMAN PROP COR" set on the northwest right of way line of said Ralph Hall Parkway;

THENCE SOUTH 44 degrees 13 minutes 22 seconds WEST, 983.28 feet with the northwest right of way line of said Ralph Hall Parkway to the POINT OF BEGINNING containing 10.720 acres.

THE STATE

ECOR Ther

and

Rockwall

Coe

certify to the time to the time to the time to the Rev. 10003313

36

E

MAYOR OF THE CITY OF ROCKWALL PLANNING AND ZONING COMMISSION CHAIR

CITY SECRETARY any Williams, P.E

NOW, THEREFORE, KNOW ALL MEN BY THESE PRESENTS:

STATE OF TEXAS COUNTY OF ROCKWALL 8

I (we) the undersigned owner(s) of the land shown on this plat, and designated herein as the ROCHELL ELEMENTARY SCHOOL ADDITION, LOT 1, BLOCK A, a subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever all streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the ROCHELL ELEMENTARY SCHOOL ADDITION, LOT 1, BLOCK A subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following;

- 1. Robert Howman of Glenn Engineering on behalf of Tim Lyssy of Rockwall Independent School District (RISD) for the approval of a Final Plat for Lot 1, Block A, Rochell Elementary School Addition being a 10.664-acre tract of land identified as Tract 17- 01 of the E. P. G. Chisum Survey, Abstract No. 64, City of Rockwall, Rockwall County, Texas, zoned Agricultural (AG) District, situated within the IH-30 Overlay (IH-30 OV) District, addressed as 899 Rochell Court.
- 2. No buildings shall be constructed or placed upon, over, or across the off-site utility easements as described herein.
- 3. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and adding to or removing all or part of their respective system without the necessity of, at any time, procuring the permission of anyone.
- 4. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision
- 5. The developer/property owner shall bear total responsibility for storm drain improvements.
- 6. The developer/property owner shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development.
- 7. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm structures, storm sewers, and alleys, all according to the specifications of the City of Rockwall; or

Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay for the same out of the escrow deposit, should the developer and/or owner fail or refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done;

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which time shall be fixed by the city council of the City of Rockwall.

8. Property owner shall be responsible for maintaining, repairing, and replacing all systems in the detention and drainage easements.

I (we) further acknowledge that the dedications and/or exaction's made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of

SIGNATURE OF PARTY WITH MORTGAGE OR LIEN INTEREST [IF APPLICABLE]

STATE OF TEXAS COUNTY OF ROCKWALL §

DAVID CARTER

OWNER:

Rockwall ISD

(469) 698-7031

ENGINEER:

SURVEYOR:

801 East Washington St.

Rockwall Texas, 75087

Contact: William Salee

Glenn Engineering Corp.

Irving, Texas 75062 TBPE FIRM NO. F-303

(972) 989-2174 Cell

(972) 717-5151 Office

Contact: Robert Howman

Bowman Consulting Group, Ltd. 1200 West

Magnolia Blvd., Suite 300 Fort Worth, TX

105 Decker Court, Suite 910

Before me, the undersigned authority, on this day personally appeared known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purpose and consideration therein

Given upon my hand and seal of office this day of January , 2025





GENERAL NOTES

 Subdivider's Stamped. Selling a portion of this addition by metes and bounds is unlawful and violation of the City of Rockwall and Chapter 212, Municipal Regulation of Subdivisions and Property Development, of the Texas Local Government Code, and shall be subject to the City of Rockwall withholding utilities and building permits.

2. Public Improvement Statement. It shall be the public of the City of Rockwall to withhold issuing building permits unit all streets, water, sewer and storm drainage systems have been accepted the City. The approval of a subdivision plan by the City of Rockwall does not constitute and representation, assurance or guarantee that any building within such subdivision plat shall be approved, authorized, or permit issued, nor shall such approval constitute any representation, assurance or guarantee by the City of Rockwall of the adequacy and availability for water and sanitary sewer for personal use and fire protection within such subdivision plat, as required under the Subdivision Ordinance of the City of

<u>Drainage and Detention Easements</u>. The property owner shall be responsible for maintaining, repairing, and replacing and shall bear sole liability of all systems within the drainage and

4. Fire Lanes. All Fire Lanes will be constructed, maintained, repaired and replaced by the property only. Fire Lanes shall be constructed in accordance with the approved City Engineering Plans for both on-site and off-site Fire Lane improvements.

Street Appurtenances. All decorative single, ports, or lights installed in public right-of-way shall be installed, maintained, repaired, and replaced by the Homeowner's Association (HOA).

- 1. The Basis of Bearings for this plat is GRID NORTH as established by GPS observation utilizing the Texas Coordinate System of 1983, North Central Zone.
- NOTICE: Selling a portion of this addition by metes and bounds is a violation of City ordinance and state law and is subject to fines and withholding of utilities and building
- 3. All corners are 1/2" iron rods set with a plastic cap stamped "BOWMAN PROP COR" unless otherwise noted.
- 4. Lot, block and ROW corners will be set after substantial completion of the infrastructure.

GENERAL NOTES

- 1. It shall be the policy of the City of Rockwall to withhold issuing building permits until all streets, water, sewer and storm drainage systems have been accepted by the City. The approval of a plat by the City does not constitute any representation, assurance or guarantee that any building within such plat shall be approved, authorized or permit therefore issued, nor shall such approval constitute any representation, assurance or guarantee by the City of the adequacy and availability for water for personal use and fire protection within such plat, as required under Ordinance 83 54
- Site is zoned Planned Development 95 (PD-95) District for Neighborhood Services (NS) District land uses.
- Subdivider's Statement. Selling a portion of this addition by metes and bounds is unlawful and a violation of the Subdivision Ordinance of the City of Rockwall and Chapter 212, Municipal Regulation of Subdivisions and Property Development, of the Texas Local Government Code, and shall be subject to the City of Rockwall withholding utilities and building permits.
- Public Improvement Statement. It shall be the policy of the City of Rockwall to withhold issuing buildings permits until all streets, water, sewer and storm drainage systems have been accepted by the City. The approval of a subdivision plat by the City of Rockwall does not constitute any representation, assurance or guarantee that any building within such subdivision plat shall be approved, authorized, or permit issued, nor shall such approval constitute any representation, assurance or guarantee by the City of Rockwall of the adequacy and availability for water and sanitary sewer for personal use and fire protection within such subdivision plat, as required under the Subdivision Ordinance of the City of
- Drainage and Detention Easements. The property owner shall be responsible for maintaining, repairing, and replacing and shall bear sole liability of all systems within the
- Fire Lanes. All Fire Lanes will be constructed, maintained, repaired and replaced by the property owner. Fire Lanes shall be constructed in accordance with the approved Civil Engineering Plans for both on-site and off-site Fire Lane improvements.

CERTIFICATE OF SURVEYOR

NOW, THEREFORE KNOW ALL MEN BY THESE PRESENTS:

I, THE UNDERSIGNED, A REGISTERED PROFESSIONAL LAND SURVEYOR IN THE STATE OF TEXAS, HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT AND WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND.


JONATHAN E. COOPER REGISTERED PROFESSIONAL LAND SURVEYOR, NO. 5369 JCOOPER@BOWMAN.COM



STATE OF TEXAS

COUNTY OF TARRANT §

Before me, the undersigned authority, on this day personally appeared Robert A. Hansen known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purpose and consideration therein stated.



FINAL PLAT

LOT 1, BLOCK A

ROCHELL ELEMENTARY SCHOOL ADDITION

BEING 10.720 ACRES OR 466,963 SQ FT SITUATED WITHIN THE E.P. GAINES CHISUM SURVEY, ABSTRACT NUMBER 64 CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS

© 2025 Bowman Consulting Group, Ltd

2805 Dallas Parkway, Suite 310 Plano, TX 75093 TBPELS #10120600

www.bowman.com

Bowman Job No.: 210596

Drawn By: RAH

Sheet: 4 of 4