

OWNER'S CERTIFICATE

STATE OF TEXAS

COUNTY OF ROCKWALL WHEREAS We, RW Ladera, LLC, BEING the Owners of a tract of land in the County of Rockwall, State of Texas, said tract being described as follows:

LOT 1, BLOCK A TRACT 1

BEING all that certain lot, tract or parcel of land situated in the M. B. Jones Survey, Abstract No. 122, City of Rockwall, Rockwall County, Texas, and being a portion of a called 41.921 acre tract of land described as Tract 3, in deed to John H- Cullins, recorded in Instrument No. 2008-00396743, Deed Records, Rockwall County, Texas, and being part of a called 73.2744 acre tract of land described in deed to Mike L. People, recorded in Volume 850, Page 15, Deed Records, Rockwall County, Texas, and being more

particularly described as follows: BEGINNING at a 1/2 inch rebar found at the southeast corner of said 41.921 acre tract, and the southwest corner of said 73.2744 acre tract and being in the north line of U. S. Highway 66;

THENCE S 88'18'19"W, with the north line of U. S. Highway 66, a distance of 490.46 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the most southeasterly corner of a called 3.989 acre tract of land being titled as "Highway 205 Bypass "G&A CONSULTANTS", being the most southeasterly corner of a called 3.989 acre tract of land being titled as "Highway 205 Bypass R.O.W." in City of Rockwall vs. John Cullins and Burks T. Payne, Jr., Cause No. 180-633, recorded in Instrument No. 2009-00410863, Deed Records, Rockwall County, Texas, also known as John King Boulevard;

THENCE Northwesterly with the east line of said 3.989 acre tract and John King Boulevard, the following seven (7) calls:

- N 30°39'57" W, a distance of 19.44 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";
- S 59°20'03" W, a distance of 21.30 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";
- N 30'39'57" W, a distance of 211.63 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

Northwesterly with a curve to the right having a radius of 1940.00 feet, a central angle of 25°25'15", and an arc length of 860.73 feet, whose chord bears N 17'57'20" W, a distance of 853.69 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

- N 05"14"42" W, a distance of 158.73 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";
- N 84'45'18" E, a distance of 20.00 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

N 05'14'42" W, a distance of 136.88 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS" in the south line of a called 10.942 acre tract of land described in deed to City of Rockwall, recorded in Instrument No. 2007-00389123, Deed Records, Rockwall

THENCE N 89'26'01" E, with the south line of said 10.942 acre tract, a distance of 15.52 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the southeast corner thereof;

THENCE N 00°10'47" W, with the east line of said 10.942 acre tract, a distance of 271.63 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the southwest corner of a 16.000 acre tract of land described as Tract 2 in deed to Betty Bogard, recorded in Instrument No. 2008-00396742, Deed Records, Rockwall County, Texas;

THENCE N 89'54'11" E, with the south line of said 16.000 acres, a distance of 842.15 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the southeast corner thereof and being in the west line of said 73.2744 acre tract;

THENCE S 01'28'09" E, with the west line of said 73.2744 acre tract of land, a distance of 845.72 feet to a1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

THENCE over, across, and through said 73.2744 acre tract the following five (5) courses and distances:

- S 37'47'00" E, a distance of 135.09 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";
- N 88'31'51" E, a distance of 259.75 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";
- S 66'00'00" E, a distance of 266.78 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";
- S 30°00'00" R, a distance of 384.58 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

S 64'00'00" E, a distance of 352.92 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being in the south line of said 73.2744 acre tract and the north line of U.S. Highway 66;

THENCE S 89"18'14" W, with the south line of said 73.2744 acre tract, and the north line of U.S. Highway 66, a distance of 1077.53 feet to the POINT OF BEGINNING and containing approximately 37.800 acres of land.

LEGAL DESCRIPTION LOT 1, BLOCK B

BEING all that certain lot, tract or parcel of land situated in the M. B. Jones Survey, Abstract No. 122, City of Rockwall, Rockwall County, Texas, and being a portion of a called 41.921 acre tract of land described as Tract 3, in deed to John H. Cullins, recorded in Instrument No. 2008-00396743, Deed Records, Rockwall County, Texas, and being more particularly described as follows:

BEGINNING at a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being in the north line of U. S. Highway 66, from which a 1/2 inch rebar found at the southeast corner of said 41.921 acres bears N 8818'19" E, a distance 724.55 feet;

THENCE S 88"18'19" W, a distance of 553.89 feet with the north line of U. S. Highway 66, to a wooden right-of-way monument found at the southwest corner of said 41.921 acre tract, and being in the east line of F. M. 1141;

THENCE N 02'39'30" W, a distance of 601.94 feet with the east line of F. M. 1141, to a 1/2 inch rebar found;

THENCE N 01°20'56" W, a distance of 314.19 feet continuing with the east line of F. M. 1141, to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the southwest corner of a called 1.837 acre tract of land described as Tract 1 in deed to Betty Bogard, recorded in Instrument No. 2008-00396742, Deed Records, Denton County, Texas;

THENCE N 89'26'01" E, a distance of 200.01 feet with the south line of said 1.837 acre tract, to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the southeast corner thereof, and being at an inner ell corner of said 41.921 acre tract;

THENCE N 01'20'56" W, a distance of 400.02 feet with the east line of said 1.837 acre tract, to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being in the south line of a 10.942 acre tract of land described in deed to City of Rockwall, reconsin Instrument No. 2007-00389123, Deed Records, Rockwall County, Texas;

THENCE N 89°26'01" E, a distance of 65.39 feet with the south line of said 10.942 acre tract, to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the most northwesterly corner of a called 3.989 acre tract of land being titled as "Highway 205 stamped "G&A CONSULTANTS", being the most northwesterly corner of a called 3.989 acre tract of land being titled as "Highway 205 stamped "G&A CONSULTANTS", being the most northwesterly corner of a called 3.989 acre tract, to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the most northwesterly corner of a called 3.989 acre tract, to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the most northwesterly corner of a called 3.989 acre tract, to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the most northwesterly corner of a called 3.989 acre tract, to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS", being the most northwesterly corner of a called 3.989 acre tract of land being titled as "Highway 205 acre tract).

Bypass R.O.W." in City of Rockwall vs. John Cullins and Burks T. Payne, also be a laborated by a corner of a called 3.989 acre tract, to a 1/2 inch rebar set with cap stamped acreed to a 1/2 inch rebar set with cap acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed acreed to a 1/2 inch rebar set with cap acreed acreed to a 1/2 inch rebar set with cap acreed acreed acreed to a 1/2 inch rebar set with cap acreed 2009-00410863, Deed Records, Rockwall County, Texas, also known as John King Boulevard;

THENCE Southeasterly with the west line of said 3.989 acre tract and John King Boulevard, the following eight (8) calls:

- S 05"14'42" E, a distance of 119.42 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";
- N 84'45'18" E, a distance of 20.00 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";
- S 05'14'42" E, a distance of 189.30 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

Southeasterly with a curve to the left having a radius of 2060.00 feet, a central angle of 2319'48", and an arc length of 838.80 feet, whose chord bears S 16"54'36" E, a distance of 833.02 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

Southeasterly with a curve to the right having a radius of 586.00 feet, a central angle of 07°34'10", and an arc length of 77.42 feet, whose chord bears S 24'47'26" E, a distance of 77.36 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

Southeasterly with a curve to the left having a radius of 314.00 feet, a central angle of 09°39'36", and an arc length of 52.94 feet, whose chord bears S 25'50'09" E, a distance of 52.88 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

S 30°39'57" E, a distance of 32.25 feet to a 1/2 inch rebar set with cap stamped "G&A CONSULTANTS";

S 28'49'11" W, a distance of 60.93 feet to the POINT OF BEGINNIGN and containing approximately 9.894 acres of land.

: We the undersigned owner(s) of the land shown on this plat, and designated herein as the Ladera Rockwall STATE OF TEXAS subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever all streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the Ladera Rockwall subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following; No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.

Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of their respective system without the necessity of, at any time, procuring the permission of anyone.

3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of

The developer and subdivision engineer shall bear total responsibility for storm drain improvements. grade of streets in the subdivision.

5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development. 6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of

streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm structures, storm sewers, and alleys, all according to the specifications of the City of Rockwall; or Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay for the same out of the escrow deposit, should the developer and/or owner fail or refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work

progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which time shall be fixed by the city council of the City of Rockwall.

I (we) further acknowledge that the dedications and/or exaction's made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the

WITNESS OUR HAND this 22M day of July

BEFORE ME, THE UNDERSIGNED AUTHORITY personally appeared John Delin, known to me to be the person STATE OF TEXAS COUNTY OF BEFORE ME, THE UNDERSIGNED AUTHORITY personally appeared John Delin, known to the to be the parameter of the purpose and consideration whose name is subscribed to the foregoing instrument and acknowledged that he executed the same for the purpose and consideration therein expressed and in the capacity therein stated.

HOUNG & MANSAUGH My Nothiny 10 # 120427018 Expines February 28, 2020

RECOMMENDED FOR FINAL APPROVAL

Planning & Zoning Commission, Chairman

I hereby certify that the above and foregoing plat of an addition to the City of Rockwell, Texas, was approved by the City Council of the City of Rockwall on this _____ day of approved by the City Council of the City of Rockwall on this

This approval shall be invalid unless the approved plat for such addition is recorded in the office of the County Clerk of Rockwall, County, Texas, within one hundred eighty (180) days from said date of final

Mayor, City of Rockwall SEAL

SURVEYOR'S STATEMENT

I, W. Thad Murley III, a Registered Professional Land Surveyor in the State of Texas, have prepared this plat of the above property from an actual survey on the ground, ade by me or under my supervision. and this plat represents that survey

Texas Registration No.

1. Bearings based on Texas Coordinate System, North Central Zone (4202), NAD '83.

2. The coordinates shown at the Northeast and Southeast corners are based on Texas Coordinate System, Texas Central Zone (4202) NAD '83...

3. Surveyor has made no investigation or independent search for easement of record, encumbrances, restrictive covenants, ownership title evidence, or any other facts that an accurate abstract of title may disclose.

4. No flood zone area analysis has been performed on the subject property G&A I MCADAMS.

5. All property corners are 1/2" rebar set with cap stamped "G&A I MCADAMS", unless otherwise

6. Refer to Typical Street Section for fire lane information.

7. COA is responsible for all maintenance, repair, and replacement for all systems in drainage and detention easements.

8. COA is to maintain open space, flood plain/ drainage easement.

9. It shall be the policy of the City of Rockwall to withhold issuing building permits until all streets, water, sewer and storm drainage systems have been accepted by the City. The approval of a plat by the City does not constitute any representation, assurance or guarantee that any building within such plat shall be approved, authorized or permit therefore issued, nor shall such approval constitute any representation, assurance or guarantee by the City of the adequacy and availability for water for personal use and fire protection within such plat, as required under Ordinance 83-54.

10. The Approximate limits of the 100 year fully developed flood plain, as shown hereon, and the associated flood elevations are based on the hydrologic study, performed by JEA-Hydro Tech Engineering, Inc. dated March 13,2019.

> **FINAL PLAT** Lot 1, Block A & Lot 1, Block B LADERA ROCKWALL 47.694 Acres Zoned: PD-85

in the M. JONES SURVEY, ABSTRACT NO. 122 CITY OF ROCKWALL ROCKWALL COUNTY, TEXAS







The John R. McAdams Company, Inc. (DBA, G&A | McAdams) 111 Hillside Drive Lewisville, Texas 75057


972, 436, 9712 201 Country View Drive Roanoke, Texas 76262 940. 240. 1012


TBPE: 19762 TBPLS: 10194440 www.gacon.com www.mcadamsco.com

DRAWN BY: CC DATE: 6/27/2019 SCALE: N.T.S. JOB. No. 17191

OWNER/DEVELOPER RW LADERA, LLC. 361 W. BYRON NELSON BLVD. STE. 104 **ROANOKE, TX 76262** Ph. 817,430,3318 Contact: John Delin

Case No. P2019-010





- 1. FOR MORE INFORMATION ON THE CROSS SECTIONS FOR THE ULTIMATE 100 YR FLOODPLAIN REFER TO "HYDROLOGIC AND HYDRAULIC STUDY IN SUPPORT OF LADERA ROCKWALL DEVELOPMENT" PREPARED BY JEA-HYDROTECH ENGINEERING, INC.
- 2. OPEN SPACES TO BE MAINTAINED BY HOA.

Lot 1, Block A & Lot 1, Block B LADERA ROCKWALL 47.694 Acres Zoned: PD-85

in the M. JONES SURVEY, ABSTRACT NO. 122 CITY OF ROCKWALL ROCKWALL COUNTY, TEXAS





The John R. McAdams Company, Inc. (DBA, G&A | McAdams)

111 Hillside Drive Lewisville, Texas 75057 972. 436. 9712 201 Country View Drive Roanoke, Texas 76262

940. 240. 1012 TBPE: 19762 TBPLS: 10194440 www.gacon.com www.mcadamsco.com


DRAWN BY: MD DATE: 02/20/2019 SCALE: 1"=100' JOB. No. 17191


OWNER/DEVELOPER RW LADERA, LLC. 361 W. BYRON NELSON BLVD. STE. 104 **ROANOKE, TX 76262** Ph. 817.430.3318 Contact: John Delin

Filed and Recorded Official Public Records Shelli Miller, County Clerk Rockwall County, Texas 09/20/2019 11:03:39 AM \$200.00




Case No. P2019-010







SCALE: 1"=30"



FINAL PLAT
Lot 2 & 3, Block A
LADERA ROCKWALL
Being a Replat of
Lot 1, Block A, LADERA ROCKWALL
Creating 2 Lots
on 37.800 Acres
in the

M. JONES SURVEY, ABSTRACT NO. 122 CITY OF ROCKWALL ROCKWALL COUNTY, TEXAS





MCADAMS

Company, Inc. 111 Hillside Drive Lewisville, Texas 75057 972. 436. 9712

201 Country View Drive Roanoke, Texas 76262 940. 240. 1012 TBPE: 19762 TBPLS: 10194440 www.gacon.com www.mcadamsco.com

DRAWN BY: CC DATE: 4/13/2021 SCALE: 1"=100' JOB. No. 17191

OWNER/DEVELOPER
RW LADERA, LLC.
361 W. BYRON NELSON
BLVD. STE 104
ROANOKE, TX 76262
Ph. 817.430.3318
Contact: John Delin

Case No. P2022-019

OWNER'S CERTIFICATE

STATE OF TEXAS COUNTY OF ROCKWALL

WHEREAS We, RW Ladera, LLC, BEING the Owners of a tract of land in the County of Rockwall, State of Texas, said tract being described as follows:

LOT 1R, BLOCK A

BEING all that certain lot, tract or parcel of land situated in the M. B. Jones Survey, Abstract No. 122, City of Rockwall, Rockwall County, Texas, and being all of Lot 1, Block A, Ladera Rockwall, an addition to the City of Rockwall, recorded in Document Number 20190000016594 of the Plat Records, Rockwall County, Texas, and being a portion of a called 41.921 acre tract of land described as Tract 3, in deed to John H. Cullins, recorded in Instrument No. 2008-00396743, Deed Records, Rockwall County, Texas, and being part of a called 73.2744 acre tract of land described in deed to Mike L. People, recorded in Volume 850, Page 15, Deed Records, Rockwall County, Texas, and being more particularly described as follows:

BEGINNING at a 1/2 inch rebar found on the south line of said Lot 1 the southeast corner of said 41.921 acre tract. and the southwest corner of said 73.2744 acre tract and being in the north line of U. S. Highway 66;

THENCE S 8818'19"W, with the south line of said Lot 1 and the north line of U. S. Highway 66, a distance of 490.46 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS", being the most southerly southwest corner of said Lot 1 and being the most southeasterly corner of a called 3.989 acre tract of land being titled as "Highway 205 Bypass R.O.W." in City of Rockwall vs. John Cullins and Burks T. Payne, Jr., Cause No. 180-633, recorded in Instrument No. 2009-00410863, Deed Records, Rockwall County, Texas, also known as John King Boulevard;

THENCE Northwesterly with the east line of said Lot 1, the 3.989 acre tract and John King Boulevard, the following seven (7) calls:

- N 30'39'57" W, a distance of 19.44 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";
- S 59"20"03" W, a distance of 21.30 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";
- N 30°39'57" W, a distance of 211.63 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";

Northwesterly with a curve to the right having a radius of 1940.00 feet, a central angle of 25°25'15", and an arc length of 860.73 feet, whose chord bears N 17.57'20" W, a distance of 853.69 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";

N 05"14'42" W, a distance of 158.73 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";

- N 84'45'18" E, a distance of 20.00 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";
- N 05"14'42" W, a distance of 136.88 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS" in the south line of a called 10.942 acre tract of land described in deed to City of Rockwall, recorded in Instrument No. 2007-00389123, Deed Records, Rockwall County, Texas;

THENCE N 89°26'01" E, with the south line of said 10.942 acre tract, a distance of 15.52 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS", being the southeast corner thereof;

THENCE N 00°10'47" W, with the east line of said Lot 1 and the east line of said 10.942 acre tract, a distance of 271.63 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS", being the northwest corner of said Lot 1 and being the southwest corner of a 16.000 acre tract of land described as Tract 2 in deed to Betty Bogard, recorded in Instrument No. 2008-00396742, Deed Records, Rockwall County, Texas;

THENCE N 89*54'11" E, with the north line of said Lot 1 and the south line of said 16.000 acres, a distance of 842.15 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS", being the northerly northeast corner of said Lot 1, being the southeast corner of said 16.000 acre tract and being in the west line of said 73.2744 acre tract;

THENCE S 01"28"09" E, with the west line of said Lot 1, and the west line of said 73.2744 acre tract of land, a distance of 845.72 feet to a1/2 inch rebar found with cap stamped "G&A CONSULTANTS";

THENCE over, across, and through said 73.2744 acre tract and with the east line of said Lot 1 the following five (5) courses and distances:

- S 37*47'00" E, a distance of 135.09 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";
- N 88'31'51" E, a distance of 259.75 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";

1. Bearings based on Texas Coordinate System, North Central Zone (4202), NAD '83.

2. The coordinates shown at the Northeast and Southeast corners are based on Texas Coordinate System, Texas

3. Surveyor has made no investigation or independent search for easement of record, encumbrances, restrictive

4. No flood zone area analysis has been performed on the subject property by The John R. McAdams Company.

covenants, ownership title evidence, or any other facts that an accurate abstract of title may disclose.

7. COA is responsible for all maintenance, repair, and replacement for all systems in drainage and detention

authorized or permit therefore issued, nor shall such approval constitute any representation, assurance or

11. The Approximate limits of the 100 year fully developed flood plain, as shown hereon, and the associated flood elevations are based on the hydrologic study, performed by JEA-Hydro Tech Engineering, Inc. dated March 13, 2019.

guarantee by the City of the adequacy and availability for water for personal use and fire protection within such

5. All property corners are 1/2" rebar set with cap stamped "MCADAMS", unless otherwise noted.

- S 66°00'00" E, a distance of 266.78 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";
- S 30°00'00" R, a distance of 384.58 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS";

S 64°00'00" E, a distance of 352.92 feet to a 1/2 inch rebar found with cap stamped "G&A CONSULTANTS", being in the south line of said 73.2744 acre tract and the north line of U.S. Highway 66;

THENCE S 8948'14" W, with the south line of said Lot 1, the south line of said 73.2744 acre tract, and the north line of U.S. Highway 66, a distance of 1077.53 feet to the POINT OF BEGINNING and containing approximately 37.800 STATE OF TEXAS

COUNTY OF Rockwall : We the undersigned owner(s) of the land shown on this plat, and designated herein as the Ladera Rockwall subdivision to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever all streets, alleys, parks, water courses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the Ladera Rockwall subdivision have been notified and signed this plat. I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following;

- 1. No buildings shall be constructed or placed upon, over, or across the utility easements as described herein. 2. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of their respective system without the necessity of, at any time, procuring the permission of anyone.
- 3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision
- 4. The developer and subdivision engineer shall bear total responsibility for storm drain improvements. 5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls

such that properties within the drainage area are not adversely affected by storm drainage from the development.

6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm structures, storm sewers, and alleys, all according to the specifications of the City of Rockwall; or

Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay for the same out of the escrow deposit, should the developer and/or owner fail or refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or

Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which time shall be fixed by the city council of the City of Rockwall.

I (we) further acknowledge that the dedications and/or exaction's made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of exactions made herein.

aday of

John Delin, Authorized Representative

STATE OF TEXAS

My con

COUNTY OF Decition : BEFORE ME, THE UNDERSIGNED AUTHORITY personally appeared John Delin, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged that he executed the same for the purpose and consideration therein expressed and in the capacity therein stated.

GIVEN UNDER MY HAND AND SEAL OF OFFICE this 200 day of JULY Notary

	Public	expires the	he 15	day of S	plan	bac	-	2022.		Elena Lucia My Commissi 09/15/2022 ID No. 12583	on Ex	er bires	~~	
_	. ,	PHASE 1	CURVE TABL	E	1			PHASE 1	CURVE TABL	E				-
E	RADIUS	DELTA ANGLE	ARC LENGTH	LONG CHORD	7	CURVE	RADIUS	DELTA ANGLE	ARC LENGTH	LONG CHORD		CURVE	RADIUS	
	50.00'	17°02'00"	14.86'	N 74°31′15" W, 14.81'		C35	239.50'	25*36'32"	107.05'	S 7972'10" E, 106.16'		C101	200.00'	Ī
	20.00'	137"10'12"	47.88'	N 02'34'51" E, 37.24'		C36	350.00'	10°27'46"	63.91'	N 84°46'07" W, 63.82'		C102	39.50'	

CURVE	RADIUS	DELTA ANGLE	ARC LENGTH	LONG CHORD	7	CURVE	RADIUS	DELTA ANGLE	ARC
C15	50.00'	17°02'00"	14.86'	N 74°31'15" W, 14.81		C35	239.50'	25'36'32"	10
C16	20.00'	137"10'12"	47.88'	N 02'34'51" E, 37.24		C36	350.00'	10°27'46"	6
C17	100.00'	3219'27"	56.42'	N 55'00'14" E, 55.67		C37	350.00'	10°27'46"	6
C18	31.00'	108'46'23"	58.85'	S 69°01'49" E, 50.40		C38	35.50'	78°20'50"	4
C19	15.00'	5212'27"	13.67'	S 11°27'36" W, 13.20		C39	200.00'	26'20'30"	9
C20	150.00'	19°40'20"	51.50'	S 27°43'40" W, 51.25		C40	200.00'	73'03'00"	25
C21	30.00'	79'04'15"	41.40'	S 57°25'37" W, 38.19		C41	514.50'	6°07'37"	5
C22	100.00'	23.55'23"	41.75'	S 10"16'01" W, 41.45		C42	200.00'	41°54'09"	14
C23	200.00'	19'01'01"	66.38'	S 78°47'50" W, 66.08		C43	300.00'	4°45'57"	2
C24	200.00'	19°01′01"	66.38'	N 78'47'50" E, 66.08		C44	300.00'	1213'03"	6
C25	35.50'	61°01'45"	37.81'	S 61"10'48" E, 36.05		C45	500.00'	12°40'20"	11
C26	1879.50'	4°26'24"	145.64'	S 28*26'43" E, 145.61	•	C46	500.00'	6'06'27"	5
C27	500.00'	28'07'41"	245.46'	S 12'09'41" E, 243.01	•	C47	500.00'	11°53'17"	10
C28	200.00'	16°58'40"	59.26'	S 06°35'10" E, 59.05		C48	300.00'	24'01'25"	12
C29	200.00'	19'31'14"	68.14'	S 24°50'07" E, 67.81		C49	1000.00'	4*55'30"	85
C30	500.00'	28°20'27"	247.32'	S 20°25'30" E, 244.8		C50	1000.00	15'41'26"	27
C31	1879.50	1'36'03"	52.51	S 05°27'15" E, 52.51		C51	200.00'	4'32'34"	18
C32	35.00'	94'39'14"	57.82'	S 42'40'23" W, 51.47		C52	200.00'	5'09'30"	18
C33	200.00	23'36'06"	82.38'	N 78"11"57" W, 81.80		C53	24.50'	37'29'59"	10
C34	250.00'	23'36'06"	102.98'	N 7811'57" W, 102.25	3	C54	24.50'	39*28'25"	16

C35	239.50'	25'36'32"	107.05'	S 79"12'10" E, 106.16'
C36	350.00'	10°27'46"	63.91'	N 84°46'07" W, 63.82'
C37	350.00'	10°27'46"	63.91'	N 84'46'07" W, 63.82'
C38	35.50'	78°20'50"	48.54'	N 50°49'35" W, 44.85'
C39	200.00'	26°20'30"	91.95'	N 24'49'25" W, 91.14'
C40	200.00'	73°03'00"	254.99'	N 01°28'10" W, 238.07'
C41	514.50'	6°07'37"	55.02'	N 38'07'09" E, 54.99'
C42	200.00'	41°54'09"	146.27'	N 62°08'02" E, 143.03'
C43	300.00'	4°45'57"	24.95'	N 04°04'39" W, 24.95'
C44	300.00'	1213'03"	63.97	N 00°21'06" W, 63.85'
C45	500.00	12°40'20"	110.59'	N 00°34'44" W, 110.36
C46	500.00'	6°06'27"	53.30'	N 09°58'07" W, 53.27'
C47	500.00'	11°53'17"	103.74'	N 07*04'43" W, 103.56
C48	300.00'	24'01'25"	125.79'	N 13'08'47" W, 124.87
C49	1000.00'	4°55'30"	85.96'	N 22°41'45" W, 85.93'
C50	1000.00'	15'41'26"	273.85'	N 12°23'17" W, 273.00
C51	200.00'	4°32'34"	15.86'	N 0216'17" W, 15.85'
C52	200.00'	5°09'30"	18.01	N 72°20'45" E, 18.00'
C53	24.50'	37*29'59"	16.04'	S 20°26'39" E, 15.75'
C54	24.50'	39'28'25"	16.88'	N 18'02'33" E, 16.55'

PHASE 1 LINE TABLE

LINE BEARING DISTANCE

L66 N 74°55'30" E 207.70'

L67 N 69'46'00" E 10.99'

L68 S 57"15'50" E 8.84'

L69 N 79°45'20" W 24.17'

L70 N 59'37'10" E 37.50'

L71 N 59°37'10" E 37.42'

L72 N 02°20'15" W 115.92'

L73 N 02°20'15" W 117.56'

L74 S 42°49'10" E 80.16'

L75 S 42°49'10" E 86.72'

L76 S 84°45'18" W 37.58'

L77 N 84'45'18" E 20.70'

L79 S 59°20'05" W 22.00'

L80 N 30°39'55" W 10.00'

L81 S 59°20'05" W 21.95'

L85 S 67°46'17" E 29.00'

L86 S 01'41'40" E 29.00'

L87 N 59'37'10" E 37.50'

PHASE 2 CURVE TABLE

C105 39.50' 95°09'05" 65.60' N 47°34'33" E, 58.32'

C106 250.00' 6'50'45" 29.87' S 88'16'17" E, 29.85' C107 25.00' 79°04'15" 34.50' S 57°25'37" W, 31.83'

C108 100.00' 21"11'30" 36.99' S 28"29'15" W, 36.78'

C109 26.00' 182°26'08" 82.79' S 52°08'04" E, 51.99' C110 18.01' 143'33'19" 45.13' N 11'07'52" W, 34.22'

314.16' S 43"18'20" W, 282.84'

62.05' N 46°41'40" W, 55.86'

33.56' N 11"18'33" W. 33.40'

36.52' N 10°27'43" W, 36.32'

PHASE 2 LINE TABLE

LINE BEARING DISTANCE

L122 S 45'00'00" E 7.72'

L123 N 00°49'45" W 51.45'

L124 S 45°00'00" E 23.77'

CURVE RADIUS DELTA ANGLE ARC LENGTH LONG CHORD

C101 200.00' 90°00'00"

C102 39.50' 90°00'00"

C103 100.00' 19"13'45"

C104 100.00' 20°55'25"

	PHASE I LINE I	ADLE	"	PHASE I LINE TABLE		
LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	
L5	N 30°39'57" W	19.44'	L46	N 8818'20" E	114.67'	
L6	S 59°20'03" W	21.30'	L47	S 8818'20" W	236.64	
L7	N 84°45'18" E	20.00'	L48	S 87°14'00" E	51.43'	
L8	N 05°14'42" W	136.88'	L49	S 8818'20" W	89.61	
L9	N 89°26'01" E	15.52'	L50	S 30°39'55" E	72.41	
L28	N 10°00'00" E	52.75'	L51	S 15°04'30" E	20.00'	
L29	N 83°02'15" W	23.90'	L52	S 15°04'30" E	20.00	
L30	N 38°50'30" E	35.47'	L53	N 90°00'00" W	32.61	
L31	N 43°17'40" E	103.29'	L54	N 90°00'00" W	45.27	
L32	N 38°46'40" E	41.89'	L55	N 90°00'00" W	62.99'	
L33	N 56°35'00" E	32.01'	L56	N 81°52'00" W	50.52	
L34	S 37*33'50" W	80.00'	L57	N 85°35'40" E	50.16'	
L35	S 17°53'30" W	81.24'	L58	N 90°00'00" E	49.86	
L36	N 83°02'15" W	18.50'	L59	N 90°00'00" W	26.24	
L37	S 10°00'00" W	53.40'	L60	N 11°39'10" W	129.43'	
L41	N 01°41'40" W	161.58'	L61	N 37°59'40" W	64.63	
L42	S 01°41'40" E	14.97'	L62	N 83°05'06" E	58.72'	

L63 N 01°41'40" W 27.92'

L64 N 00°00'00" E 16.98'

L65 N 74°55'30" E 116.59'

L43 S 8818'20" W 44.70'

L44 S 8818'20" W 10.39'

L45 N 8818'20" E 262.85'


PHASE 1 LINE TABLE PHASE 1 LINE TABLE

CHAC	DEARING	DISTAN
L101	S 01'41'40" E	139.75
L102	S 01°41'40" E	53.33
L103	S 8818'20" W	57.17
L104	N 01°41'40" W	34.59
L105	N 20°55'25" W	17.73
L106	N 00°00'00" E	77.00
L107	S 84°50'55" E	164.06
L108	N 8818'20" E	74.47
L109	N 8818'20" E	140.73
L110	S 06°57'45" W	55.36
L111	N 83°02'15" W	20.80
L112	S 17°53'30" W	97.77
L113	S 39°05'00" W	79.23
L115	N 61°41'50" E	34.73
L116	N 35°38'00" E	23.16
L117	N 60°46'30" E	6.66
L118	N 83°02'15" W	23.77
L119	N 06°57'45" E	54.68
L120	S 45'49'45" E	23.51
L121	N 00°49'45" W	67.03

L102	S 01°41'40" E	53.33'
L103	S 8818'20" W	57.17
L104	N 01°41'40" W	34.59
L105	N 20°55'25" W	17.73'
L106	N 00°00'00" E	77.00
L107	S 84°50'55" E	164.06
L108	N 8818'20" E	74.47
L109	N 8818'20" E	140.73
L110	S 06°57'45" W	55.36'
L111	N 83°02'15" W	20.80
L112	S 17°53'30" W	97.77
L113	S 39°05'00" W	79.23
L115	N 61°41'50" E	34.73
L116	N 35°38'00" E	23.16
L117	N 60°46'30" E	6.66
L118	N 83°02'15" W	23.77
L119	N 06°57'45" E	54.68
L120	S 45'49'45" E	23.51
L121	N 00°49'45" W	67.03

PHASE 2 LINE TABLE

LINE BEARING DISTANCE



RECOMMENDED FOR FINAL APPROVAL

APPROVED:

I hereby certify that the above and foregoing plat of an addition to the City of Rockwall, Texas, was approved by the City Council of the City of Rockwall on this _____ day of ______

This approval shall be invalid unless the approved plat for such addition is recorded in the office of the County Clerk of Rockwall, County, Texas, within one hundred eighty (180) days from said date of final

SURVEYOR'S STATE

I, W. Thad Murley III, a Registered Professional Land Surveyor in the State of Texas, have prepared this plat of the above property from an actual survey on the ground, and this plat represents that survey made by me or under my supervision.

. 2 has m W. THAD MURLEY III Thad Murley II), Texas Registration No. 5802

> FINAL PLAT Lot 2 & 3, Block A LADERA ROCKWALL Being a Replat of Lot 1, Block A, LADERA ROCKWALL Creating 2 Lots on 37.800 Acres in the M. JONES SURVEY, ABSTRACT NO. 122

> > CITY OF ROCKWALL ROCKWALL COUNTY, TEXAS

3/3

The John R. McAdams Company, Inc. 111 Hillside Drive Lewisville, Texas 75057 972. 436. 9712

201 Country View Drive Roanoke, Texas 76262 940. 240. 1012

TBPE: 19762 TBPLS: 10194440 www.gacon.com

DRAWN BY: CC DATE: 4/13/2021 SCALE: 1"=100' JOB. No. 17191

OWNER/DEVELOPER RW LADERA, LLC. 361 W. BYRON NELSON BLVD. STE. 104 **ROANOKE, TX 76262** Ph. 817.430.3318

Contact: John Delin

Filed and Recorded Official Public Records Jennifer Fogg, County Clerk Rockwall County: Texas 08/31/2022 11:56:56 AM \$150 00 20220000019637

Junifu Dogo

Case No. P2022-019

8. COA is to maintain open space, flood plain/drainage easements.

9. Lot 3, Block A is located in the Ralph M. Hall Rockwall Municipal Airport, Runway Protection Zone, no building permits shall be issued for this lot.

NOTES:

Central Zone (4202) NAD '83..

6. Refer to Typical Street Section for fire lane information.

plat, as required under Ordinance 83-54.

10. It shall be the policy of the City of Rockwall to withhold issuing building permits until all streets, water, sewer and storm drainage systems have been accepted by the City. The approval of a plat by the City does not constitute any representation, assurance or guarantee that any building within such plat shall be approved,